



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 01:46 pm BST

PDB ID : 6TOD / pdb_00006tod
Title : Crystal structure of the Orexin-1 receptor in complex with EMPA
Authors : Rappas, M.; Ali, A.; Bennett, K.A.; Brown, J.D.; Bucknell, S.J.; Congreve, M.; Cooke, R.M.; Cseke, G.; de Graaf, C.; Dore, A.S.; Errey, J.C.; Jazayeri, A.; Marshall, F.H.; Mason, J.S.; Mould, R.; Patel, J.C.; Tehan, B.G.; Weir, M.; Christopher, J.A.
Deposited on : 2019-12-11
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7689 (2.14-2.10)
Clashscore	180529	8431 (2.14-2.10)
Ramachandran outliers	177936	8366 (2.14-2.10)
Sidechain outliers	177891	8367 (2.14-2.10)
RSRZ outliers	164620	7689 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	
1	B	336	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	SOG	B	413	-	-	-	X
6	SOG	B	422	-	-	-	X
6	SOG	B	424	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 6001 atoms, of which 52 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Orexin receptor type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	301	2390	1584	399	390	17	0	0	0
1	B	311	2486	1652	411	406	17	0	0	0

There are 118 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	ALA	-	expression tag	UNP O43613
A	26	ALA	-	expression tag	UNP O43613
A	27	SER	-	expression tag	UNP O43613
A	46	ALA	GLU	engineered mutation	UNP O43613
A	85	LEU	ILE	engineered mutation	UNP O43613
A	95	ALA	VAL	engineered mutation	UNP O43613
A	127	THR	ALA	engineered mutation	UNP O43613
A	162	LEU	ARG	engineered mutation	UNP O43613
A	194	ALA	ASN	engineered mutation	UNP O43613
A	198	ALA	LEU	engineered mutation	UNP O43613
A	211	ALA	TYR	engineered mutation	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	VAL	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ASN	deletion	UNP O43613
A	?	-	TRP	deletion	UNP O43613
A	?	-	LYS	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	SER	deletion	UNP O43613
A	?	-	ASP	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ASP	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	GLU	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	SER	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	GLU	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	PHE	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	304	VAL	LEU	engineered mutation	UNP O43613
A	339	ALA	CYS	engineered mutation	UNP O43613
A	375	TRP	CYS	engineered mutation	UNP O43613
A	376	TRP	CYS	engineered mutation	UNP O43613
A	381	ALA	-	expression tag	UNP O43613
A	382	ALA	-	expression tag	UNP O43613
A	383	ALA	-	expression tag	UNP O43613
A	384	HIS	-	expression tag	UNP O43613
A	385	HIS	-	expression tag	UNP O43613
A	386	HIS	-	expression tag	UNP O43613
A	387	HIS	-	expression tag	UNP O43613
A	388	HIS	-	expression tag	UNP O43613
A	389	HIS	-	expression tag	UNP O43613
A	390	HIS	-	expression tag	UNP O43613
A	391	HIS	-	expression tag	UNP O43613
A	392	HIS	-	expression tag	UNP O43613
B	25	ALA	-	expression tag	UNP O43613
B	26	ALA	-	expression tag	UNP O43613
B	27	SER	-	expression tag	UNP O43613
B	46	ALA	GLU	engineered mutation	UNP O43613
B	85	LEU	ILE	engineered mutation	UNP O43613
B	95	ALA	VAL	engineered mutation	UNP O43613
B	127	THR	ALA	engineered mutation	UNP O43613
B	162	LEU	ARG	engineered mutation	UNP O43613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	194	ALA	ASN	engineered mutation	UNP O43613
B	198	ALA	LEU	engineered mutation	UNP O43613
B	211	ALA	TYR	engineered mutation	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	VAL	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ASN	deletion	UNP O43613
B	?	-	TRP	deletion	UNP O43613
B	?	-	LYS	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	SER	deletion	UNP O43613
B	?	-	ASP	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	ASP	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	GLU	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	SER	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	GLU	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	PHE	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	304	VAL	LEU	engineered mutation	UNP O43613
B	339	ALA	CYS	engineered mutation	UNP O43613
B	375	TRP	CYS	engineered mutation	UNP O43613
B	376	TRP	CYS	engineered mutation	UNP O43613
B	381	ALA	-	expression tag	UNP O43613
B	382	ALA	-	expression tag	UNP O43613
B	383	ALA	-	expression tag	UNP O43613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	384	HIS	-	expression tag	UNP O43613
B	385	HIS	-	expression tag	UNP O43613
B	386	HIS	-	expression tag	UNP O43613
B	387	HIS	-	expression tag	UNP O43613
B	388	HIS	-	expression tag	UNP O43613
B	389	HIS	-	expression tag	UNP O43613
B	390	HIS	-	expression tag	UNP O43613
B	391	HIS	-	expression tag	UNP O43613
B	392	HIS	-	expression tag	UNP O43613

- Molecule 2 is N-ethyl-2-[(6-methoxypyridin-3-yl)-(2-methylphenyl)sulfonyl-amino]-N-(pyridin-3-ylmethyl)ethanamide (CCD ID: 7MA) (formula: C₂₃H₂₆N₄O₄S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
2	A	1	Total	C	H	N	O	S	0	0
			58	23	26	4	4	1		
2	B	1	Total	C	H	N	O	S	0	0
			58	23	26	4	4	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 13 8 5	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			13	6	7		

- Molecule 6 is octyl 1-thio-beta-D-glucopyranoside (CCD ID: SOG) (formula: $C_{14}H_{28}O_5S$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	O			S
6	A	1	Total	C	O	S	0	0
			17	11	5	1		
6	A	1	Total	C	O	S	0	0
			16	10	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	O	S	0	0
			14	8	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	O	S	0	0
			20	14	5	1		
6	A	1	Total	C	S		0	0
			7	6	1			
6	A	1	Total	C	S		0	0
			7	6	1			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	A	1	Total C S 7 6 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 16 10 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C 6 6	0	0
6	B	1	Total C S 10 9 1	0	0
6	B	1	Total C S 9 8 1	0	0
6	B	1	Total C S 8 7 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C S 9 8 1	0	0
6	B	1	Total C S 5 4 1	0	0
6	B	1	Total C O S 16 10 5 1	0	0
6	B	1	Total C S 8 7 1	0	0
6	B	1	Total C S 9 8 1	0	0
6	B	1	Total C S 6 5 1	0	0
6	B	1	Total C S 7 6 1	0	0
6	B	1	Total C S 7 6 1	0	0
6	B	1	Total C S 7 6 1	0	0
6	B	1	Total C S 7 6 1	0	0
6	B	1	Total C S 7 6 1	0	0
6	B	1	Total C S 7 6 1	0	0

- Molecule 7 is (1R)-2-{{(S)-{[(2S)-2,3-dihydroxypropyl]oxy}}(hydroxy)phosphoryl]oxy}-1-[(hexadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (CCD ID: PGW) (formula: C₄₀H₇₇O₁₀P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	O	P	0	0
			51	40	10	1		
7	B	1	Total	C	O	P	0	0
			51	40	10	1		

- Molecule 8 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Na	0	0
			1	1		
8	B	1	Total	Na	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	110	Total	O	0	0
			110	110		
9	B	101	Total	O	0	0
			101	101		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Orexin receptor type 1



- Molecule 1: Orexin receptor type 1



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	57.91Å 158.89Å 182.35Å 90.00° 95.77° 90.00°	Depositor
Resolution (Å)	30.62 – 2.11 30.62 – 2.11	Depositor EDS
% Data completeness (in resolution range)	61.3 (30.62-2.11) 81.1 (30.62-2.11)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.32 (at 2.10Å)	Xtrriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.188 , 0.208 0.224 , 0.245	Depositor DCC
R_{free} test set	4685 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	26.9	Xtrriage
Anisotropy	0.343	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 54.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6001	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 7MA, CIT, PG4, PGW, SOG, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.86	1/2456 (0.0%)	1.33	2/3350 (0.1%)
1	B	0.87	1/2557 (0.0%)	1.32	4/3485 (0.1%)
All	All	0.87	2/5013 (0.0%)	1.33	6/6835 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	177	VAL	CA-C	6.07	1.57	1.52
1	A	177	VAL	CA-C	5.31	1.57	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	151	PRO	N-CA-C	6.63	122.46	113.84
1	A	151	PRO	N-CA-C	6.07	121.73	113.84
1	A	177	VAL	N-CA-CB	5.49	113.96	110.50
1	B	151	PRO	CA-C-N	-5.42	114.57	122.86
1	B	151	PRO	C-N-CA	-5.42	114.57	122.86
1	B	177	VAL	N-CA-CB	5.35	113.87	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2390	0	2456	27	0
1	B	2486	0	2535	25	0
2	A	32	26	0	0	0
2	B	32	26	0	0	0
3	A	5	0	0	0	0
3	B	10	0	0	0	0
4	A	39	0	54	2	0
4	B	26	0	36	0	0
5	A	13	0	5	0	0
6	A	297	0	401	23	0
6	B	304	0	435	16	0
7	A	51	0	76	6	0
7	B	51	0	76	3	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
9	A	110	0	0	0	0
9	B	101	0	0	0	0
All	All	5949	52	6074	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:290:MET:HE3	1:B:294:ARG:HH21	1.17	1.06
1:B:290:MET:HE3	1:B:294:ARG:NH2	1.74	1.01
6:A:410:SOG:H5	6:A:411:SOG:S1	2.00	1.01
1:A:213:LYS:HD3	6:A:411:SOG:H1'1	1.46	0.93
1:B:290:MET:CE	1:B:294:ARG:HH21	1.88	0.85
1:B:290:MET:CE	1:B:294:ARG:NH2	2.41	0.83
1:A:324:PHE:CE1	6:A:410:SOG:H61	2.16	0.80
1:B:250:THR:HA	1:B:287:VAL:HG11	1.65	0.77
1:A:210:LEU:HD13	6:A:411:SOG:H62	1.75	0.68
1:A:234:ALA:HB2	7:A:429:PGW:H7A	1.77	0.66
1:A:346:LEU:HD21	4:A:405:PG4:H22	1.76	0.66
1:A:237:GLN:HE21	7:A:429:PGW:H04	1.64	0.63
1:B:359:ASN:HD21	6:B:424:SOG:H2'2	1.64	0.62
1:B:94:LEU:HB2	6:B:418:SOG:H1'2	1.82	0.62
1:B:290:MET:HE3	1:B:294:ARG:CZ	2.31	0.60
1:B:36:TRP:HA	1:B:40:LEU:HB2	1.85	0.58
1:A:57:PHE:CD2	6:A:415:SOG:H4	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:410:SOG:C5	6:A:411:SOG:S1	2.86	0.56
1:B:152:LEU:H	6:B:421:SOG:H62	1.71	0.55
1:B:319:VAL:HG11	6:B:409:SOG:H6'1	1.88	0.54
6:A:409:SOG:H3'1	6:A:417:SOG:H4'1	1.91	0.53
1:A:53:TYR:CD1	1:A:104:LEU:HD13	2.45	0.52
6:A:410:SOG:H7'1	6:B:409:SOG:H4'2	1.92	0.52
1:A:116:HIS:HD2	6:A:427:SOG:H2'2	1.75	0.52
6:B:407:SOG:H61	6:B:408:SOG:H3	1.93	0.51
1:A:54:VAL:HG22	6:A:415:SOG:O4	2.09	0.51
6:A:426:SOG:H4'2	6:B:414:SOG:H8'3	1.94	0.50
6:A:414:SOG:H3	1:B:163:GLY:HA3	1.92	0.50
1:A:188:VAL:HG22	1:A:199:PHE:HB3	1.95	0.49
1:A:184:GLU:HG2	1:A:205:ARG:CZ	2.43	0.49
1:A:233:MET:HB3	7:A:429:PGW:H2	1.94	0.48
1:A:213:LYS:HD3	6:A:411:SOG:C1'	2.31	0.47
1:A:215:TYR:HB2	7:B:431:PGW:H7	1.97	0.47
7:A:429:PGW:H23	6:B:414:SOG:H5'2	1.96	0.46
1:B:349:ALA:HB1	6:B:416:SOG:H3'1	1.97	0.46
1:A:177:VAL:HG22	6:A:413:SOG:H4'1	1.98	0.46
1:B:206:TRP:HA	6:B:414:SOG:H61	1.98	0.46
6:A:410:SOG:H1'1	6:B:409:SOG:H62	1.98	0.46
1:A:324:PHE:CD1	6:A:417:SOG:H3	2.51	0.45
1:B:184:GLU:HG2	1:B:205:ARG:CZ	2.47	0.45
1:B:47:TRP:CE2	6:B:408:SOG:H8'1	2.51	0.45
1:B:379:GLY:HA3	6:B:413:SOG:H3'1	1.98	0.45
1:A:191:GLU:H	1:A:191:GLU:CD	2.25	0.45
1:A:228:LEU:HB3	4:A:404:PG4:H21	1.98	0.45
1:A:290:MET:HE2	1:A:290:MET:HB2	1.85	0.45
1:A:319:VAL:HG11	6:A:417:SOG:H6'1	2.00	0.44
6:A:411:SOG:H3	6:B:409:SOG:H3	1.99	0.44
1:A:83:TYR:CE2	1:A:158:ALA:HB1	2.53	0.43
1:A:177:VAL:HB	7:B:431:PGW:H20A	2.00	0.43
1:B:372:ALA:HA	1:B:376:TRP:HB2	1.99	0.43
1:B:152:LEU:H	6:B:421:SOG:C6	2.30	0.43
6:A:410:SOG:O6	6:A:411:SOG:H2'2	2.19	0.43
1:B:210:LEU:HD23	6:B:428:SOG:H1'2	2.00	0.43
1:A:324:PHE:HD1	6:A:417:SOG:H3	1.84	0.42
6:A:412:SOG:H61	1:B:177:VAL:HG11	2.01	0.42
1:B:83:TYR:CE2	1:B:158:ALA:HB1	2.54	0.42
7:A:429:PGW:H26	1:B:214:ILE:HG22	2.01	0.42
1:B:29:ASP:HA	1:B:32:LEU:HD12	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:PHE:CD1	6:A:410:SOG:H61	2.54	0.42
1:A:240:ARG:HD2	7:A:429:PGW:OAF	2.20	0.41
1:B:226:ALA:HA	7:B:431:PGW:H08	2.03	0.41
1:A:94:LEU:HB2	6:A:416:SOG:H4'2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/336 (88%)	292 (98%)	5 (2%)	0	100	100
1	B	305/336 (91%)	299 (98%)	6 (2%)	0	100	100
All	All	602/672 (90%)	591 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/280 (90%)	248 (98%)	4 (2%)	58	65
1	B	260/280 (93%)	259 (100%)	1 (0%)	89	93
All	All	512/560 (91%)	507 (99%)	5 (1%)	73	79

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	VAL
1	A	195	ARG
1	A	290	MET
1	A	377	LEU
1	B	56	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	76	HIS
1	A	318	ASN
1	B	318	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 62 ligands modelled in this entry, 2 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SOG	A	408	-	16,16,20	1.15	2 (12%)	20,21,25	1.02	2 (10%)
6	SOG	A	418	-	20,20,20	0.99	1 (5%)	24,25,25	0.93	0
6	SOG	A	427	-	6,6,20	0.51	0	5,5,25	0.55	0
6	SOG	B	413	-	16,16,20	1.20	1 (6%)	20,21,25	0.94	2 (10%)
6	SOG	B	407	-	20,20,20	1.12	2 (10%)	24,25,25	0.74	1 (4%)
4	PG4	B	405	-	12,12,12	0.50	0	11,11,11	0.34	0
6	SOG	A	420	-	6,6,20	0.50	0	5,5,25	0.75	0
6	SOG	B	408	-	20,20,20	1.01	2 (10%)	24,25,25	0.80	0
6	SOG	B	419	-	8,8,20	0.49	0	7,7,25	0.64	0
6	SOG	A	428	-	6,6,20	0.53	0	5,5,25	0.50	0
6	SOG	B	424	-	5,5,20	0.52	0	4,4,25	0.45	0
6	SOG	B	428	-	6,6,20	0.52	0	5,5,25	0.80	0
6	SOG	B	430	-	6,6,20	0.49	0	5,5,25	0.82	0
4	PG4	A	405	-	12,12,12	0.15	0	11,11,11	0.14	0
6	SOG	A	423	-	6,6,20	0.52	0	5,5,25	0.80	0
6	SOG	B	423	-	8,8,20	0.45	0	7,7,25	0.69	0
4	PG4	A	403	-	12,12,12	0.48	0	11,11,11	0.33	0
6	SOG	A	411	-	20,20,20	0.76	1 (5%)	24,25,25	1.19	3 (12%)
6	SOG	A	426	-	6,6,20	0.52	0	5,5,25	0.63	0
6	SOG	A	422	-	6,6,20	0.48	0	5,5,25	0.54	0
7	PGW	B	431	-	50,50,50	0.97	2 (4%)	53,56,56	0.94	2 (3%)
6	SOG	A	414	-	20,20,20	1.10	2 (10%)	24,25,25	0.80	0
6	SOG	B	412	-	20,20,20	1.05	2 (10%)	24,25,25	0.74	0
6	SOG	B	409	-	20,20,20	1.12	2 (10%)	24,25,25	1.60	5 (20%)
6	SOG	B	427	-	6,6,20	0.52	0	5,5,25	0.68	0
6	SOG	A	425	-	6,6,20	0.53	0	5,5,25	0.71	0
6	SOG	A	416	-	20,20,20	1.03	2 (10%)	24,25,25	0.87	1 (4%)
4	PG4	A	404	-	12,12,12	0.58	0	11,11,11	0.18	0
6	SOG	A	413	-	20,20,20	0.95	1 (5%)	24,25,25	1.40	4 (16%)
6	SOG	B	422	-	7,7,20	0.52	0	6,6,25	0.72	0
6	SOG	B	426	-	6,6,20	0.51	0	5,5,25	0.84	0
6	SOG	A	410	-	20,20,20	0.85	1 (5%)	24,25,25	1.74	4 (16%)
6	SOG	A	421	-	6,6,20	0.56	0	5,5,25	1.01	0
6	SOG	B	410	-	20,20,20	0.99	1 (5%)	24,25,25	0.82	0
6	SOG	B	414	-	20,20,20	0.99	1 (5%)	24,25,25	1.12	3 (12%)
7	PGW	A	429	-	50,50,50	0.94	2 (4%)	53,56,56	1.15	3 (5%)
6	SOG	A	415	-	14,14,20	0.91	1 (7%)	18,19,25	1.07	1 (5%)
6	SOG	A	409	-	20,20,20	0.98	1 (5%)	24,25,25	0.92	1 (4%)
6	SOG	B	429	-	6,6,20	0.52	0	5,5,25	0.80	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SOG	B	411	-	20,20,20	0.98	2 (10%)	24,25,25	1.11	2 (8%)
3	SO4	B	402	-	4,4,4	0.16	0	6,6,6	0.13	0
6	SOG	A	407	-	17,17,20	1.05	2 (11%)	21,22,25	1.18	2 (9%)
6	SOG	B	425	-	6,6,20	0.54	0	5,5,25	0.88	0
6	SOG	A	419	-	6,6,20	0.52	0	5,5,25	0.63	0
6	SOG	B	406	-	20,20,20	1.05	2 (10%)	24,25,25	1.17	1 (4%)
6	SOG	B	416	-	9,9,20	0.39	0	8,8,25	0.57	0
6	SOG	A	424	-	6,6,20	0.60	0	5,5,25	1.29	1 (20%)
4	PG4	B	404	-	12,12,12	0.41	0	11,11,11	0.59	0
6	SOG	B	417	-	8,8,20	0.48	0	7,7,25	0.69	0
6	SOG	B	418	-	7,7,20	0.51	0	6,6,25	0.91	0
2	7MA	A	401	-	34,34,34	5.53	11 (32%)	45,47,47	2.68	22 (48%)
6	SOG	B	421	-	16,16,20	1.12	1 (6%)	20,21,25	0.84	0
3	SO4	A	402	-	4,4,4	0.21	0	6,6,6	0.20	0
6	SOG	A	417	-	20,20,20	1.11	2 (10%)	24,25,25	1.29	4 (16%)
6	SOG	B	415	-	5,5,20	0.25	0	4,4,25	0.37	0
2	7MA	B	401	-	34,34,34	5.65	11 (32%)	45,47,47	2.58	20 (44%)
6	SOG	B	420	-	4,4,20	0.69	0	3,3,25	0.71	0
6	SOG	A	412	-	20,20,20	1.10	2 (10%)	24,25,25	0.95	1 (4%)
3	SO4	B	403	-	4,4,4	0.25	0	6,6,6	0.13	0
5	CIT	A	406	-	12,12,12	0.99	0	17,17,17	1.67	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SOG	A	408	-	-	4/7/27/31	0/1/1/1
6	SOG	A	418	-	-	6/11/31/31	0/1/1/1
6	SOG	A	427	-	-	3/4/4/31	-
6	SOG	B	413	-	-	3/7/27/31	0/1/1/1
6	SOG	B	407	-	-	6/11/31/31	0/1/1/1
4	PG4	B	405	-	-	8/10/10/10	-
6	SOG	A	420	-	-	1/4/4/31	-
6	SOG	B	408	-	-	7/11/31/31	0/1/1/1
6	SOG	B	419	-	-	5/6/6/31	-
6	SOG	A	428	-	-	1/4/4/31	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SOG	B	424	-	-	2/3/3/31	-
6	SOG	B	428	-	-	1/4/4/31	-
6	SOG	B	430	-	-	3/4/4/31	-
4	PG4	A	405	-	-	3/10/10/10	-
6	SOG	A	423	-	-	3/4/4/31	-
6	SOG	B	423	-	-	3/6/6/31	-
4	PG4	A	403	-	-	3/10/10/10	-
6	SOG	A	411	-	-	2/11/31/31	0/1/1/1
6	SOG	A	426	-	-	1/4/4/31	-
6	SOG	A	422	-	-	3/4/4/31	-
7	PGW	B	431	-	-	28/55/55/55	-
6	SOG	A	414	-	-	6/11/31/31	0/1/1/1
6	SOG	B	412	-	-	5/11/31/31	0/1/1/1
6	SOG	B	409	-	-	4/11/31/31	0/1/1/1
6	SOG	B	427	-	-	1/4/4/31	-
6	SOG	A	425	-	-	2/4/4/31	-
6	SOG	A	416	-	-	7/11/31/31	0/1/1/1
4	PG4	A	404	-	-	5/10/10/10	-
6	SOG	A	413	-	-	4/11/31/31	0/1/1/1
6	SOG	B	422	-	-	2/5/5/31	-
6	SOG	B	426	-	-	1/4/4/31	-
6	SOG	A	410	-	-	5/11/31/31	0/1/1/1
6	SOG	A	421	-	-	1/4/4/31	-
6	SOG	B	410	-	-	9/11/31/31	0/1/1/1
6	SOG	B	414	-	-	4/11/31/31	0/1/1/1
7	PGW	A	429	-	-	26/55/55/55	-
6	SOG	A	415	-	-	1/5/25/31	0/1/1/1
6	SOG	A	409	-	-	6/11/31/31	0/1/1/1
6	SOG	B	429	-	-	1/4/4/31	-
6	SOG	B	411	-	-	7/11/31/31	0/1/1/1
6	SOG	A	407	-	-	5/8/28/31	0/1/1/1
6	SOG	B	425	-	-	2/4/4/31	-
6	SOG	A	419	-	-	1/4/4/31	-
6	SOG	B	406	-	-	6/11/31/31	0/1/1/1
6	SOG	B	416	-	-	1/7/7/31	-
6	SOG	A	424	-	-	2/4/4/31	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PG4	B	404	-	-	4/10/10/10	-
6	SOG	B	417	-	-	4/6/6/31	-
6	SOG	B	418	-	-	3/5/5/31	-
2	7MA	A	401	-	-	7/32/32/32	0/3/3/3
6	SOG	B	421	-	-	4/7/27/31	0/1/1/1
6	SOG	A	417	-	-	7/11/31/31	0/1/1/1
6	SOG	B	415	-	-	2/3/3/31	-
2	7MA	B	401	-	-	6/32/32/32	0/3/3/3
6	SOG	B	420	-	-	2/2/2/31	-
6	SOG	A	412	-	-	5/11/31/31	0/1/1/1
5	CIT	A	406	-	-	4/16/16/16	-

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	7MA	O24-S23	20.06	1.65	1.43
2	A	401	7MA	O24-S23	19.73	1.65	1.43
2	B	401	7MA	O25-S23	17.26	1.62	1.43
2	A	401	7MA	O25-S23	17.07	1.62	1.43
2	B	401	7MA	S23-N14	13.63	1.84	1.65
2	A	401	7MA	S23-N14	13.47	1.84	1.65
2	B	401	7MA	C26-S23	8.94	1.89	1.78
2	A	401	7MA	C26-S23	8.04	1.88	1.78
2	A	401	7MA	C15-N14	5.50	1.52	1.44
2	B	401	7MA	C15-N14	5.47	1.52	1.44
2	B	401	7MA	C11-N03	4.90	1.45	1.35
7	B	431	PGW	O01-C1	4.64	1.47	1.34
2	A	401	7MA	C11-N03	4.58	1.44	1.35
7	A	429	PGW	O01-C1	4.30	1.46	1.34
6	B	409	SOG	C1'-S1	-4.21	1.76	1.81
7	A	429	PGW	O03-C19	4.18	1.45	1.33
7	B	431	PGW	O03-C19	4.05	1.45	1.33
6	A	417	SOG	C1'-S1	-3.81	1.76	1.81
6	B	413	SOG	C1'-S1	-3.74	1.76	1.81
6	A	412	SOG	C1'-S1	-3.73	1.76	1.81
6	A	414	SOG	C1'-S1	-3.69	1.76	1.81
6	B	407	SOG	C1'-S1	-3.69	1.76	1.81
6	B	406	SOG	C1'-S1	-3.65	1.76	1.81
6	A	416	SOG	C1'-S1	-3.53	1.76	1.81
6	A	408	SOG	C1'-S1	-3.53	1.76	1.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	412	SOG	C1'-S1	-3.49	1.77	1.81
6	B	421	SOG	C1'-S1	-3.38	1.77	1.81
6	B	408	SOG	C1'-S1	-3.35	1.77	1.81
6	A	418	SOG	C1'-S1	-3.34	1.77	1.81
6	A	409	SOG	C1'-S1	-3.30	1.77	1.81
6	B	414	SOG	C1'-S1	-3.29	1.77	1.81
6	B	410	SOG	C1'-S1	-3.27	1.77	1.81
6	A	413	SOG	C1'-S1	-3.21	1.77	1.81
6	B	411	SOG	C1'-S1	-3.19	1.77	1.81
6	A	407	SOG	C1'-S1	-3.08	1.77	1.81
2	B	401	7MA	C20-C15	2.90	1.45	1.39
2	B	401	7MA	C13-C11	2.87	1.57	1.53
2	A	401	7MA	O21-C18	2.86	1.39	1.35
2	B	401	7MA	O21-C18	2.68	1.39	1.35
2	A	401	7MA	C19-C18	2.60	1.45	1.39
6	B	407	SOG	C1-S1	-2.54	1.76	1.80
6	A	410	SOG	C1'-S1	-2.54	1.78	1.81
2	B	401	7MA	C19-C18	2.52	1.45	1.39
2	A	401	7MA	C13-C11	2.50	1.56	1.53
2	A	401	7MA	C20-C15	2.49	1.44	1.39
6	A	417	SOG	C1-S1	-2.40	1.77	1.80
6	A	415	SOG	C1-S1	-2.39	1.77	1.80
6	B	406	SOG	C1-S1	-2.36	1.77	1.80
6	B	408	SOG	C1-S1	-2.35	1.77	1.80
6	A	412	SOG	C1-S1	-2.34	1.77	1.80
6	A	414	SOG	C1-S1	-2.26	1.77	1.80
2	B	401	7MA	C18-N17	2.22	1.36	1.32
6	A	408	SOG	C1-S1	-2.22	1.77	1.80
6	B	412	SOG	C1-S1	-2.16	1.77	1.80
6	B	409	SOG	C1-S1	-2.12	1.77	1.80
2	A	401	7MA	C18-N17	2.10	1.35	1.32
6	A	416	SOG	C1-S1	-2.10	1.77	1.80
6	A	407	SOG	C1-S1	-2.08	1.77	1.80
6	B	411	SOG	C1-S1	-2.01	1.77	1.80
6	A	411	SOG	C1'-S1	-2.00	1.78	1.81

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	7MA	C16-N17-C18	6.51	122.36	116.63
2	A	401	7MA	C16-N17-C18	6.01	121.92	116.63
2	A	401	7MA	O25-S23-O24	-5.79	110.13	119.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	410	SOG	C1-O5-C5	5.75	123.19	112.58
7	A	429	PGW	O01-C1-C2	5.61	123.59	111.50
2	B	401	7MA	C13-N14-C15	5.54	124.04	116.59
2	A	401	7MA	C13-C11-N03	5.15	123.57	117.08
2	B	401	7MA	C16-C15-N14	-5.13	112.43	120.14
2	B	401	7MA	O25-S23-O24	-5.03	111.38	119.52
2	A	401	7MA	O24-S23-N14	5.03	112.66	106.71
2	B	401	7MA	C13-C11-N03	4.84	123.18	117.08
2	A	401	7MA	C13-N14-C15	4.75	122.97	116.59
2	A	401	7MA	C16-C15-N14	-4.56	113.29	120.14
5	A	406	CIT	O6-C6-C3	4.42	120.73	113.05
2	A	401	7MA	O25-S23-N14	4.27	111.76	106.71
6	B	409	SOG	C3-C4-C5	4.02	117.42	110.24
6	B	406	SOG	C1'-S1-C1	3.96	107.49	100.09
6	A	407	SOG	C1-O5-C5	3.94	119.84	112.58
2	B	401	7MA	O25-S23-N14	3.68	111.07	106.71
7	B	431	PGW	O01-C1-C2	3.67	119.41	111.50
6	A	413	SOG	C3-C4-C5	3.56	116.60	110.24
2	B	401	7MA	C13-N14-S23	3.56	123.30	117.23
2	A	401	7MA	C13-N14-S23	3.49	123.18	117.23
2	B	401	7MA	C20-C15-N14	3.46	125.32	120.16
2	B	401	7MA	O24-S23-N14	3.44	110.78	106.71
6	A	410	SOG	C1'-S1-C1	3.38	106.42	100.09
2	A	401	7MA	C27-C26-S23	-3.28	112.89	117.42
6	A	411	SOG	C1-O5-C5	3.21	118.49	112.58
2	A	401	7MA	C20-C15-N14	3.20	124.93	120.16
2	A	401	7MA	C31-C26-S23	3.19	124.97	122.05
2	A	401	7MA	O12-C11-C13	-3.10	115.76	120.59
6	A	417	SOG	C4-C3-C2	3.08	116.20	110.82
6	A	412	SOG	C1-O5-C5	3.07	118.25	112.58
6	B	409	SOG	C4-C3-C2	3.03	116.12	110.82
6	A	411	SOG	C1'-S1-C1	3.03	105.76	100.09
6	B	409	SOG	O5-C5-C4	3.02	115.17	109.69
6	A	413	SOG	C4-C3-C2	3.01	116.08	110.82
6	A	407	SOG	O5-C1-C2	2.97	114.04	110.31
2	B	401	7MA	O12-C11-C13	-2.95	115.99	120.59
5	A	406	CIT	O5-C6-C3	-2.91	118.13	122.25
2	A	401	7MA	C08-N07-C06	2.84	121.76	116.85
2	A	401	7MA	C05-C04-N03	2.82	117.67	113.13
2	A	401	7MA	C04-N03-C02	2.82	119.83	116.54
6	A	415	SOG	C1-O5-C5	2.82	117.78	112.58
6	B	409	SOG	C1-O5-C5	2.81	117.77	112.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	411	SOG	C3-C4-C5	2.75	115.15	110.24
6	A	413	SOG	O5-C1-C2	-2.68	106.95	110.31
6	A	410	SOG	O5-C5-C4	2.65	114.50	109.69
2	B	401	7MA	C15-N14-S23	-2.63	112.46	117.73
2	B	401	7MA	C08-N07-C06	2.59	121.33	116.85
6	B	414	SOG	C4-C3-C2	2.58	115.33	110.82
2	B	401	7MA	C31-C26-S23	2.58	124.42	122.05
7	A	429	PGW	O03-C19-C20	2.57	119.98	111.91
2	A	401	7MA	O25-S23-C26	2.57	112.34	107.36
2	B	401	7MA	O21-C18-C19	2.57	121.18	116.71
2	A	401	7MA	C04-C05-C10	-2.56	115.96	120.77
2	B	401	7MA	C04-C05-C10	-2.55	115.97	120.77
6	B	411	SOG	C4-C3-C2	2.55	115.28	110.82
6	A	417	SOG	C3-C4-C5	2.55	114.79	110.24
2	A	401	7MA	C05-C06-N07	-2.54	118.77	123.72
6	B	409	SOG	C1'-S1-C1	2.50	104.78	100.09
2	A	401	7MA	O21-C18-C19	2.50	121.06	116.71
6	A	409	SOG	C4-C3-C2	2.48	115.15	110.82
6	B	414	SOG	C3-C4-C5	2.44	114.60	110.24
7	A	429	PGW	O01-C1-O02	-2.44	117.80	123.70
6	A	417	SOG	O5-C5-C4	2.44	114.12	109.69
2	B	401	7MA	C10-C05-C06	2.38	120.60	117.10
2	B	401	7MA	C30-C31-C26	2.36	118.89	116.27
2	B	401	7MA	C05-C06-N07	-2.35	119.14	123.72
7	B	431	PGW	O03-C19-C20	2.34	119.26	111.91
6	A	408	SOG	C1-O5-C5	2.28	116.79	112.58
2	A	401	7MA	C10-C05-C06	2.28	120.45	117.10
6	B	413	SOG	C4-C3-C2	2.28	114.80	110.82
2	B	401	7MA	C05-C04-N03	2.26	116.77	113.13
2	B	401	7MA	C27-C26-S23	-2.23	114.35	117.42
6	A	417	SOG	C1-O5-C5	2.22	116.67	112.58
2	A	401	7MA	C19-C18-N17	-2.21	121.57	124.87
6	A	410	SOG	O5-C1-C2	2.17	113.05	110.31
6	A	413	SOG	O5-C5-C4	2.16	113.61	109.69
6	A	408	SOG	O5-C5-C4	2.12	113.55	109.69
6	A	424	SOG	C3'-C2'-C1'	-2.11	109.33	113.09
6	B	413	SOG	O5-C5-C6	2.09	111.63	106.44
2	A	401	7MA	C19-C20-C15	-2.08	117.59	120.32
6	B	407	SOG	C1-O5-C5	2.06	116.39	112.58
5	A	406	CIT	O4-C5-C4	2.06	120.97	114.35
6	B	414	SOG	C1'-S1-C1	2.04	103.91	100.09
6	A	411	SOG	O5-C5-C4	2.03	113.39	109.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	416	SOG	C1-C2-C3	-2.01	106.63	110.59

There are no chirality outliers.

All (258) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	410	SOG	O5-C1-S1-C1'
6	A	413	SOG	C2'-C1'-S1-C1
6	A	417	SOG	C2-C1-S1-C1'
6	A	417	SOG	O5-C1-S1-C1'
6	A	419	SOG	S1-C1'-C2'-C3'
6	A	420	SOG	S1-C1'-C2'-C3'
6	A	422	SOG	S1-C1'-C2'-C3'
6	A	423	SOG	S1-C1'-C2'-C3'
6	B	406	SOG	C2-C1-S1-C1'
6	B	406	SOG	O5-C1-S1-C1'
6	B	411	SOG	C2'-C1'-S1-C1
6	B	414	SOG	O5-C1-S1-C1'
6	B	418	SOG	S1-C1'-C2'-C3'
6	B	420	SOG	S1-C1'-C2'-C3'
6	B	423	SOG	S1-C1'-C2'-C3'
6	B	425	SOG	S1-C1'-C2'-C3'
7	A	429	PGW	C04-O12-P-O14
7	A	429	PGW	C2-C1-O01-C02
7	A	429	PGW	O12-C04-C05-OAF
7	B	431	PGW	OAF-C05-CAD-OAE
7	B	431	PGW	C04-C05-CAD-OAE
7	B	431	PGW	C03-O11-P-O12
7	B	431	PGW	C03-O11-P-O13
7	B	431	PGW	C03-O11-P-O14
6	B	411	SOG	C4-C5-C6-O6
7	A	429	PGW	O02-C1-O01-C02
7	A	429	PGW	C20-C19-O03-C01
6	B	411	SOG	O5-C5-C6-O6
6	A	412	SOG	S1-C1'-C2'-C3'
6	A	417	SOG	S1-C1'-C2'-C3'
6	A	418	SOG	S1-C1'-C2'-C3'
6	B	416	SOG	S1-C1'-C2'-C3'
6	B	410	SOG	O5-C5-C6-O6
6	B	412	SOG	O5-C5-C6-O6
6	B	413	SOG	O5-C5-C6-O6
7	A	429	PGW	O04-C19-O03-C01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	421	SOG	O5-C5-C6-O6
6	A	416	SOG	O5-C5-C6-O6
6	A	418	SOG	O5-C5-C6-O6
6	B	406	SOG	O5-C5-C6-O6
6	A	416	SOG	S1-C1'-C2'-C3'
6	B	406	SOG	S1-C1'-C2'-C3'
6	B	410	SOG	C4-C5-C6-O6
4	B	405	PG4	O3-C5-C6-O4
6	B	413	SOG	C4-C5-C6-O6
7	A	429	PGW	C16-C15-C27-C26
6	A	407	SOG	O5-C5-C6-O6
7	A	429	PGW	O12-C04-C05-CAD
6	B	408	SOG	C1'-C2'-C3'-C4'
6	B	412	SOG	C4-C5-C6-O6
4	A	404	PG4	O3-C5-C6-O4
6	B	414	SOG	O5-C5-C6-O6
6	B	414	SOG	C4-C5-C6-O6
6	A	414	SOG	O5-C5-C6-O6
6	A	411	SOG	C1'-C2'-C3'-C4'
6	B	426	SOG	C1'-C2'-C3'-C4'
6	B	429	SOG	C1'-C2'-C3'-C4'
6	B	406	SOG	C4-C5-C6-O6
4	A	403	PG4	O1-C1-C2-O2
4	B	405	PG4	O1-C1-C2-O2
6	A	421	SOG	C1'-C2'-C3'-C4'
2	B	401	7MA	N03-C11-C13-N14
4	A	405	PG4	C3-C4-O3-C5
7	B	431	PGW	C04-O12-P-O11
6	A	407	SOG	C1'-C2'-C3'-C4'
6	A	424	SOG	C1'-C2'-C3'-C4'
6	B	410	SOG	C1'-C2'-C3'-C4'
6	B	411	SOG	C1'-C2'-C3'-C4'
6	B	418	SOG	C1'-C2'-C3'-C4'
4	B	404	PG4	O1-C1-C2-O2
6	A	416	SOG	C2'-C3'-C4'-C5'
6	B	419	SOG	C1'-C2'-C3'-C4'
6	B	422	SOG	C1'-C2'-C3'-C4'
6	B	430	SOG	C1'-C2'-C3'-C4'
6	A	426	SOG	C2'-C3'-C4'-C5'
6	B	409	SOG	C4'-C5'-C6'-C7'
6	B	407	SOG	S1-C1'-C2'-C3'
6	B	418	SOG	C3'-C4'-C5'-C6'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	423	SOG	C2'-C3'-C4'-C5'
7	B	431	PGW	C16-C17-C18-C28
6	A	410	SOG	C2'-C3'-C4'-C5'
6	B	412	SOG	C4'-C5'-C6'-C7'
2	A	401	7MA	C13-N14-S23-O25
2	B	401	7MA	C13-N14-S23-O25
7	B	431	PGW	C08-C09-C11-C12
7	B	431	PGW	C09-C11-C12-C13
7	A	429	PGW	C09-C11-C12-C13
4	A	404	PG4	O2-C3-C4-O3
6	A	417	SOG	C4'-C5'-C6'-C7'
6	B	408	SOG	C3'-C4'-C5'-C6'
6	A	408	SOG	C4-C5-C6-O6
6	B	411	SOG	C3'-C4'-C5'-C6'
6	A	410	SOG	S1-C1'-C2'-C3'
6	A	414	SOG	C2'-C3'-C4'-C5'
6	A	416	SOG	C4'-C5'-C6'-C7'
6	A	417	SOG	C2'-C3'-C4'-C5'
6	A	414	SOG	C4'-C5'-C6'-C7'
6	A	416	SOG	C3'-C4'-C5'-C6'
6	A	428	SOG	C2'-C3'-C4'-C5'
6	B	410	SOG	C3'-C4'-C5'-C6'
7	A	429	PGW	C25-C26-C27-C15
7	A	429	PGW	C22-C23-C24-C25
6	A	427	SOG	C2'-C3'-C4'-C5'
7	B	431	PGW	C06-C07-C08-C09
6	A	423	SOG	C2'-C3'-C4'-C5'
7	A	429	PGW	C23-C24-C25-C26
6	B	408	SOG	O5-C5-C6-O6
6	A	413	SOG	C2'-C3'-C4'-C5'
6	A	414	SOG	C3'-C4'-C5'-C6'
6	A	407	SOG	S1-C1'-C2'-C3'
6	A	409	SOG	C2'-C3'-C4'-C5'
6	B	425	SOG	C2'-C3'-C4'-C5'
7	B	431	PGW	C17-C18-C28-C30
6	A	425	SOG	C2'-C3'-C4'-C5'
6	A	413	SOG	C4'-C5'-C6'-C7'
4	A	404	PG4	O4-C7-C8-O5
7	B	431	PGW	C1-C2-C3-C4
6	B	407	SOG	C1'-C2'-C3'-C4'
6	A	415	SOG	O5-C5-C6-O6
6	A	418	SOG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	421	SOG	C4-C5-C6-O6
6	A	411	SOG	C3'-C4'-C5'-C6'
2	A	401	7MA	N03-C11-C13-N14
6	A	417	SOG	C1'-C2'-C3'-C4'
6	B	417	SOG	C3'-C4'-C5'-C6'
7	B	431	PGW	C21-C22-C23-C24
6	A	412	SOG	C4'-C5'-C6'-C7'
6	A	407	SOG	C4-C5-C6-O6
7	A	429	PGW	C21-C22-C23-C24
4	B	405	PG4	O4-C7-C8-O5
7	A	429	PGW	O03-C01-C02-C03
7	B	431	PGW	O03-C01-C02-C03
6	A	422	SOG	C3'-C4'-C5'-C6'
6	A	409	SOG	O5-C5-C6-O6
6	A	424	SOG	C3'-C4'-C5'-C6'
6	A	413	SOG	C3'-C4'-C5'-C6'
6	B	415	SOG	C3'-C4'-C5'-C6'
2	A	401	7MA	C13-N14-S23-C26
6	A	422	SOG	C1'-C2'-C3'-C4'
6	B	420	SOG	C1'-C2'-C3'-C4'
6	B	408	SOG	S1-C1'-C2'-C3'
6	A	409	SOG	C4'-C5'-C6'-C7'
6	B	424	SOG	C2'-C3'-C4'-C5'
6	A	412	SOG	C2'-C3'-C4'-C5'
6	B	414	SOG	C5'-C6'-C7'-C8'
6	B	408	SOG	C5'-C6'-C7'-C8'
6	B	428	SOG	C2'-C3'-C4'-C5'
7	B	431	PGW	C11-C12-C13-C14
6	B	408	SOG	C4'-C5'-C6'-C7'
6	A	414	SOG	C4-C5-C6-O6
7	A	429	PGW	C4-C5-C6-C7
7	A	429	PGW	C19-C20-C21-C22
7	B	431	PGW	C25-C26-C27-C15
6	A	408	SOG	O5-C5-C6-O6
6	A	427	SOG	C3'-C4'-C5'-C6'
6	A	417	SOG	C5'-C6'-C7'-C8'
6	B	419	SOG	C5'-C6'-C7'-C8'
6	B	409	SOG	C5'-C6'-C7'-C8'
2	A	401	7MA	C13-N14-S23-O24
2	B	401	7MA	C13-N14-S23-O24
2	B	401	7MA	O12-C11-C13-N14
6	B	417	SOG	C5'-C6'-C7'-C8'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	413	SOG	S1-C1'-C2'-C3'
2	A	401	7MA	O12-C11-C13-N14
6	B	427	SOG	C2'-C3'-C4'-C5'
6	B	407	SOG	C3'-C4'-C5'-C6'
6	B	409	SOG	C2'-C1'-S1-C1
6	B	410	SOG	C2'-C1'-S1-C1
6	B	421	SOG	C2'-C1'-S1-C1
7	B	431	PGW	C20-C19-O03-C01
6	B	411	SOG	C2'-C3'-C4'-C5'
6	B	422	SOG	C3'-C4'-C5'-C6'
4	B	405	PG4	C1-C2-O2-C3
7	B	431	PGW	C15-C16-C17-C18
2	B	401	7MA	C13-N14-S23-C26
4	B	404	PG4	O4-C7-C8-O5
7	B	431	PGW	O04-C19-O03-C01
6	A	416	SOG	C4-C5-C6-O6
4	B	405	PG4	C3-C4-O3-C5
6	A	425	SOG	S1-C1'-C2'-C3'
6	B	424	SOG	S1-C1'-C2'-C3'
6	A	407	SOG	C2'-C3'-C4'-C5'
7	B	431	PGW	C04-O12-P-O13
7	B	431	PGW	C04-O12-P-O14
6	A	423	SOG	C1'-C2'-C3'-C4'
6	A	409	SOG	C3'-C4'-C5'-C6'
6	A	409	SOG	C2-C1-S1-C1'
4	B	405	PG4	C5-C6-O4-C7
6	B	415	SOG	C4'-C5'-C6'-C7'
6	B	410	SOG	C5'-C6'-C7'-C8'
4	A	404	PG4	C6-C5-O3-C4
7	B	431	PGW	O03-C01-C02-O01
4	B	405	PG4	C6-C5-O3-C4
6	B	412	SOG	C3'-C4'-C5'-C6'
6	B	430	SOG	C3'-C4'-C5'-C6'
6	A	408	SOG	C1'-C2'-C3'-C4'
6	B	419	SOG	C3'-C4'-C5'-C6'
6	B	407	SOG	C4-C5-C6-O6
4	A	403	PG4	C8-C7-O4-C6
6	A	412	SOG	C3'-C4'-C5'-C6'
6	A	418	SOG	C1'-C2'-C3'-C4'
5	A	406	CIT	O7-C3-C4-C5
6	B	410	SOG	C4'-C5'-C6'-C7'
7	B	431	PGW	C07-C08-C09-C11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	410	SOG	C1'-C2'-C3'-C4'
7	A	429	PGW	O03-C01-C02-O01
7	A	429	PGW	C03-O11-P-O12
7	A	429	PGW	C04-O12-P-O11
7	A	429	PGW	C17-C18-C28-C30
6	A	408	SOG	S1-C1'-C2'-C3'
6	B	410	SOG	S1-C1'-C2'-C3'
4	B	405	PG4	O2-C3-C4-O3
7	B	431	PGW	C05-C04-O12-P
7	A	429	PGW	C24-C25-C26-C27
7	A	429	PGW	C10-C06-C07-C08
7	B	431	PGW	C7-C8-C9-C10
6	B	407	SOG	C2'-C3'-C4'-C5'
5	A	406	CIT	C3-C4-C5-O4
6	B	411	SOG	S1-C1'-C2'-C3'
5	A	406	CIT	C3-C4-C5-O3
6	B	409	SOG	S1-C1'-C2'-C3'
6	B	417	SOG	C2'-C3'-C4'-C5'
4	A	403	PG4	C1-C2-O2-C3
4	B	404	PG4	C5-C6-O4-C7
6	B	419	SOG	C4'-C5'-C6'-C7'
6	B	423	SOG	C5'-C6'-C7'-C8'
6	B	406	SOG	C1'-C2'-C3'-C4'
6	A	409	SOG	O5-C1-S1-C1'
6	A	410	SOG	C2'-C1'-S1-C1
6	B	408	SOG	C2'-C1'-S1-C1
6	B	410	SOG	O5-C1-S1-C1'
6	A	416	SOG	C5'-C6'-C7'-C8'
4	A	404	PG4	C5-C6-O4-C7
4	B	404	PG4	C3-C4-O3-C5
7	A	429	PGW	C15-C16-C17-C18
7	B	431	PGW	C23-C24-C25-C26
2	A	401	7MA	C15-N14-S23-O25
6	A	418	SOG	C2'-C3'-C4'-C5'
7	A	429	PGW	C06-C07-C08-C09
6	B	419	SOG	C2'-C3'-C4'-C5'
7	B	431	PGW	O01-C1-C2-C3
6	B	430	SOG	C2'-C3'-C4'-C5'
6	B	412	SOG	S1-C1'-C2'-C3'
6	A	427	SOG	S1-C1'-C2'-C3'
6	B	417	SOG	S1-C1'-C2'-C3'
6	B	421	SOG	C1'-C2'-C3'-C4'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	B	407	SOG	C5'-C6'-C7'-C8'
4	A	405	PG4	O2-C3-C4-O3
5	A	406	CIT	C6-C3-C4-C5
2	A	401	7MA	C11-C13-N14-C15
2	B	401	7MA	C11-C13-N14-C15
7	A	429	PGW	C03-O11-P-O14
7	B	431	PGW	O02-C1-C2-C3
7	A	429	PGW	O03-C19-C20-C21
4	A	405	PG4	O3-C5-C6-O4
6	A	414	SOG	C5'-C6'-C7'-C8'
6	A	418	SOG	C2-C1-S1-C1'
6	A	412	SOG	C1'-C2'-C3'-C4'



There are no ring outliers.



25 monomers are involved in 45 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	427	SOG	1	0
6	B	413	SOG	1	0
6	B	407	SOG	1	0
6	B	408	SOG	2	0
6	B	424	SOG	1	0
6	B	428	SOG	1	0
4	A	405	PG4	1	0
6	A	411	SOG	7	0
6	A	426	SOG	1	0
7	B	431	PGW	3	0
6	A	414	SOG	1	0
6	B	409	SOG	4	0
6	A	416	SOG	1	0
4	A	404	PG4	1	0
6	A	413	SOG	1	0
6	A	410	SOG	7	0
6	B	414	SOG	3	0
7	A	429	PGW	6	0
6	A	415	SOG	2	0
6	A	409	SOG	1	0
6	B	416	SOG	1	0
6	B	418	SOG	1	0
6	B	421	SOG	2	0
6	A	417	SOG	4	0
6	A	412	SOG	1	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/336 (89%)	0.46	36 (11%) 10 11	23, 38, 83, 114	0
1	B	311/336 (92%)	0.43	34 (10%) 12 13	22, 35, 78, 122	0
All	All	612/672 (91%)	0.44	70 (11%) 11 12	22, 36, 81, 122	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	250	THR	9.1
1	A	375	TRP	8.8
1	A	45	TYR	8.8
1	B	188	VAL	7.4
1	B	379	GLY	6.4
1	B	383	ALA	5.8
1	A	378	PRO	5.7
1	A	376	TRP	5.6
1	A	72	TRP	5.5
1	A	249	GLY	5.1
1	A	47	TRP	4.9
1	B	199	PHE	4.8
1	A	377	LEU	4.5
1	B	382	ALA	4.5
1	B	248	PRO	4.4
1	A	192	LEU	4.3
1	A	244	GLY	4.3
1	A	247	ILE	4.2
1	B	329	GLN	4.2
1	A	337	TYR	4.1
1	B	380	LEU	4.1
1	B	286	GLU	4.0
1	B	378	PRO	3.9
1	B	245	ARG	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	191	GLU	3.9
1	B	381	ALA	3.9
1	A	373	PHE	3.8
1	B	332	ASP	3.8
1	A	288	LYS	3.7
1	B	288	LYS	3.6
1	A	248	PRO	3.5
1	B	251	THR	3.5
1	A	246	GLN	3.4
1	B	253	ALA	3.4
1	A	245	ARG	3.4
1	A	250	THR	3.3
1	A	188	VAL	3.2
1	B	152	LEU	3.2
1	B	330	ALA	3.1
1	B	159	ARG	3.0
1	B	333	ARG	2.9
1	B	291	ARG	2.9
1	A	286	GLU	2.9
1	B	376	TRP	2.9
1	B	249	GLY	2.8
1	A	193	ALA	2.7
1	A	252	SER	2.8
1	B	29	ASP	2.7
1	B	72	TRP	2.7
1	A	189	LEU	2.7
1	B	32	LEU	2.6
1	A	291	ARG	2.6
1	B	375	TRP	2.6
1	A	333	ARG	2.5
1	A	46	ALA	2.5
1	A	152	LEU	2.4
1	A	364	LYS	2.4
1	A	155	LYS	2.3
1	B	377	LEU	2.3
1	B	290	MET	2.3
1	B	331	SER	2.3
1	A	251	THR	2.3
1	B	155	LYS	2.2
1	A	108	ILE	2.1
1	B	328	ARG	2.1
1	A	195	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	374	SER	2.0
1	B	37	ARG	2.0
1	A	75	HIS	2.0
1	A	290	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SOG	B	413	16/20	0.34	0.42	106,115,117,117	0
6	SOG	B	422	8/20	0.49	0.53	91,92,95,98	0
6	SOG	B	424	6/20	0.52	0.44	72,76,81,84	0
6	SOG	B	421	16/20	0.59	0.34	121,124,125,126	0
6	SOG	A	415	14/20	0.61	0.32	99,104,106,106	0
6	SOG	B	417	9/20	0.64	0.37	96,99,103,104	0
6	SOG	B	410	20/20	0.65	0.28	100,108,112,113	0
6	SOG	B	427	7/20	0.68	0.35	93,95,101,103	0
6	SOG	B	409	20/20	0.69	0.27	70,99,102,103	0
6	SOG	A	423	7/20	0.70	0.34	78,79,82,84	0
6	SOG	A	407	17/20	0.70	0.31	76,84,88,89	17
6	SOG	A	416	20/20	0.70	0.27	82,98,102,103	0
6	SOG	B	426	7/20	0.71	0.30	76,80,90,93	0
6	SOG	A	426	7/20	0.72	0.33	93,93,97,98	0
6	SOG	A	414	20/20	0.74	0.26	47,65,69,72	20
6	SOG	B	416	10/20	0.74	0.32	79,84,94,94	0
6	SOG	A	421	7/20	0.74	0.32	83,83,91,95	0
6	SOG	A	412	20/20	0.74	0.23	71,84,86,88	0
6	SOG	A	418	20/20	0.75	0.26	94,110,112,112	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	SOG	A	424	7/20	0.76	0.37	91,91,96,99	0
6	SOG	A	410	20/20	0.76	0.20	49,90,98,100	0
6	SOG	A	425	7/20	0.77	0.34	85,86,90,91	0
6	SOG	A	413	20/20	0.77	0.22	31,71,77,79	0
4	PG4	A	405	13/13	0.77	0.23	78,80,83,83	0
6	SOG	B	414	20/20	0.78	0.24	74,99,104,105	0
6	SOG	B	429	7/20	0.78	0.24	54,64,86,92	0
6	SOG	A	419	7/20	0.79	0.27	87,92,103,106	0
6	SOG	B	430	7/20	0.79	0.27	67,68,77,83	0
6	SOG	A	417	20/20	0.80	0.26	85,110,111,111	0
6	SOG	B	428	7/20	0.80	0.30	84,86,96,99	0
6	SOG	B	425	7/20	0.81	0.29	71,72,85,87	0
6	SOG	A	422	7/20	0.81	0.27	66,70,82,86	0
6	SOG	B	419	9/20	0.82	0.23	64,65,68,70	0
3	SO4	B	402	5/5	0.82	0.20	103,105,106,107	0
6	SOG	B	412	20/20	0.82	0.18	63,89,93,95	0
6	SOG	A	409	20/20	0.82	0.20	53,88,91,92	0
6	SOG	B	418	8/20	0.82	0.27	74,76,79,81	0
6	SOG	A	411	20/20	0.83	0.15	34,67,73,77	0
3	SO4	A	402	5/5	0.84	0.16	92,94,95,98	0
6	SOG	A	427	7/20	0.84	0.28	93,94,99,101	0
2	7MA	A	401	32/32	0.85	0.17	31,37,46,60	58
6	SOG	A	420	7/20	0.85	0.22	64,67,81,86	0
6	SOG	B	420	5/20	0.85	0.26	76,77,77,79	0
2	7MA	B	401	32/32	0.86	0.15	32,37,48,62	26
4	PG4	A	404	13/13	0.86	0.20	68,73,75,76	0
6	SOG	B	423	9/20	0.86	0.27	73,77,85,89	0
6	SOG	A	408	16/20	0.86	0.23	119,122,122,123	0
6	SOG	B	411	20/20	0.86	0.16	33,73,82,83	0
3	SO4	B	403	5/5	0.87	0.14	84,84,86,89	0
4	PG4	B	405	13/13	0.87	0.18	64,66,70,70	0
7	PGW	A	429	51/51	0.87	0.16	25,47,99,101	0
7	PGW	B	431	51/51	0.87	0.16	31,43,102,103	0
6	SOG	A	428	7/20	0.88	0.20	65,67,75,77	0
5	CIT	A	406	13/13	0.88	0.14	46,49,56,60	0
6	SOG	B	415	6/20	0.90	0.25	65,67,71,74	0
4	PG4	B	404	13/13	0.90	0.15	48,52,60,63	0
8	NA	B	432	1/1	0.90	0.15	45,45,45,45	0
6	SOG	B	406	20/20	0.91	0.11	30,47,52,55	0
6	SOG	B	408	20/20	0.91	0.18	67,74,76,77	0
4	PG4	A	403	13/13	0.91	0.13	49,53,60,60	0
6	SOG	B	407	20/20	0.94	0.13	42,47,67,68	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	NA	A	430	1/1	0.95	0.09	52,52,52,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around SOG B 422:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 424:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SOG B 421:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around SOG B 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 410:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 427:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 409:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 423:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 416:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 426:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 426:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 414:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 416:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 421:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around SOG A 412:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SOG A 418:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)














Electron density around SOG B 414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SOG B 429:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around SOG A 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 428:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 425:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 422:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around SOG B 419:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SOG B 412:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around SOG A 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 427:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7MA A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 420:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 420:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7MA B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SOG B 423:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 408:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGW A 429:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGW B 431:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 428:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 415:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SOG B 407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.