



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2025 – 07:47 PM EDT

PDB ID : 3G17 / pdb\_00003g17  
Title : Structure of putative 2-dehydropantoate 2-reductase from staphylococcus aureus  
Authors : Ramagopal, U.A.; Toro, R.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2009-01-29  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	294	
1	B	294	
1	C	294	
1	D	294	
1	E	294	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	294	
1	G	294	
1	H	294	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 18687 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Similar to 2-dehydropantoate 2-reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2268	1449	389	423	7			
1	B	286	Total	C	N	O	S	0	0	0
			2278	1453	390	428	7			
1	C	285	Total	C	N	O	S	0	1	0
			2273	1452	388	426	7			
1	D	287	Total	C	N	O	S	0	0	0
			2291	1460	395	429	7			
1	E	288	Total	C	N	O	S	0	1	0
			2303	1467	399	430	7			
1	F	282	Total	C	N	O	S	0	0	0
			2245	1430	390	418	7			
1	G	290	Total	C	N	O	S	0	0	0
			2318	1477	403	431	7			
1	H	290	Total	C	N	O	S	0	0	0
			2315	1476	402	430	7			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q99R37
A	2	SER	-	expression tag	UNP Q99R37
A	287	GLU	-	expression tag	UNP Q99R37
A	288	GLY	-	expression tag	UNP Q99R37
A	289	HIS	-	expression tag	UNP Q99R37
A	290	HIS	-	expression tag	UNP Q99R37
A	291	HIS	-	expression tag	UNP Q99R37
A	292	HIS	-	expression tag	UNP Q99R37
A	293	HIS	-	expression tag	UNP Q99R37
A	294	HIS	-	expression tag	UNP Q99R37
B	1	MET	-	expression tag	UNP Q99R37
B	2	SER	-	expression tag	UNP Q99R37
B	287	GLU	-	expression tag	UNP Q99R37

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	288	GLY	-	expression tag	UNP Q99R37
B	289	HIS	-	expression tag	UNP Q99R37
B	290	HIS	-	expression tag	UNP Q99R37
B	291	HIS	-	expression tag	UNP Q99R37
B	292	HIS	-	expression tag	UNP Q99R37
B	293	HIS	-	expression tag	UNP Q99R37
B	294	HIS	-	expression tag	UNP Q99R37
C	1	MET	-	expression tag	UNP Q99R37
C	2	SER	-	expression tag	UNP Q99R37
C	287	GLU	-	expression tag	UNP Q99R37
C	288	GLY	-	expression tag	UNP Q99R37
C	289	HIS	-	expression tag	UNP Q99R37
C	290	HIS	-	expression tag	UNP Q99R37
C	291	HIS	-	expression tag	UNP Q99R37
C	292	HIS	-	expression tag	UNP Q99R37
C	293	HIS	-	expression tag	UNP Q99R37
C	294	HIS	-	expression tag	UNP Q99R37
D	1	MET	-	expression tag	UNP Q99R37
D	2	SER	-	expression tag	UNP Q99R37
D	287	GLU	-	expression tag	UNP Q99R37
D	288	GLY	-	expression tag	UNP Q99R37
D	289	HIS	-	expression tag	UNP Q99R37
D	290	HIS	-	expression tag	UNP Q99R37
D	291	HIS	-	expression tag	UNP Q99R37
D	292	HIS	-	expression tag	UNP Q99R37
D	293	HIS	-	expression tag	UNP Q99R37
D	294	HIS	-	expression tag	UNP Q99R37
E	1	MET	-	expression tag	UNP Q99R37
E	2	SER	-	expression tag	UNP Q99R37
E	287	GLU	-	expression tag	UNP Q99R37
E	288	GLY	-	expression tag	UNP Q99R37
E	289	HIS	-	expression tag	UNP Q99R37
E	290	HIS	-	expression tag	UNP Q99R37
E	291	HIS	-	expression tag	UNP Q99R37
E	292	HIS	-	expression tag	UNP Q99R37
E	293	HIS	-	expression tag	UNP Q99R37
E	294	HIS	-	expression tag	UNP Q99R37
F	1	MET	-	expression tag	UNP Q99R37
F	2	SER	-	expression tag	UNP Q99R37
F	287	GLU	-	expression tag	UNP Q99R37
F	288	GLY	-	expression tag	UNP Q99R37
F	289	HIS	-	expression tag	UNP Q99R37

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	290	HIS	-	expression tag	UNP Q99R37
F	291	HIS	-	expression tag	UNP Q99R37
F	292	HIS	-	expression tag	UNP Q99R37
F	293	HIS	-	expression tag	UNP Q99R37
F	294	HIS	-	expression tag	UNP Q99R37
G	1	MET	-	expression tag	UNP Q99R37
G	2	SER	-	expression tag	UNP Q99R37
G	287	GLU	-	expression tag	UNP Q99R37
G	288	GLY	-	expression tag	UNP Q99R37
G	289	HIS	-	expression tag	UNP Q99R37
G	290	HIS	-	expression tag	UNP Q99R37
G	291	HIS	-	expression tag	UNP Q99R37
G	292	HIS	-	expression tag	UNP Q99R37
G	293	HIS	-	expression tag	UNP Q99R37
G	294	HIS	-	expression tag	UNP Q99R37
H	1	MET	-	expression tag	UNP Q99R37
H	2	SER	-	expression tag	UNP Q99R37
H	287	GLU	-	expression tag	UNP Q99R37
H	288	GLY	-	expression tag	UNP Q99R37
H	289	HIS	-	expression tag	UNP Q99R37
H	290	HIS	-	expression tag	UNP Q99R37
H	291	HIS	-	expression tag	UNP Q99R37
H	292	HIS	-	expression tag	UNP Q99R37
H	293	HIS	-	expression tag	UNP Q99R37
H	294	HIS	-	expression tag	UNP Q99R37

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	74	Total O 74 74	0	0
2	B	60	Total O 60 60	0	0
2	C	51	Total O 51 51	0	0
2	D	38	Total O 38 38	0	0
2	E	31	Total O 31 31	0	0
2	F	29	Total O 29 29	0	0
2	G	60	Total O 60 60	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	H	53	Total	O	0	0
			53	53		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Similar to 2-dehydropantoate 2-reductase




- Molecule 1: Similar to 2-dehydropantoate 2-reductase



- Molecule 1: Similar to 2-dehydropantoate 2-reductase



- Molecule 1: Similar to 2-dehydropantoate 2-reductase








- Molecule 1: Similar to 2-dehydropantoate 2-reductase

Chain E: 83% 13% ..




- Molecule 1: Similar to 2-dehydropantoate 2-reductase

Chain F: 2% 72% 21% ..





- Molecule 1: Similar to 2-dehydropantoate 2-reductase

Chain G: 88% 9% ..



- Molecule 1: Similar to 2-dehydropantoate 2-reductase

Chain H: 84% 13% ..



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.24Å 99.64Å 100.26Å 103.66° 105.23° 102.26°	Depositor
Resolution (Å)	50.00 – 2.30 50.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.2 (50.00-2.30) 98.2 (50.00-2.30)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.34 (at 2.29Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.200 , 0.260 0.198 , 0.255	Depositor DCC
$R_{free}$ test set	5744 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.0	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 25.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.007 for -h,-l,-k	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	18687	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.21% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.78	0/2314	0.93	1/3155 (0.0%)
1	B	0.79	1/2324 (0.0%)	0.92	2/3168 (0.1%)
1	C	0.71	0/2322	0.92	2/3166 (0.1%)
1	D	0.80	1/2339 (0.0%)	0.96	2/3188 (0.1%)
1	E	0.80	1/2355 (0.0%)	0.92	1/3210 (0.0%)
1	F	0.69	0/2291	0.96	1/3121 (0.0%)
1	G	0.80	1/2368 (0.0%)	0.91	0/3228
1	H	0.76	1/2365 (0.0%)	0.94	2/3224 (0.1%)
All	All	0.77	5/18678 (0.0%)	0.93	11/25460 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	79	ILE	CA-CB	9.57	1.58	1.54
1	D	79	ILE	CA-CB	7.99	1.58	1.54
1	B	79	ILE	CA-CB	7.19	1.57	1.54
1	H	79	ILE	CA-CB	6.41	1.57	1.54
1	G	43	VAL	CA-CB	5.35	1.61	1.54

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	9	GLY	CA-C-N	-7.61	113.97	121.65
1	H	9	GLY	C-N-CA	-7.61	113.97	121.65
1	B	252	VAL	N-CA-C	5.58	116.31	110.62
1	B	176	ILE	N-CA-C	5.52	116.25	110.62
1	F	252	VAL	N-CA-C	5.35	116.72	110.62
1	D	51	ILE	CB-CA-C	5.30	118.07	110.33
1	C	43	VAL	CA-C-N	-5.23	114.37	119.76
1	C	43	VAL	C-N-CA	-5.23	114.37	119.76
1	A	176	ILE	N-CA-C	5.22	115.95	110.62
1	E	5	VAL	N-CA-C	5.21	115.62	108.12
1	D	234	ASP	N-CA-C	5.13	117.54	111.33

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2268	0	2254	23	0
1	B	2278	0	2264	22	0
1	C	2273	0	2259	36	0
1	D	2291	0	2269	23	0
1	E	2303	0	2281	21	0
1	F	2245	0	2218	40	0
1	G	2318	0	2294	15	0
1	H	2315	0	2290	27	0
2	A	74	0	0	2	0
2	B	60	0	0	0	0
2	C	51	0	0	0	0
2	D	38	0	0	0	0
2	E	31	0	0	0	0
2	F	29	0	0	1	0
2	G	60	0	0	0	0
2	H	53	0	0	0	0
All	All	18687	0	18129	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ARG:HH11	1:B:262:ARG:HG3	1.19	1.01
1:H:137:GLN:O	1:H:142:THR:HG21	1.68	0.91
1:F:137:GLN:HE21	1:F:138:ASP:H	1.16	0.89
1:B:262:ARG:HG3	1:B:262:ARG:NH1	1.85	0.88
1:F:171:LEU:HD11	1:F:206:GLY:HA3	1.56	0.86
1:B:233:PRO:HD2	1:B:236:MET:HE3	1.59	0.85
1:F:182:LEU:HD21	1:F:280:LEU:HD13	1.60	0.81

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:137:GLN:O	1:E:142:THR:HG21	1.81	0.80
1:H:120:GLN:HG2	1:H:129:PHE:CZ	2.17	0.79
1:B:271:PRO:O	1:B:275:THR:HG23	1.82	0.78
1:B:198:LEU:HD13	1:F:275:THR:HB	1.67	0.76
1:C:204:LEU:HD23	1:C:222:VAL:HG21	1.69	0.75
1:H:189:ILE:HG12	1:H:195:ILE:HD13	1.69	0.74
1:C:198:LEU:HD13	1:H:275:THR:HB	1.71	0.73
1:A:159:GLU:HG2	2:A:311:HOH:O	1.88	0.73
1:E:142:THR:HG23	1:E:158:LEU:HD22	1.70	0.73
1:C:282:ALA:HB2	1:H:195:ILE:CD1	2.20	0.72
1:B:21:LEU:HD22	1:B:149:VAL:HG22	1.72	0.71
1:C:275:THR:HB	1:H:198:LEU:HD13	1.73	0.70
1:D:264:ARG:NH2	1:D:274:ASP:OD1	2.24	0.70
1:F:252:VAL:CG1	1:F:284:GLN:HG3	2.22	0.70
1:E:262:ARG:NH2	1:E:265:GLU:OE2	2.25	0.69
1:A:198:LEU:HD13	1:E:275:THR:HB	1.76	0.68
1:E:147:ASP:O	1:E:150:GLN:HG2	1.96	0.66
1:E:10:PRO:HB2	1:E:38:ILE:HD11	1.77	0.66
1:B:262:ARG:HH11	1:B:262:ARG:CG	2.01	0.66
1:F:193:PRO:O	1:F:197:ILE:HG23	1.96	0.66
1:F:252:VAL:HG11	1:F:284:GLN:HG3	1.78	0.66
1:H:179:ILE:HG21	1:H:190:MET:HE2	1.78	0.65
1:C:264:ARG:NH2	1:C:274:ASP:OD1	2.31	0.63
1:B:182:LEU:HD21	1:B:280:LEU:HD13	1.80	0.62
1:E:43:VAL:HG22	1:E:44:PRO:HD2	1.81	0.62
1:F:19:TYR:CE1	1:F:49:GLN:HG2	2.35	0.62
1:A:182:LEU:CD1	1:A:280:LEU:HD13	2.29	0.62
1:C:21:LEU:HD11	1:C:149:VAL:HG11	1.82	0.62
1:E:21:LEU:HD22	1:E:149:VAL:HG22	1.83	0.61
1:G:21:LEU:HD22	1:G:149:VAL:HG22	1.82	0.60
1:A:275:THR:HB	1:E:198:LEU:HD13	1.83	0.59
1:A:43:VAL:HG12	1:A:46:ALA:HB2	1.85	0.59
1:B:233:PRO:CD	1:B:236:MET:HE3	2.33	0.58
1:B:21:LEU:CD2	1:B:149:VAL:HG22	2.34	0.58
1:G:102:LEU:HD22	1:G:110:VAL:HG12	1.85	0.58
1:F:136:ILE:HG22	1:F:137:GLN:N	2.18	0.58
1:C:43:VAL:HG12	1:C:46:ALA:HB2	1.86	0.57
1:D:182:LEU:HD21	1:D:280:LEU:HD13	1.87	0.57
1:H:139:ASN:H	1:H:142:THR:HG22	1.68	0.57
1:F:204:LEU:HD23	1:F:222:VAL:HG21	1.87	0.57
1:C:282:ALA:HB2	1:H:195:ILE:HD12	1.86	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:137:GLN:HE21	1:F:138:ASP:N	1.96	0.56
1:F:182:LEU:CD2	1:F:280:LEU:HD13	2.33	0.56
1:A:271:PRO:O	1:A:275:THR:HG23	2.06	0.56
1:D:271:PRO:O	1:D:275:THR:HG23	2.06	0.56
1:H:99:TYR:OH	1:H:163:GLN:HG3	2.05	0.56
1:C:103:GLU:HG2	1:C:104:HIS:HD2	1.71	0.56
1:A:281:ARG:HD3	1:A:285:GLN:OE1	2.06	0.56
1:F:116:TYR:O	1:F:131:ASP:HB3	2.06	0.55
1:F:271:PRO:O	1:F:275:THR:CG2	2.55	0.55
1:H:120:GLN:HG2	1:H:129:PHE:HZ	1.68	0.54
1:F:271:PRO:O	1:F:275:THR:HG23	2.07	0.54
1:D:43:VAL:HG12	1:D:46:ALA:HB2	1.90	0.54
1:B:208:ARG:NH2	1:B:269:ASP:O	2.41	0.54
1:H:271:PRO:O	1:H:275:THR:HG22	2.09	0.53
1:A:182:LEU:HD12	1:A:280:LEU:HD13	1.89	0.53
1:H:220:GLN:O	1:H:224:THR:HG23	2.09	0.53
1:C:172:VAL:O	1:C:229:TYR:OH	2.22	0.52
1:E:271:PRO:O	1:E:275:THR:CG2	2.57	0.52
1:D:275:THR:HB	1:G:198:LEU:HD13	1.91	0.52
1:F:225:ILE:HA	1:F:228:ILE:HD12	1.91	0.52
1:F:244:ILE:HG13	1:F:283:TYR:CE1	2.45	0.51
1:F:19:TYR:CZ	1:F:49:GLN:HG2	2.45	0.51
1:C:21:LEU:HD11	1:C:149:VAL:CG1	2.40	0.51
1:D:54:LYS:HD2	1:D:59:VAL:HG22	1.91	0.51
1:D:102:LEU:HD23	1:D:110:VAL:HG12	1.93	0.51
1:F:18:ALA:O	1:F:22:GLN:HB2	2.10	0.51
1:G:262:ARG:NH1	1:G:265:GLU:CD	2.69	0.51
1:C:173:ASN:O	1:C:177:ASN:HB2	2.11	0.51
1:C:11:GLY:HA2	1:C:121:LYS:HD2	1.94	0.50
1:F:252:VAL:HG21	1:F:280:LEU:HB3	1.94	0.50
1:A:182:LEU:HD11	1:A:280:LEU:HD13	1.94	0.50
1:F:133:GLN:OE1	1:F:135:ARG:NH1	2.26	0.50
1:G:133:GLN:HA	1:G:155:ASP:HB3	1.93	0.50
1:A:252:VAL:HG21	1:A:280:LEU:HB3	1.94	0.49
1:F:255:ILE:HG22	1:F:256:GLN:N	2.27	0.49
1:C:275:THR:HB	1:H:198:LEU:CD1	2.40	0.49
1:E:271:PRO:O	1:E:275:THR:HG22	2.12	0.49
1:G:262:ARG:HH11	1:G:265:GLU:CD	2.19	0.49
1:H:173:ASN:O	1:H:177:ASN:HB2	2.12	0.49
1:H:271:PRO:O	1:H:275:THR:CG2	2.61	0.49
1:C:132:TYR:HB3	1:C:154:ILE:HD13	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:139:ASN:H	1:H:142:THR:CG2	2.26	0.48
1:B:272:TYR:CZ	1:F:271:PRO:HB3	2.48	0.48
1:B:43:VAL:HG22	1:B:44:PRO:HD2	1.95	0.48
1:C:135:ARG:HD2	1:C:157:VAL:HB	1.96	0.48
1:F:72:THR:HG21	1:F:254:ALA:HB2	1.95	0.48
1:H:149:VAL:O	1:H:149:VAL:CG1	2.62	0.48
1:H:115:VAL:O	1:H:169:LYS:HE3	2.14	0.48
1:C:133:GLN:OE1	1:C:135:ARG:HD3	2.14	0.48
1:G:283:TYR:C	1:G:283:TYR:CD2	2.92	0.47
1:A:59:VAL:HG11	1:A:85:LEU:HD23	1.95	0.47
1:E:174:LEU:HD11	1:E:202:LEU:HD11	1.96	0.47
1:F:171:LEU:CD1	1:F:206:GLY:HA3	2.35	0.47
1:G:101:GLN:O	1:G:104:HIS:HB2	2.15	0.47
1:H:189:ILE:CG1	1:H:195:ILE:HD13	2.43	0.47
1:E:139:ASN:H	1:E:142:THR:HG22	1.80	0.46
1:F:185:GLN:HG3	1:F:189:ILE:HB	1.98	0.46
1:D:176:ILE:HD11	1:D:187:VAL:HG22	1.98	0.46
1:C:149:VAL:HG12	1:C:152:SER:OG	2.16	0.46
1:A:271:PRO:O	1:A:275:THR:CG2	2.63	0.46
1:B:253:GLU:HA	1:B:253:GLU:OE1	2.16	0.46
1:D:121:LYS:NZ	1:D:123:GLY:O	2.44	0.46
1:A:235:GLU:H	1:A:235:GLU:CD	2.23	0.46
1:F:19:TYR:OH	1:F:49:GLN:HG2	2.16	0.45
1:A:3:LEU:HA	1:A:64:ASP:OD2	2.17	0.45
1:B:136:ILE:HG22	1:B:137:GLN:N	2.31	0.45
1:C:182:LEU:HD21	1:C:280:LEU:HD13	1.98	0.45
1:C:281:ARG:NE	1:C:285:GLN:OE1	2.50	0.45
1:A:182:LEU:HD12	1:A:280:LEU:CD1	2.47	0.45
1:F:211:GLN:C	1:F:213:GLU:H	2.25	0.45
1:C:76:ASP:HA	1:C:79:ILE:HD12	1.97	0.45
1:F:63:PHE:HB2	1:F:66:ILE:HD11	1.98	0.45
1:E:114:VAL:HB	1:E:135:ARG:HB2	1.98	0.45
1:A:262:ARG:NH1	1:A:265:GLU:HG2	2.31	0.45
1:C:242:TYR:HD1	1:C:246:HIS:HE1	1.65	0.44
1:F:39:THR:HB	1:F:125:VAL:HG22	1.99	0.44
1:H:39:THR:HB	1:H:125:VAL:HG22	2.00	0.44
1:C:54:LYS:HE3	1:F:39:THR:OG1	2.17	0.44
1:A:94:LEU:HD22	1:A:102:LEU:HD22	2.00	0.44
1:A:262:ARG:HH12	1:A:265:GLU:HG2	1.83	0.44
1:C:282:ALA:HB2	1:H:195:ILE:HD11	1.97	0.44
1:C:283:TYR:CD2	1:C:283:TYR:C	2.95	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:117:ILE:HG12	1:C:132:TYR:HA	2.00	0.44
1:D:220:GLN:O	1:D:224:THR:HG23	2.17	0.44
1:C:264:ARG:HD3	1:C:264:ARG:HA	1.65	0.43
1:D:258:PHE:O	1:D:262:ARG:HG2	2.18	0.43
1:D:20:GLU:HB2	1:D:154:ILE:HD11	2.01	0.43
1:D:283:TYR:CD2	1:D:283:TYR:C	2.96	0.43
1:B:198:LEU:CD1	1:F:275:THR:HB	2.44	0.43
1:B:238:THR:H	1:B:241:TYR:HB3	1.83	0.43
1:B:176:ILE:HD11	1:B:187:VAL:HG22	1.99	0.43
1:D:59:VAL:HG11	1:D:85:LEU:CD2	2.48	0.43
1:E:72:THR:HG22	1:E:251:GLU:HG2	2.00	0.43
1:D:35:ALA:HA	1:D:53:VAL:O	2.19	0.43
1:D:182:LEU:CD2	1:D:280:LEU:HD13	2.47	0.43
1:E:182:LEU:HD23	1:E:182:LEU:HA	1.91	0.43
1:F:7:ILE:HG13	1:F:67:ILE:HB	2.00	0.43
1:H:190:MET:O	1:H:196:ARG:HG3	2.19	0.43
1:B:182:LEU:CD2	1:B:280:LEU:HD13	2.47	0.43
1:G:20:GLU:OE1	1:G:153:GLN:HB2	2.19	0.43
1:D:22:GLN:HG3	1:D:28:THR:HB	2.01	0.42
1:E:142:THR:HG23	1:E:158:LEU:CD2	2.46	0.42
1:B:4:SER:OG	1:B:63:PHE:HA	2.19	0.42
1:F:168:TYR:O	1:F:172:VAL:HG23	2.20	0.42
1:F:146:ARG:HG3	1:F:156:ILE:HB	2.02	0.42
1:F:252:VAL:HG12	1:F:284:GLN:HG3	1.99	0.42
1:G:21:LEU:CD2	1:G:149:VAL:HG22	2.49	0.42
1:C:225:ILE:HA	1:C:228:ILE:HD12	2.02	0.42
1:C:252:VAL:CG1	1:C:284:GLN:HG3	2.50	0.42
1:D:271:PRO:O	1:D:275:THR:CG2	2.68	0.42
1:E:145:PHE:O	1:E:149:VAL:HB	2.20	0.42
1:H:235:GLU:H	1:H:235:GLU:CD	2.28	0.42
1:C:271:PRO:O	1:C:275:THR:HG23	2.20	0.41
1:D:164:GLN:HE21	1:D:164:GLN:HB2	1.69	0.41
1:D:173:ASN:O	1:D:177:ASN:HB2	2.20	0.41
1:E:43:VAL:HG12	1:E:46:ALA:HB2	2.02	0.41
1:A:43:VAL:HG22	1:A:44:PRO:HD2	2.03	0.41
1:A:204:LEU:HD23	1:A:222:VAL:HG21	2.01	0.41
1:D:264:ARG:HA	1:D:264:ARG:HD3	1.65	0.41
1:A:10:PRO:O	1:A:121:LYS:HE2	2.20	0.41
1:D:278:SER:HB2	1:G:194:GLU:HB3	2.03	0.41
1:F:136:ILE:CG2	1:F:137:GLN:N	2.83	0.41
1:C:79:ILE:O	1:C:80:PRO:C	2.62	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:271:PRO:O	1:C:275:THR:CG2	2.69	0.41
1:H:116:TYR:O	1:H:131:ASP:HB3	2.20	0.41
1:B:232:TYR:HA	1:B:233:PRO:HD3	1.96	0.41
1:C:282:ALA:CB	1:H:195:ILE:CD1	2.96	0.41
1:E:200:ARG:NH2	1:E:223:ASP:OD1	2.51	0.41
1:A:220:GLN:O	1:A:224:THR:HG23	2.21	0.41
1:C:262:ARG:HA	1:C:262:ARG:HD2	1.94	0.41
1:F:114:VAL:HG13	1:F:169:LYS:HB2	2.03	0.41
1:C:252:VAL:HG21	1:C:280:LEU:HB3	2.03	0.40
1:G:171:LEU:HB3	1:G:225:ILE:HD13	2.03	0.40
1:B:258:PHE:HA	1:B:261:ARG:NH2	2.36	0.40
1:F:266:HIS:HB3	2:F:306:HOH:O	2.21	0.40
1:F:264:ARG:NH2	1:F:274:ASP:OD1	2.54	0.40
1:G:190:MET:HE1	1:G:226:MET:HE3	2.03	0.40
1:A:161:ASN:HB3	2:A:295:HOH:O	2.21	0.40
1:D:213:GLU:OE2	1:D:262:ARG:NH2	2.53	0.40
1:H:264:ARG:NE	1:H:264:ARG:HA	2.37	0.40
1:C:208:ARG:HB2	1:C:208:ARG:NH1	2.36	0.40
1:E:283:TYR:CD2	1:E:283:TYR:C	2.99	0.40
1:G:10:PRO:HB2	1:G:38:ILE:HD11	2.03	0.40
1:G:129:PHE:CD2	1:G:236:MET:HG3	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/294 (97%)	273 (96%)	11 (4%)	0	100	100
1	B	284/294 (97%)	269 (95%)	15 (5%)	0	100	100
1	C	284/294 (97%)	270 (95%)	14 (5%)	0	100	100
1	D	285/294 (97%)	275 (96%)	10 (4%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	287/294 (98%)	276 (96%)	11 (4%)	0	100	100
1	F	276/294 (94%)	255 (92%)	19 (7%)	2 (1%)	19	23
1	G	288/294 (98%)	278 (96%)	10 (4%)	0	100	100
1	H	288/294 (98%)	276 (96%)	12 (4%)	0	100	100
All	All	2276/2352 (97%)	2172 (95%)	102 (4%)	2 (0%)	48	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	188	ALA
1	F	255	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/256 (95%)	231 (95%)	13 (5%)	19	28
1	B	247/256 (96%)	224 (91%)	23 (9%)	7	9
1	C	246/256 (96%)	220 (89%)	26 (11%)	5	6
1	D	248/256 (97%)	230 (93%)	18 (7%)	11	16
1	E	250/256 (98%)	234 (94%)	16 (6%)	14	20
1	F	242/256 (94%)	218 (90%)	24 (10%)	6	8
1	G	251/256 (98%)	240 (96%)	11 (4%)	24	35
1	H	250/256 (98%)	231 (92%)	19 (8%)	11	14
All	All	1978/2048 (97%)	1828 (92%)	150 (8%)	11	14

All (150) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	VAL
1	A	102	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	103	GLU
1	A	122	LYS
1	A	136	ILE
1	A	171	LEU
1	A	179	ILE
1	A	182	LEU
1	A	235	GLU
1	A	245	VAL
1	A	275	THR
1	A	276	ILE
1	A	280	LEU
1	B	3	LEU
1	B	33	ARG
1	B	36	LYS
1	B	38	ILE
1	B	43	VAL
1	B	52	VAL
1	B	72	THR
1	B	101	GLN
1	B	103	GLU
1	B	122	LYS
1	B	143	ARG
1	B	149	VAL
1	B	159	GLU
1	B	171	LEU
1	B	208	ARG
1	B	213	GLU
1	B	245	VAL
1	B	262	ARG
1	B	267	ASN
1	B	275	THR
1	B	276	ILE
1	B	280	LEU
1	B	285	GLN
1	C	3	LEU
1	C	21	LEU
1	C	43	VAL
1	C	52	VAL
1	C	57[A]	GLU
1	C	57[B]	GLU
1	C	67	ILE
1	C	72	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	89	ASP
1	C	108	LYS
1	C	120	GLN
1	C	136	ILE
1	C	143	ARG
1	C	171	LEU
1	C	179	ILE
1	C	235	GLU
1	C	244	ILE
1	C	245	VAL
1	C	262	ARG
1	C	264	ARG
1	C	265	GLU
1	C	267	ASN
1	C	275	THR
1	C	276	ILE
1	C	280	LEU
1	C	285	GLN
1	D	4	SER
1	D	51	ILE
1	D	52	VAL
1	D	71	LYS
1	D	83	THR
1	D	87	HIS
1	D	89	ASP
1	D	162	ILE
1	D	164	GLN
1	D	171	LEU
1	D	179	ILE
1	D	245	VAL
1	D	264	ARG
1	D	265	GLU
1	D	267	ASN
1	D	275	THR
1	D	276	ILE
1	D	280	LEU
1	E	71	LYS
1	E	102	LEU
1	E	103	GLU
1	E	108	LYS
1	E	112	GLN
1	E	142	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	146	ARG
1	E	149	VAL
1	E	159	GLU
1	E	187	VAL
1	E	227	THR
1	E	235	GLU
1	E	245	VAL
1	E	262	ARG
1	E	275	THR
1	E	276	ILE
1	F	23	GLN
1	F	33	ARG
1	F	43	VAL
1	F	49	GLN
1	F	108	LYS
1	F	122	LYS
1	F	143	ARG
1	F	149	VAL
1	F	150	GLN
1	F	151	ASP
1	F	155	ASP
1	F	159	GLU
1	F	163	GLN
1	F	179	ILE
1	F	197	ILE
1	F	221	THR
1	F	224	THR
1	F	264	ARG
1	F	265	GLU
1	F	267	ASN
1	F	269	ASP
1	F	275	THR
1	F	276	ILE
1	F	280	LEU
1	G	3	LEU
1	G	25	LEU
1	G	43	VAL
1	G	61	ASN
1	G	149	VAL
1	G	153	GLN
1	G	159	GLU
1	G	196	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	208	ARG
1	G	265	GLU
1	G	276	ILE
1	H	3	LEU
1	H	4	SER
1	H	24	SER
1	H	25	LEU
1	H	38	ILE
1	H	43	VAL
1	H	71	LYS
1	H	104	HIS
1	H	120	GLN
1	H	122	LYS
1	H	149	VAL
1	H	159	GLU
1	H	179	ILE
1	H	195	ILE
1	H	208	ARG
1	H	230	GLN
1	H	235	GLU
1	H	262	ARG
1	H	275	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	73	HIS
1	A	112	GLN
1	A	144	GLN
1	A	153	GLN
1	B	153	GLN
1	B	163	GLN
1	B	164	GLN
1	B	173	ASN
1	B	247	GLN
1	C	104	HIS
1	C	153	GLN
1	C	173	ASN
1	C	177	ASN
1	C	185	GLN
1	C	192	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	34	HIS
1	D	144	GLN
1	D	163	GLN
1	D	164	GLN
1	D	192	ASN
1	D	220	GLN
1	D	285	GLN
1	E	34	HIS
1	E	120	GLN
1	E	164	GLN
1	E	173	ASN
1	E	192	ASN
1	E	289	HIS
1	F	112	GLN
1	F	120	GLN
1	F	137	GLN
1	F	144	GLN
1	F	185	GLN
1	F	286	ASN
1	G	22	GLN
1	G	34	HIS
1	G	104	HIS
1	G	112	GLN
1	G	163	GLN
1	G	164	GLN
1	G	185	GLN
1	G	285	GLN
1	H	49	GLN
1	H	161	ASN
1	H	173	ASN
1	H	177	ASN
1	H	230	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	286/294 (97%)	-0.34	2 (0%) 84 84	22, 32, 47, 53	0
1	B	286/294 (97%)	-0.09	1 (0%) 90 90	22, 36, 59, 64	0
1	C	285/294 (96%)	-0.04	1 (0%) 89 89	25, 39, 54, 61	1 (0%)
1	D	287/294 (97%)	-0.22	1 (0%) 90 90	20, 33, 51, 60	0
1	E	288/294 (97%)	-0.29	0 100 100	14, 33, 48, 62	1 (0%)
1	F	282/294 (95%)	0.41	7 (2%) 58 59	27, 44, 63, 66	0
1	G	290/294 (98%)	-0.36	1 (0%) 90 90	20, 31, 45, 59	0
1	H	290/294 (98%)	-0.25	1 (0%) 90 90	23, 35, 48, 57	0
All	All	2294/2352 (97%)	-0.15	14 (0%) 85 86	14, 35, 56, 66	2 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	214	GLY	4.4
1	F	155	ASP	3.4
1	A	84	TYR	3.2
1	F	99	TYR	2.6
1	F	157	VAL	2.3
1	F	140	ALA	2.3
1	F	141	LEU	2.2
1	B	288	GLY	2.2
1	G	292	HIS	2.2
1	A	216	ASN	2.1
1	C	84	TYR	2.1
1	F	149	VAL	2.1
1	D	110	VAL	2.0
1	H	292	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.