



## Full wwPDB EM Validation Report ⓘ

May 18, 2025 – 07:27 PM EDT

PDB ID : 8GV8 / pdb\_00008gv8  
EMDB ID : EMD-34287  
Title : The cryo-EM structure of hAE2 with DIDS  
Authors : Zhang, Q.; Jian, L.; Yao, D.; Rao, B.; Hu, K.; Xia, Y.; Cao, Y.  
Deposited on : 2022-09-14  
Resolution : 3.08 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0rc1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.43.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1241	
1	B	1241	

## 2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 8161 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Anion exchange protein 2.


Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	514	Total	C	N	O	S	0	0
			4057	2698	666	670	23		
1	B	513	Total	C	N	O	S	0	0
			4048	2692	664	669	23		

- Molecule 2 is 2,2'-ethane-1,2-diylbis{5-[(sulfanylmethyl)amino]benzenesulfonic acid} (CCD ID: 4KU) (formula: C<sub>16</sub>H<sub>20</sub>N<sub>2</sub>O<sub>6</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	S	0
			28	16	2	6	4	
2	B	1	Total	C	N	O	S	0
			28	16	2	6	4	






## ● Molecule 1: Anion exchange protein 2

Chain B: 33% 6% 59%





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	222365	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	10000	Depositor
Maximum defocus (nm)	26000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	9.184	Depositor
Minimum map value	-6.451	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.179	Depositor
Recommended contour level	0.7	Depositor
Map size ( $\text{\AA}$ )	281.6, 281.6, 281.6	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.1, 1.1, 1.1	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4KU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.33	66/4158 (1.6%)	1.21	76/5644 (1.3%)
1	B	1.42	64/4149 (1.5%)	1.26	100/5632 (1.8%)
All	All	1.38	130/8307 (1.6%)	1.24	176/11276 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	3
All	All	0	8

All (130) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	836	ILE	C-O	-21.91	1.01	1.24
1	B	843	LEU	C-O	-20.07	1.00	1.23
1	B	834	ILE	C-O	-18.15	1.02	1.24
1	A	836	ILE	C-O	-18.14	1.05	1.24
1	B	837	TYR	C-O	-16.50	1.03	1.24
1	B	833	LEU	C-O	-15.88	1.04	1.23
1	A	1035	ASP	C-O	-15.35	1.12	1.23
1	B	841	TYR	C-O	-15.32	1.06	1.24
1	B	823	THR	C-O	-14.66	1.03	1.24
1	A	823	THR	C-O	-14.54	1.03	1.24
1	A	833	LEU	C-O	-14.40	1.07	1.24
1	B	827	PHE	C-O	-13.96	1.06	1.24
1	A	746	SER	CA-CB	-13.39	1.31	1.53
1	B	829	PHE	C-O	-13.32	1.05	1.23

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	838	GLU	C-O	-13.16	1.06	1.23
1	B	821	ARG	C-O	-13.12	1.07	1.24
1	B	844	VAL	C-O	-13.10	1.08	1.24
1	B	840	PHE	C-O	-13.04	1.07	1.24
1	A	821	ARG	C-O	-13.03	1.07	1.24
1	B	835	PHE	C-O	-12.85	1.07	1.24
1	B	832	SER	C-O	-12.74	1.07	1.24
1	A	743	LEU	C-O	-12.70	1.07	1.24
1	B	831	ILE	C-O	-12.14	1.09	1.24
1	A	832	SER	CA-CB	-12.07	1.34	1.53
1	B	842	LYS	C-O	-11.84	1.08	1.24
1	B	832	SER	CA-CB	-11.57	1.36	1.54
1	B	925	ARG	C-O	-11.57	1.09	1.24
1	A	925	ARG	C-O	-11.55	1.09	1.24
1	A	846	ILE	C-O	-11.54	1.08	1.24
1	B	830	LEU	C-O	-11.49	1.09	1.24
1	B	847	PHE	C-O	-11.23	1.08	1.24
1	B	825	GLU	C-O	-10.84	1.10	1.24
1	A	750	GLN	C-O	-10.72	1.09	1.23
1	B	846	ILE	C-O	-10.71	1.08	1.24
1	A	752	VAL	C-O	-10.68	1.12	1.24
1	A	740	VAL	C-O	-10.67	1.11	1.24
1	A	742	GLU	C-O	-10.64	1.10	1.24
1	A	746	SER	C-O	-10.51	1.11	1.23
1	B	917	PHE	C-O	-10.43	1.09	1.24
1	B	845	LYS	C-O	-10.39	1.11	1.23
1	B	912	PHE	C-O	-10.35	1.10	1.24
1	B	826	ILE	C-O	-10.22	1.11	1.24
1	A	755	CYS	C-O	-10.20	1.10	1.24
1	A	747	THR	C-O	-10.07	1.11	1.24
1	A	844	VAL	C-O	-9.91	1.12	1.24
1	B	916	PHE	C-O	-9.89	1.10	1.24
1	A	822	PHE	C-O	-9.87	1.11	1.24
1	A	834	ILE	C-O	-9.82	1.12	1.24
1	B	822	PHE	C-O	-9.79	1.11	1.24
1	A	827	PHE	C-O	-9.63	1.12	1.24
1	B	915	ALA	C-O	-9.54	1.11	1.24
1	B	828	ALA	C-O	-9.31	1.11	1.23
1	A	1046	CYS	C-O	-9.06	1.12	1.24
1	A	754	PHE	C-O	-8.95	1.10	1.23
1	B	1011	GLU	C-O	-8.87	1.13	1.24
1	A	820	SER	CA-CB	-8.84	1.38	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	820	SER	CA-CB	-8.82	1.38	1.53
1	A	818	PHE	C-O	-8.80	1.12	1.24
1	B	850	HIS	C-O	-8.79	1.12	1.24
1	A	748	ALA	C-O	-8.74	1.12	1.24
1	A	850	HIS	C-O	-8.72	1.13	1.24
1	A	744	ILE	C-O	-8.71	1.14	1.24
1	B	1098	LEU	C-O	-8.69	1.14	1.24
1	A	1040	VAL	C-O	-8.54	1.10	1.23
1	B	851	PRO	C-O	-8.49	1.12	1.23
1	A	847	PHE	C-O	-8.45	1.12	1.23
1	A	745	MET	C-O	-8.43	1.12	1.24
1	B	848	GLN	C-O	-8.29	1.14	1.24
1	B	839	THR	C-O	-8.26	1.13	1.24
1	A	751	GLY	C-O	-8.18	1.12	1.23
1	B	745	MET	C-O	-8.14	1.13	1.24
1	A	1038	LEU	C-O	-8.00	1.13	1.24
1	A	1043	GLY	C-O	-7.96	1.13	1.23
1	A	828	ALA	CA-CB	-7.82	1.41	1.53
1	B	849	GLU	C-O	-7.69	1.14	1.23
1	A	830	LEU	C-O	-7.58	1.15	1.24
1	A	1047	ALA	C-O	-7.56	1.14	1.24
1	B	828	ALA	CA-CB	-7.38	1.40	1.53
1	A	851	PRO	C-O	-7.38	1.14	1.23
1	B	1024	ARG	C-O	-7.28	1.15	1.24
1	A	1024	ARG	C-O	-7.26	1.15	1.24
1	A	1049	PHE	C-O	-7.22	1.14	1.24
1	B	852	LEU	C-O	-7.22	1.14	1.23
1	A	741	SER	CA-CB	-7.14	1.43	1.54
1	A	824	GLN	C-O	-7.13	1.14	1.24
1	A	1036	LEU	C-O	-7.07	1.14	1.24
1	B	824	GLN	C-O	-6.96	1.14	1.24
1	A	1042	MET	C-O	-6.96	1.15	1.24
1	B	838	GLU	CA-C	-6.84	1.44	1.53
1	B	851	PRO	N-CA	-6.77	1.39	1.47
1	B	749	LEU	C-O	-6.70	1.15	1.24
1	A	1041	ALA	CA-CB	-6.59	1.44	1.54
1	A	749	LEU	C-O	-6.59	1.15	1.24
1	A	1083	ILE	C-O	-6.48	1.15	1.24
1	A	835	PHE	C-O	-6.48	1.15	1.24
1	A	837	TYR	C-O	-6.47	1.16	1.24
1	B	912	PHE	CA-C	-6.46	1.43	1.52
1	A	819	VAL	C-O	-6.46	1.17	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1022	LYS	C-O	-6.36	1.15	1.24
1	A	748	ALA	CA-CB	-6.29	1.44	1.54
1	A	845	LYS	C-O	-6.28	1.15	1.24
1	A	839	THR	C-O	6.22	1.31	1.24
1	A	827	PHE	C-N	-6.16	1.26	1.33
1	A	848	GLN	C-O	-6.13	1.16	1.24
1	B	819	VAL	C-O	-6.07	1.17	1.23
1	A	1041	ALA	C-O	-6.01	1.16	1.24
1	B	837	TYR	CA-C	-6.00	1.45	1.52
1	B	745	MET	C-N	-5.86	1.25	1.33
1	B	915	ALA	CA-CB	-5.86	1.43	1.53
1	B	827	PHE	C-N	-5.85	1.25	1.33
1	B	917	PHE	CA-C	-5.84	1.46	1.52
1	A	1217	ASP	C-O	-5.73	1.17	1.23
1	A	1050	GLY	C-O	-5.72	1.16	1.24
1	A	823	THR	CA-C	-5.70	1.45	1.52
1	A	753	VAL	C-O	-5.69	1.13	1.23
1	B	847	PHE	CA-C	-5.62	1.45	1.53
1	B	840	PHE	CA-C	-5.52	1.45	1.52
1	B	838	GLU	CA-CB	-5.43	1.45	1.53
1	B	823	THR	CA-C	-5.43	1.45	1.52
1	A	817	ARG	C-O	-5.40	1.17	1.24
1	A	820	SER	CA-C	-5.39	1.45	1.52
1	B	820	SER	CA-C	-5.37	1.45	1.52
1	A	740	VAL	CA-C	-5.31	1.46	1.52
1	B	820	SER	C-O	-5.26	1.17	1.24
1	B	843	LEU	C-N	-5.25	1.26	1.33
1	A	820	SER	C-O	-5.23	1.17	1.24
1	A	1037	LEU	C-O	-5.18	1.17	1.24
1	B	823	THR	C-N	-5.18	1.26	1.33
1	B	1097	ALA	C-N	-5.06	1.27	1.33
1	A	829	PHE	C-O	-5.05	1.18	1.24

All (176) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1217	ASP	CB-CA-C	-24.29	70.50	111.31
1	B	914	ILE	O-C-N	-15.77	102.86	122.57
1	B	840	PHE	CB-CA-C	-14.66	81.25	110.42
1	A	824	GLN	CB-CA-C	-14.32	85.11	109.75
1	A	1037	LEU	N-CA-C	-13.20	97.28	114.31
1	B	824	GLN	CB-CA-C	-13.15	88.02	110.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	839	THR	N-CA-C	-12.69	98.44	114.56
1	B	846	ILE	N-CA-C	-12.47	100.32	112.17
1	A	851	PRO	N-CA-CB	-11.14	90.64	103.23
1	B	846	ILE	CB-CA-C	-11.03	97.85	111.85
1	A	838	GLU	CB-CA-C	10.97	131.74	110.67
1	B	837	TYR	CA-C-O	-10.88	108.16	120.24
1	B	917	PHE	N-CA-C	-10.81	98.88	112.72
1	A	823	THR	CB-CA-C	-10.69	92.65	110.72
1	A	1024	ARG	N-CA-CB	-10.62	92.19	109.60
1	B	1024	ARG	N-CA-CB	-10.56	92.27	109.60
1	A	849	GLU	CB-CA-C	-10.21	93.64	110.79
1	A	741	SER	N-CA-C	-10.11	99.73	114.39
1	A	838	GLU	N-CA-CB	-10.02	94.75	110.28
1	B	838	GLU	CB-CA-C	-9.94	95.13	111.13
1	B	841	TYR	N-CA-C	-9.72	97.46	113.50
1	B	912	PHE	CA-C-O	-9.65	108.40	119.79
1	B	831	ILE	N-CA-C	-9.54	103.03	113.43
1	A	754	PHE	N-CA-C	-9.46	102.31	114.04
1	B	848	GLN	N-CA-C	-9.31	103.02	114.75
1	B	835	PHE	CA-CB-CG	9.17	122.97	113.80
1	B	829	PHE	N-CA-C	-9.13	100.54	112.68
1	B	840	PHE	CA-C-O	-9.08	107.53	120.51
1	B	842	LYS	CA-C-N	9.07	136.49	122.42
1	B	842	LYS	C-N-CA	9.07	136.49	122.42
1	B	827	PHE	CA-CB-CG	9.00	122.80	113.80
1	B	823	THR	CB-CA-C	-8.92	95.65	110.72
1	A	842	LYS	CB-CA-C	8.79	124.69	110.88
1	A	1042	MET	N-CA-C	-8.68	100.39	112.45
1	B	1222	GLU	CB-CA-C	8.52	126.95	110.17
1	A	845	LYS	CB-CA-C	-8.51	93.38	109.72
1	B	826	ILE	N-CA-C	-8.45	100.44	112.35
1	A	829	PHE	CB-CA-C	8.44	124.34	110.92
1	B	842	LYS	N-CA-C	-8.18	101.35	113.61
1	B	830	LEU	CA-C-N	8.16	132.45	122.16
1	B	830	LEU	C-N-CA	8.16	132.45	122.16
1	B	838	GLU	CA-C-O	-8.15	110.68	120.55
1	B	835	PHE	CA-C-N	8.12	133.08	121.55
1	B	835	PHE	C-N-CA	8.12	133.08	121.55
1	A	841	TYR	CB-CA-C	8.06	124.17	110.79
1	B	839	THR	CB-CA-C	-8.02	96.61	109.13
1	A	752	VAL	N-CA-C	-7.95	103.44	113.22
1	B	822	PHE	CA-CB-CG	7.82	121.62	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	822	PHE	CA-CB-CG	7.79	121.59	113.80
1	A	746	SER	N-CA-C	-7.78	100.83	112.04
1	B	912	PHE	CA-CB-CG	7.77	121.57	113.80
1	B	1010	MET	O-C-N	-7.68	114.05	122.03
1	B	851	PRO	CA-C-O	-7.64	112.06	122.15
1	B	916	PHE	CB-CA-C	-7.64	96.78	110.37
1	A	818	PHE	CA-C-O	-7.63	110.64	119.56
1	B	847	PHE	CA-CB-CG	7.63	121.43	113.80
1	B	840	PHE	CA-C-N	7.62	131.91	120.17
1	B	840	PHE	C-N-CA	7.62	131.91	120.17
1	A	1035	ASP	CA-CB-CG	7.57	120.17	112.60
1	B	833	LEU	N-CA-C	-7.53	104.33	113.97
1	A	821	ARG	N-CA-C	-7.51	102.02	113.89
1	B	911	THR	O-C-N	-7.51	114.34	122.07
1	B	821	ARG	N-CA-C	-7.41	102.18	113.89
1	B	1011	GLU	CA-C-O	-7.39	112.65	120.63
1	A	842	LYS	N-CA-CB	-7.31	99.41	110.01
1	B	835	PHE	CA-C-O	-7.08	111.11	118.90
1	B	1023	GLU	O-C-N	-7.03	114.83	122.07
1	A	742	GLU	CA-C-O	-6.99	111.45	119.14
1	A	1023	GLU	O-C-N	-6.97	114.89	122.07
1	A	755	CYS	CA-C-N	-6.95	110.42	120.29
1	A	755	CYS	C-N-CA	-6.95	110.42	120.29
1	A	847	PHE	CB-CA-C	-6.92	98.53	110.09
1	A	1222	GLU	CB-CA-C	6.92	123.81	110.17
1	B	925	ARG	CA-C-O	-6.81	111.68	119.78
1	B	836	ILE	O-C-N	-6.76	115.60	122.23
1	B	844	VAL	CA-C-O	-6.75	112.34	120.78
1	A	925	ARG	CA-C-O	-6.69	111.82	119.78
1	B	1223	PRO	N-CA-CB	-6.69	95.64	103.00
1	A	742	GLU	N-CA-C	-6.68	105.28	113.50
1	B	838	GLU	CA-C-N	6.66	132.27	122.08
1	B	838	GLU	C-N-CA	6.66	132.27	122.08
1	B	833	LEU	CA-C-N	6.65	131.78	121.34
1	B	833	LEU	C-N-CA	6.65	131.78	121.34
1	A	833	LEU	CA-C-O	-6.63	113.52	120.55
1	A	744	ILE	N-CA-C	-6.57	104.07	113.07
1	B	831	ILE	CB-CA-C	6.51	118.98	110.84
1	B	842	LYS	CA-C-O	-6.51	111.50	119.18
1	B	840	PHE	CA-CB-CG	6.45	120.25	113.80
1	A	1048	LEU	N-CA-C	-6.45	103.75	112.26
1	A	831	ILE	CB-CA-C	6.44	120.13	111.88

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	847	PHE	CB-CA-C	-6.43	96.47	110.41
1	B	1218	ALA	N-CA-CB	-6.42	100.16	110.63
1	B	832	SER	CA-C-N	6.39	132.59	122.11
1	B	832	SER	C-N-CA	6.39	132.59	122.11
1	A	835	PHE	CA-CB-CG	6.38	120.18	113.80
1	B	912	PHE	CB-CA-C	-6.34	97.45	110.38
1	B	1077	PRO	CB-CA-C	-6.32	102.51	113.20
1	B	916	PHE	CA-C-O	-6.28	111.83	119.43
1	B	915	ALA	CA-C-O	-6.24	111.58	120.51
1	B	1081	PRO	CB-CA-C	6.23	121.84	111.56
1	B	832	SER	CA-C-O	-6.17	112.26	119.05
1	A	818	PHE	CA-C-N	6.14	130.76	122.90
1	A	818	PHE	C-N-CA	6.14	130.76	122.90
1	A	825	GLU	CB-CA-C	6.14	119.98	109.24
1	B	1075	VAL	N-CA-C	-6.14	100.25	108.35
1	B	845	LYS	CA-C-N	6.13	132.38	122.76
1	B	845	LYS	C-N-CA	6.13	132.38	122.76
1	A	749	LEU	N-CA-C	-6.09	106.45	114.31
1	A	817	ARG	CB-CA-C	-6.04	96.97	110.21
1	A	1040	VAL	N-CA-C	-6.01	106.56	111.91
1	B	829	PHE	CA-C-O	-6.00	111.73	120.13
1	B	837	TYR	N-CA-C	-5.98	104.33	111.69
1	B	1223	PRO	CA-N-CD	-5.97	103.64	112.00
1	A	836	ILE	CA-C-N	5.93	130.73	120.58
1	A	836	ILE	C-N-CA	5.93	130.73	120.58
1	A	849	GLU	CA-C-O	-5.92	114.21	120.55
1	B	1024	ARG	CA-C-N	5.89	131.91	122.32
1	B	1024	ARG	C-N-CA	5.89	131.91	122.32
1	B	846	ILE	CA-C-O	-5.84	114.13	119.91
1	A	1024	ARG	CA-C-N	5.83	131.82	122.32
1	A	1024	ARG	C-N-CA	5.83	131.82	122.32
1	A	824	GLN	CA-C-O	-5.83	112.44	119.03
1	B	1097	ALA	O-C-N	-5.77	116.13	122.07
1	B	849	GLU	CA-C-O	-5.74	113.14	120.31
1	B	917	PHE	CA-C-N	-5.74	112.02	120.28
1	B	917	PHE	C-N-CA	-5.74	112.02	120.28
1	A	1083	ILE	N-CA-C	-5.74	101.41	109.21
1	A	827	PHE	O-C-N	-5.72	115.28	122.20
1	A	1081	PRO	CB-CA-C	5.71	120.99	111.56
1	A	750	GLN	CB-CA-C	-5.71	100.55	110.09
1	A	838	GLU	CA-C-O	-5.68	113.44	119.97
1	B	852	LEU	CA-C-O	-5.66	115.86	122.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	847	PHE	CA-CB-CG	5.61	119.41	113.80
1	A	836	ILE	O-C-N	-5.60	116.74	122.23
1	A	829	PHE	CA-CB-CG	5.57	119.37	113.80
1	A	752	VAL	CA-CB-CG1	5.50	119.75	110.40
1	B	824	GLN	CA-C-O	-5.47	113.02	119.48
1	B	835	PHE	N-CA-C	-5.47	106.52	114.12
1	A	837	TYR	CA-C-N	5.41	128.53	120.31
1	A	837	TYR	C-N-CA	5.41	128.53	120.31
1	B	837	TYR	CB-CA-C	-5.39	100.83	110.70
1	B	848	GLN	CB-CA-C	-5.39	102.21	109.16
1	A	1080	LYS	CB-CA-C	5.38	117.87	109.42
1	B	831	ILE	CA-C-N	5.38	130.81	122.26
1	B	831	ILE	C-N-CA	5.38	130.81	122.26
1	B	836	ILE	N-CA-C	-5.36	105.51	113.39
1	A	851	PRO	CA-C-O	-5.35	115.49	122.12
1	B	849	GLU	CB-CA-C	-5.34	100.80	110.56
1	A	1036	LEU	N-CA-C	-5.33	104.49	112.54
1	B	830	LEU	CA-C-O	-5.33	113.05	119.49
1	A	701	ARG	CB-CA-C	-5.32	100.39	109.65
1	A	850	HIS	CA-CB-CG	5.30	119.10	113.80
1	A	822	PHE	CA-C-O	-5.26	113.45	119.60
1	B	822	PHE	N-CA-C	-5.25	106.03	112.90
1	A	1040	VAL	CA-CB-CG1	5.24	119.31	110.40
1	B	843	LEU	O-C-N	-5.24	116.01	122.19
1	B	1081	PRO	CA-C-N	-5.24	113.68	123.05
1	B	1081	PRO	C-N-CA	-5.24	113.68	123.05
1	B	822	PHE	CA-C-O	-5.22	113.49	119.60
1	A	831	ILE	N-CA-CB	-5.19	104.75	110.51
1	B	825	GLU	CA-C-N	5.18	128.84	120.82
1	B	825	GLU	C-N-CA	5.18	128.84	120.82
1	B	845	LYS	CA-C-O	-5.16	112.85	118.52
1	B	847	PHE	N-CA-C	-5.14	104.77	112.54
1	B	827	PHE	CA-C-O	-5.13	113.49	119.14
1	A	824	GLN	CA-C-N	5.11	131.24	122.09
1	A	824	GLN	C-N-CA	5.11	131.24	122.09
1	B	914	ILE	CA-C-N	5.11	131.29	121.54
1	B	914	ILE	C-N-CA	5.11	131.29	121.54
1	A	1035	ASP	CB-CA-C	-5.10	99.26	110.99
1	A	829	PHE	O-C-N	-5.08	116.65	122.08
1	A	1218	ALA	N-CA-CB	-5.05	102.18	111.37
1	A	701	ARG	N-CA-C	-5.04	107.18	113.38
1	A	843	LEU	N-CA-C	5.04	116.59	111.14

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	837	TYR	CB-CA-C	5.01	119.86	110.70
1	A	845	LYS	CA-C-O	-5.01	113.22	119.18

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	824	GLN	Mainchain
1	A	825	GLU	Mainchain
1	A	838	GLU	Mainchain
1	A	839	THR	Mainchain
1	A	844	VAL	Mainchain
1	B	838	GLU	Mainchain
1	B	840	PHE	Mainchain
1	B	914	ILE	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4057	0	4263	54	0
1	B	4048	0	4248	46	0
2	A	28	0	20	5	0
2	B	28	0	19	3	0
All	All	8161	0	8550	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1153:THR:HG21	1:A:1223:PRO:HD2	1.58	0.84
1:B:849:GLU:HG3	1:B:895:ARG:HH11	1.48	0.79
1:A:739:GLY:H	1:A:742:GLU:HG3	1.49	0.78

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:976:ARG:NH2	1:A:1050:GLY:HA3	2.05	0.70
1:A:843:LEU:HD21	1:A:905:LEU:HD13	1.72	0.70
1:A:842:LYS:HE3	2:A:1501:4KU:H3	1.74	0.70
1:A:823:THR:HG23	1:A:1196:THR:OG1	1.93	0.69
1:A:842:LYS:CE	2:A:1501:4KU:H3	2.24	0.68
1:B:849:GLU:HG3	1:B:895:ARG:NH1	2.07	0.68
1:A:976:ARG:HH22	1:A:1050:GLY:HA3	1.57	0.67
2:B:1501:4KU:CAO	2:B:1501:4KU:SAG	2.83	0.67
1:B:834:ILE:CD1	1:B:1181:MET:HE1	2.25	0.67
1:A:1183:THR:HG23	1:A:1185:ALA:H	1.61	0.65
1:B:1183:THR:HG23	1:B:1185:ALA:H	1.61	0.65
1:A:893:LYS:HB3	1:A:894:PRO:HD3	1.81	0.62
1:A:834:ILE:HD13	1:A:1181:MET:HE1	1.80	0.62
1:B:843:LEU:O	1:B:845:LYS:N	2.32	0.62
1:A:770:PRO:HG3	2:A:1501:4KU:H15	1.81	0.61
1:B:770:PRO:HG3	2:B:1501:4KU:H15	1.82	0.61
1:A:1089:GLN:NE2	1:A:1092:THR:OG1	2.35	0.60
1:A:834:ILE:O	1:A:838:GLU:HG3	2.02	0.59
1:A:752:VAL:HG22	1:A:1094:LEU:HD12	1.84	0.58
1:B:823:THR:HG23	1:B:1196:THR:OG1	2.02	0.58
1:B:1089:GLN:NE2	1:B:1092:THR:OG1	2.36	0.58
1:B:746:SER:HB2	1:B:1051:LEU:HB3	1.85	0.58
1:A:976:ARG:NH1	1:A:977:GLY:O	2.39	0.56
1:B:843:LEU:C	1:B:845:LYS:H	2.13	0.56
1:A:804:ALA:HB2	1:A:1040:VAL:HG12	1.89	0.55
1:B:930:ARG:HG3	1:B:931:ILE:HD12	1.88	0.55
1:B:976:ARG:NH1	1:B:977:GLY:O	2.41	0.54
1:A:930:ARG:HG3	1:A:931:ILE:HD12	1.89	0.54
1:A:1222:GLU:O	1:A:1223:PRO:C	2.50	0.54
1:A:846:ILE:O	1:A:846:ILE:HG22	2.08	0.54
1:A:843:LEU:O	1:A:844:VAL:C	2.51	0.52
1:A:724:ILE:HA	1:A:740:VAL:HG11	1.90	0.52
1:A:775:GLU:OE1	1:A:789:TYR:OH	2.27	0.51
1:A:730:LEU:O	1:A:734:THR:OG1	2.19	0.51
1:B:1020:SER:OG	1:B:1030:SER:OG	2.28	0.51
1:B:834:ILE:HD13	1:B:1181:MET:HE1	1.93	0.50
1:A:739:GLY:HA3	1:A:971:THR:HG21	1.94	0.49
1:A:918:LEU:HD13	1:A:939:GLY:HA2	1.94	0.49
1:B:834:ILE:HG22	1:B:834:ILE:O	2.12	0.49
2:A:1501:4KU:CAO	2:A:1501:4KU:SAG	3.01	0.49
1:B:1106:ILE:O	1:B:1106:ILE:HG13	2.11	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:918:LEU:HD13	1:B:939:GLY:HA2	1.95	0.48
1:A:827:PHE:O	1:A:828:ALA:C	2.55	0.48
1:A:834:ILE:CD1	1:A:1181:MET:HE1	2.44	0.48
1:B:747:THR:HA	1:B:1054:LEU:HD21	1.96	0.48
1:B:834:ILE:HD11	1:B:1181:MET:HE1	1.93	0.48
1:B:775:GLU:OE1	1:B:789:TYR:OH	2.26	0.47
1:A:843:LEU:HD21	1:A:905:LEU:CD1	2.44	0.47
1:A:845:LYS:HB2	1:A:845:LYS:HE2	1.67	0.47
1:A:1153:THR:HG21	1:A:1223:PRO:CD	2.37	0.47
1:A:1139:LEU:HD21	1:A:1171:LEU:HD11	1.97	0.47
1:A:1020:SER:OG	1:A:1030:SER:OG	2.27	0.46
1:B:1139:LEU:HD21	1:B:1171:LEU:HD11	1.98	0.46
1:A:699:ASP:O	1:A:1089:GLN:HB2	2.16	0.46
1:B:699:ASP:O	1:B:1089:GLN:HB2	2.15	0.46
1:B:1075:VAL:O	1:B:1076:ALA:C	2.58	0.46
1:B:705:ASP:OD1	1:B:706:PRO:HD2	2.16	0.46
1:B:1089:GLN:HG2	1:B:1091:VAL:H	1.81	0.46
2:B:1501:4KU:SAG	2:B:1501:4KU:H1	2.56	0.46
1:B:1079:ASP:O	1:B:1080:LYS:C	2.60	0.45
1:A:894:PRO:HD2	1:A:958:TYR:CZ	2.51	0.45
1:A:1180:VAL:O	1:A:1183:THR:HG22	2.17	0.45
1:B:841:TYR:O	1:B:841:TYR:CG	2.66	0.45
1:B:926:PHE:O	1:B:932:ARG:HD3	2.17	0.45
1:B:1180:VAL:O	1:B:1183:THR:HG22	2.17	0.45
1:A:743:LEU:HD11	1:A:767:PHE:HB2	1.98	0.45
1:A:705:ASP:OD1	1:A:706:PRO:HD2	2.16	0.44
1:B:761:PRO:HB3	1:B:1090:ARG:HD3	1.99	0.44
1:A:724:ILE:HA	1:A:740:VAL:CG1	2.46	0.44
1:A:745:MET:HB3	1:A:745:MET:HE3	1.47	0.44
1:A:926:PHE:O	1:A:932:ARG:HD3	2.17	0.44
1:A:1089:GLN:HG2	1:A:1091:VAL:H	1.81	0.44
1:A:761:PRO:HB3	1:A:1090:ARG:HD3	2.00	0.44
1:A:829:PHE:O	1:A:830:LEU:C	2.56	0.44
1:B:735:GLN:HG2	1:B:779:PHE:HZ	1.83	0.43
1:B:817:ARG:HH11	1:B:817:ARG:HB3	1.83	0.43
1:A:747:THR:HA	1:A:1054:LEU:HD21	2.00	0.43
1:B:834:ILE:O	1:B:834:ILE:CG2	2.67	0.43
1:A:842:LYS:NZ	2:A:1501:4KU:H3	2.34	0.42
1:B:745:MET:HE3	1:B:745:MET:HB3	1.39	0.42
1:B:820:SER:HB2	1:B:821:ARG:H	1.30	0.42
1:A:1145:PRO:HG2	1:A:1148:HIS:ND1	2.35	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:761:PRO:HG3	1:A:1090:ARG:HE	1.84	0.42
1:B:808:VAL:HG21	1:B:1037:LEU:HB2	2.01	0.42
1:B:843:LEU:HA	1:B:846:ILE:HG13	2.02	0.42
1:A:745:MET:HB2	1:A:745:MET:HE2	1.64	0.41
1:B:846:ILE:HG22	1:B:846:ILE:O	2.19	0.41
1:B:844:VAL:HG12	1:B:844:VAL:O	2.19	0.41
1:A:727:GLY:HA3	1:A:740:VAL:HG13	2.02	0.41
1:B:761:PRO:HG3	1:B:1090:ARG:HE	1.85	0.41
1:B:843:LEU:C	1:B:845:LYS:N	2.76	0.41
1:B:911:THR:OG1	1:B:947:MET:HG3	2.20	0.41
1:B:1145:PRO:HG2	1:B:1148:HIS:ND1	2.35	0.41
1:A:701:ARG:HE	1:A:701:ARG:HB3	1.53	0.41
1:A:685:LEU:HD11	1:A:1034:LEU:HD13	2.03	0.41
1:B:1187:LEU:HD23	1:B:1187:LEU:HA	1.92	0.40
1:B:745:MET:HB2	1:B:745:MET:HE2	1.67	0.40
1:A:911:THR:OG1	1:A:947:MET:HG3	2.21	0.40
1:A:1209:THR:OG1	1:A:1212:GLU:HG3	2.22	0.40
1:B:1209:THR:OG1	1:B:1212:GLU:HG3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	510/1241 (41%)	479 (94%)	26 (5%)	5 (1%)	13	40
1	B	509/1241 (41%)	476 (94%)	31 (6%)	2 (0%)	30	60
All	All	1019/2482 (41%)	955 (94%)	57 (6%)	7 (1%)	21	48

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	844	VAL
1	A	1044	GLY
1	B	1222	GLU
1	A	1077	PRO
1	A	1074	ALA
1	A	1043	GLY
1	A	1075	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	441/1040 (42%)	418 (95%)	23 (5%)	19	46
1	B	440/1040 (42%)	428 (97%)	12 (3%)	40	64
All	All	881/2080 (42%)	846 (96%)	35 (4%)	29	55

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	701	ARG
1	A	740	VAL
1	A	741	SER
1	A	742	GLU
1	A	744	ILE
1	A	746	SER
1	A	749	LEU
1	A	752	VAL
1	A	753	VAL
1	A	820	SER
1	A	832	SER
1	A	838	GLU
1	A	842	LYS
1	A	845	LYS
1	A	851	PRO
1	A	1042	MET
1	A	1045	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1048	LEU
1	A	1075	VAL
1	A	1080	LYS
1	A	1083	ILE
1	A	1220	GLU
1	A	1223	PRO
1	B	749	LEU
1	B	817	ARG
1	B	820	SER
1	B	832	SER
1	B	833	LEU
1	B	842	LYS
1	B	846	ILE
1	B	916	PHE
1	B	1022	LYS
1	B	1075	VAL
1	B	1080	LYS
1	B	1220	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1089	GLN
1	B	1089	GLN
1	B	1140	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	4KU	A	1501	-	29,29,29	1.63	6 (20%)	36,42,42	2.97	16 (44%)
2	4KU	B	1501	1	29,29,29	1.65	6 (20%)	36,42,42	2.54	16 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4KU	A	1501	-	-	0/21/23/23	0/2/2/2
2	4KU	B	1501	1	-	0/21/23/23	0/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1501	4KU	CAX-CAZ	3.85	1.44	1.40
2	B	1501	4KU	CAX-CAZ	3.81	1.44	1.40
2	A	1501	4KU	CAP-CAZ	3.19	1.44	1.39
2	B	1501	4KU	CAP-CAZ	3.14	1.44	1.39
2	B	1501	4KU	CAN-CAX	2.97	1.44	1.39
2	A	1501	4KU	CAN-CAX	2.93	1.44	1.39
2	B	1501	4KU	CAP-CAV	2.83	1.44	1.39
2	A	1501	4KU	CAP-CAV	2.82	1.44	1.39
2	A	1501	4KU	CAU-NAS	2.42	1.45	1.38
2	A	1501	4KU	CAV-NAT	2.39	1.45	1.38
2	B	1501	4KU	CAV-NAT	2.38	1.45	1.38
2	B	1501	4KU	CAU-NAS	2.36	1.45	1.38

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1501	4KU	CAN-CAL-CAV	9.45	131.19	120.30
2	B	1501	4KU	CAN-CAL-CAV	6.07	127.29	120.30
2	A	1501	4KU	CAL-CAN-CAX	-6.06	113.46	121.39
2	B	1501	4KU	CAP-CAZ-CAX	-5.79	117.25	121.84
2	A	1501	4KU	CAP-CAZ-CAX	-5.75	117.28	121.84
2	A	1501	4KU	CAR-CAX-CAZ	-5.66	119.81	125.37
2	B	1501	4KU	CAR-CAX-CAZ	-5.65	119.82	125.37
2	A	1501	4KU	CAL-CAV-CAP	-5.47	113.04	119.66
2	B	1501	4KU	CAL-CAN-CAX	-4.58	115.40	121.39
2	B	1501	4KU	CAN-CAX-CAZ	4.21	122.21	116.44
2	A	1501	4KU	CAN-CAX-CAZ	4.17	122.16	116.44
2	B	1501	4KU	CAL-CAV-CAP	-3.91	114.93	119.66
2	A	1501	4KU	CAQ-CAW-CAY	-2.93	122.49	125.37
2	B	1501	4KU	CAQ-CAW-CAY	-2.82	122.60	125.37
2	B	1501	4KU	CAW-CAY-SBA	2.54	123.54	121.36
2	A	1501	4KU	CAW-CAY-SBA	2.52	123.52	121.36
2	B	1501	4KU	OAD-SBB-OAF	-2.49	100.35	112.88
2	B	1501	4KU	OAC-SBB-CAZ	2.48	110.95	106.12
2	A	1501	4KU	OAD-SBB-OAF	-2.46	100.50	112.88
2	A	1501	4KU	CAX-CAZ-SBB	2.46	123.47	121.36
2	B	1501	4KU	CAX-CAZ-SBB	2.45	123.46	121.36
2	A	1501	4KU	OAC-SBB-CAZ	2.44	110.87	106.12
2	A	1501	4KU	CAO-CAY-CAW	-2.43	119.92	121.84
2	A	1501	4KU	OAB-SBA-CAY	2.38	112.01	106.52
2	B	1501	4KU	OAB-SBA-CAY	2.37	111.99	106.52
2	B	1501	4KU	CAO-CAY-CAW	-2.31	120.01	121.84
2	B	1501	4KU	OAB-SBA-OAA	-2.30	101.32	112.88
2	A	1501	4KU	OAB-SBA-OAA	-2.29	101.37	112.88
2	A	1501	4KU	OAA-SBA-CAY	2.29	111.80	106.52
2	B	1501	4KU	OAA-SBA-CAY	2.26	111.73	106.52
2	B	1501	4KU	OAF-SBB-CAZ	2.24	111.69	106.52
2	A	1501	4KU	OAF-SBB-CAZ	2.23	111.66	106.52

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1501	4KU	5	0
2	B	1501	4KU	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34287. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 128




Y Index: 135




Z Index: 140


### 6.3.2 Raw map



X Index: 128



Y Index: 115




Z Index: 129


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) ⓘ


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 72  $\text{nm}^3$ ; this corresponds to an approximate mass of 65 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.325 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.325  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.08	-	-
Author-provided FSC curve	3.08	3.35	3.10
Unmasked-calculated*	3.52	3.90	3.56

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.52 differs from the reported value 3.08 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34287 and PDB model 8GV8. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.7).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.8690	<div><div></div></div> 0.5550
A	<div><div></div></div> 0.8720	<div><div></div></div> 0.5550
B	<div><div></div></div> 0.8670	<div><div></div></div> 0.5550

