



Full wwPDB NMR Structure Validation Report ⓘ

Dec 24, 2024 – 11:42 AM EST

PDB ID : 2HAJ
BMRB ID : 6284
Title : Solution structure of the helicase-binding domain of Escherichia coli primase
Authors : Su, X.C.; Loscha, K.V.; Dixon, N.E.; Otting, G.
Deposited on : 2006-06-13

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 86%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	210492	14027
Ramachandran outliers	207382	12486
Sidechain outliers	206894	12463

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	148	

2 Ensemble composition and analysis

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:451-A:578 (128)	1.01	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 7 single-model clusters were found.

Cluster number	Models
1	2, 5, 9, 11, 14, 17, 19, 20
2	1, 6, 12, 16, 18
Single-model clusters	3; 4; 7; 8; 10; 13; 15

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 2167 atoms, of which 1086 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called DNA primase.


Mol	Chain	Residues	Atoms						Trace
1	A	135	Total	C	H	N	O	S	0
			2167	677	1086	189	211	4	

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: DNA primase




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1 (medoid)


- Molecule 1: DNA primase



4.2.2 Score per residue for model 2


- Molecule 1: DNA primase






4.2.3 Score per residue for model 3

- Molecule 1: DNA primase




4.2.4 Score per residue for model 4

- Molecule 1: DNA primase




4.2.5 Score per residue for model 5

- Molecule 1: DNA primase




4.2.6 Score per residue for model 6

- Molecule 1: DNA primase




4.2.7 Score per residue for model 7

- Molecule 1: DNA primase




4.2.8 Score per residue for model 8

- Molecule 1: DNA primase




4.2.9 Score per residue for model 9

- Molecule 1: DNA primase




4.2.10 Score per residue for model 10

- Molecule 1: DNA primase




4.2.11 Score per residue for model 11

- Molecule 1: DNA primase




4.2.12 Score per residue for model 12

- Molecule 1: DNA primase




4.2.13 Score per residue for model 13

- Molecule 1: DNA primase




4.2.14 Score per residue for model 14

- Molecule 1: DNA primase




4.2.15 Score per residue for model 15

- Molecule 1: DNA primase




4.2.16 Score per residue for model 16

- Molecule 1: DNA primase




4.2.17 Score per residue for model 17

- Molecule 1: DNA primase




4.2.18 Score per residue for model 18

- Molecule 1: DNA primase




4.2.19 Score per residue for model 19

- Molecule 1: DNA primase



4.2.20 Score per residue for model 20

- Molecule 1: DNA primase



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	2.0
CYANA	refinement	2.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	2
Total number of shifts	2335
Number of shifts mapped to atoms	2242
Number of unparsed shifts	0
Number of shifts with mapping errors	93
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	86%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.62±0.04	0±0/1040 (0.0± 0.0%)	1.03±0.07	1±1/1413 (0.1± 0.1%)
All	All	0.62	0/20800 (0.0%)	1.03	16/28260 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.3±0.5
All	All	0	6

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	486	ARG	NE-CZ-NH2	-7.86	116.37	120.30	6	4
1	A	508	ARG	NE-CZ-NH2	-7.84	116.38	120.30	1	2
1	A	468	VAL	CG1-CB-CG2	-6.71	100.17	110.90	3	1
1	A	519	LEU	CB-CG-CD1	6.18	121.50	111.00	1	1
1	A	457	LEU	CB-CG-CD2	6.00	121.19	111.00	3	1
1	A	550	ARG	NE-CZ-NH1	5.92	123.26	120.30	12	1
1	A	559	ARG	NE-CZ-NH2	-5.68	117.46	120.30	7	1
1	A	547	LEU	CB-CG-CD1	5.51	120.37	111.00	6	1
1	A	534	THR	CA-CB-CG2	5.46	120.04	112.40	4	1
1	A	554	LEU	CB-CA-C	5.43	120.51	110.20	8	1
1	A	452	ARG	NE-CZ-NH2	-5.26	117.67	120.30	9	1
1	A	543	PHE	CB-CG-CD1	5.21	124.45	120.80	6	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	559	ARG	Sidechain	1
1	A	538	SER	Mainchain	1
1	A	540	ASN	Mainchain	1
1	A	573	THR	Mainchain	1
1	A	507	TYR	Sidechain	1
1	A	486	ARG	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1024	1018	1021	14±13
All	All	20480	20360	20420	286

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:471:LEU:CD1	1:A:474:LEU:HD12	0.91	1.96	13	1
1:A:488:LEU:HD11	1:A:516:LEU:HD21	0.89	1.44	13	8
1:A:455:ILE:HD13	1:A:484:LEU:HD23	0.88	1.45	19	1
1:A:554:LEU:HD11	1:A:571:LEU:HD21	0.86	1.46	20	1
1:A:457:LEU:HD21	1:A:525:ILE:HG21	0.81	1.50	2	6
1:A:468:VAL:HG11	1:A:489:VAL:HG11	0.78	1.54	14	17
1:A:479:LEU:HD23	1:A:482:LEU:HD13	0.77	1.55	20	1
1:A:488:LEU:CD1	1:A:516:LEU:HD21	0.74	2.12	13	2
1:A:482:LEU:HD13	1:A:482:LEU:O	0.73	1.83	13	1
1:A:555:ILE:HD13	1:A:571:LEU:HD13	0.72	1.60	13	1
1:A:479:LEU:HD21	1:A:546:LEU:HD21	0.71	1.60	11	2
1:A:464:LEU:HD22	1:A:535:PHE:CD2	0.70	2.22	17	4
1:A:471:LEU:HD23	1:A:482:LEU:HD21	0.69	1.62	7	1
1:A:474:LEU:HD11	1:A:543:PHE:CZ	0.69	2.22	1	4
1:A:468:VAL:HG22	1:A:469:PRO:HD2	0.69	1.64	13	8
1:A:457:LEU:CD2	1:A:525:ILE:HD13	0.69	2.17	3	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:543:PHE:HA	1:A:546:LEU:HD12	0.68	1.62	13	3
1:A:555:ILE:CD1	1:A:571:LEU:HD13	0.67	2.20	13	1
1:A:498:LEU:HD21	1:A:503:LEU:HD13	0.67	1.66	13	4
1:A:565:ASN:O	1:A:569:LEU:HD13	0.67	1.88	13	1
1:A:471:LEU:HD12	1:A:482:LEU:HD21	0.67	1.67	20	1
1:A:479:LEU:HD23	1:A:482:LEU:HD23	0.67	1.67	17	1
1:A:507:TYR:O	1:A:513:ALA:HB2	0.66	1.89	13	4
1:A:554:LEU:HD21	1:A:571:LEU:HD11	0.66	1.67	20	2
1:A:471:LEU:HD22	1:A:482:LEU:HD11	0.66	1.66	6	1
1:A:554:LEU:HD11	1:A:571:LEU:CD2	0.65	2.19	20	1
1:A:468:VAL:CG1	1:A:489:VAL:HG11	0.65	2.21	11	8
1:A:554:LEU:HB3	1:A:571:LEU:HD11	0.64	1.68	13	5
1:A:510:THR:HG22	1:A:512:ASN:H	0.64	1.53	17	20
1:A:479:LEU:CD2	1:A:546:LEU:HD21	0.62	2.23	11	2
1:A:474:LEU:HD13	1:A:482:LEU:HD21	0.62	1.70	17	1
1:A:461:ASN:HB3	1:A:464:LEU:HD12	0.62	1.72	2	5
1:A:572:TRP:CD2	1:A:573:THR:N	0.60	2.69	13	1
1:A:554:LEU:HD11	1:A:571:LEU:HD11	0.60	1.73	19	2
1:A:474:LEU:HD21	1:A:543:PHE:CE1	0.59	2.32	20	4
1:A:522:TRP:CE3	1:A:525:ILE:HD11	0.59	2.33	13	6
1:A:572:TRP:CG	1:A:573:THR:N	0.59	2.71	13	1
1:A:462:PRO:HB3	1:A:498:LEU:HD23	0.59	1.75	2	4
1:A:572:TRP:CE3	1:A:572:TRP:C	0.59	2.76	13	1
1:A:464:LEU:HD23	1:A:467:LEU:HD13	0.58	1.75	2	1
1:A:469:PRO:O	1:A:471:LEU:HD22	0.58	1.98	13	1
1:A:482:LEU:HD13	1:A:482:LEU:C	0.58	2.19	13	1
1:A:479:LEU:HD11	1:A:546:LEU:HD21	0.58	1.74	20	1
1:A:465:ALA:O	1:A:468:VAL:HG12	0.57	1.99	2	4
1:A:495:GLN:OE1	1:A:506:HIS:CD2	0.57	2.57	13	1
1:A:457:LEU:HD22	1:A:531:ALA:HB1	0.57	1.75	2	2
1:A:507:TYR:CD2	1:A:516:LEU:CD1	0.57	2.87	2	1
1:A:457:LEU:HD11	1:A:534:THR:HG22	0.57	1.76	13	1
1:A:507:TYR:CD2	1:A:510:THR:HG21	0.56	2.35	2	1
1:A:465:ALA:HB1	1:A:489:VAL:HG13	0.56	1.76	17	1
1:A:557:ARG:C	1:A:563:LEU:HD23	0.55	2.22	13	1
1:A:482:LEU:O	1:A:482:LEU:HD23	0.55	2.00	9	1
1:A:554:LEU:HB2	1:A:571:LEU:HD21	0.54	1.78	2	2
1:A:474:LEU:HD11	1:A:543:PHE:CE1	0.54	2.37	13	2
1:A:479:LEU:HD11	1:A:546:LEU:HD11	0.54	1.78	19	1
1:A:560:THR:HG23	1:A:561:HIS:H	0.54	1.61	14	4
1:A:455:ILE:CG2	1:A:519:LEU:HD13	0.54	2.32	17	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:554:LEU:HD21	1:A:571:LEU:CD1	0.54	2.31	19	1
1:A:471:LEU:HD13	1:A:474:LEU:HD12	0.54	1.79	13	2
1:A:462:PRO:CB	1:A:498:LEU:HD23	0.53	2.33	2	2
1:A:567:GLU:O	1:A:571:LEU:HD22	0.53	2.04	19	1
1:A:555:ILE:HG12	1:A:571:LEU:HD22	0.52	1.80	13	1
1:A:471:LEU:CD2	1:A:482:LEU:HD11	0.52	2.34	3	2
1:A:454:LEU:HD12	1:A:485:PHE:CZ	0.52	2.40	6	2
1:A:484:LEU:HD13	1:A:488:LEU:HD12	0.51	1.82	2	1
1:A:474:LEU:HD21	1:A:543:PHE:CZ	0.51	2.41	2	4
1:A:464:LEU:HD13	1:A:535:PHE:CD1	0.51	2.41	4	4
1:A:455:ILE:O	1:A:459:VAL:HG23	0.51	2.06	10	1
1:A:471:LEU:HD23	1:A:482:LEU:HD11	0.50	1.82	3	1
1:A:457:LEU:HD22	1:A:531:ALA:CB	0.50	2.35	20	2
1:A:554:LEU:HD12	1:A:554:LEU:C	0.50	2.28	14	2
1:A:451:MET:HE1	1:A:482:LEU:HD12	0.49	1.83	20	1
1:A:464:LEU:HD23	1:A:467:LEU:HD12	0.49	1.82	13	2
1:A:527:ASP:OD2	1:A:530:ILE:HD12	0.49	2.08	13	1
1:A:491:THR:HG22	1:A:495:GLN:HE22	0.48	1.66	4	1
1:A:558:GLU:OE2	1:A:568:ARG:CG	0.48	2.60	13	1
1:A:569:LEU:O	1:A:572:TRP:CD1	0.48	2.67	13	1
1:A:465:ALA:CB	1:A:489:VAL:HG13	0.48	2.38	17	1
1:A:554:LEU:C	1:A:554:LEU:HD12	0.48	2.29	20	1
1:A:484:LEU:HD11	1:A:512:ASN:HD21	0.48	1.68	6	1
1:A:468:VAL:HG23	1:A:539:LEU:HD11	0.48	1.85	13	1
1:A:465:ALA:HB1	1:A:493:LEU:HD23	0.48	1.84	2	1
1:A:479:LEU:HD13	1:A:482:LEU:HG	0.48	1.85	4	1
1:A:464:LEU:HD13	1:A:535:PHE:CD2	0.48	2.44	20	1
1:A:572:TRP:CD2	1:A:572:TRP:C	0.48	2.87	13	1
1:A:549:LEU:HD23	1:A:550:ARG:N	0.48	2.24	11	1
1:A:522:TRP:CE3	1:A:525:ILE:CD1	0.47	2.97	17	3
1:A:457:LEU:HD11	1:A:534:THR:CG2	0.47	2.39	13	1
1:A:455:ILE:HG22	1:A:519:LEU:HD13	0.47	1.86	17	2
1:A:455:ILE:O	1:A:459:VAL:N	0.47	2.47	13	1
1:A:471:LEU:HG	1:A:474:LEU:HD12	0.46	1.86	19	2
1:A:565:ASN:O	1:A:569:LEU:CD1	0.46	2.62	13	1
1:A:504:LEU:HD21	1:A:517:GLU:HA	0.46	1.87	10	3
1:A:492:CYS:SG	1:A:498:LEU:HD22	0.46	2.50	2	1
1:A:556:ALA:O	1:A:560:THR:CG2	0.46	2.63	13	1
1:A:574:LEU:CD1	1:A:578:LEU:HD12	0.46	2.40	17	1
1:A:464:LEU:HB3	1:A:535:PHE:CZ	0.46	2.46	13	1
1:A:453:ILE:HD12	1:A:534:THR:CG2	0.46	2.41	9	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:474:LEU:HD11	1:A:543:PHE:HE1	0.45	1.69	13	1
1:A:455:ILE:CD1	1:A:484:LEU:HD23	0.45	2.33	19	1
1:A:574:LEU:HD13	1:A:574:LEU:O	0.45	2.11	17	1
1:A:457:LEU:CD2	1:A:457:LEU:N	0.45	2.79	9	1
1:A:554:LEU:CD1	1:A:571:LEU:HD21	0.45	2.32	20	1
1:A:469:PRO:O	1:A:471:LEU:HD12	0.45	2.11	7	1
1:A:474:LEU:HD21	1:A:543:PHE:CD1	0.45	2.46	7	1
1:A:479:LEU:HG	1:A:546:LEU:HD21	0.45	1.89	15	1
1:A:458:LEU:HD11	1:A:492:CYS:SG	0.45	2.51	20	2
1:A:488:LEU:HD11	1:A:516:LEU:CD2	0.45	2.32	13	1
1:A:505:GLU:OE1	1:A:508:ARG:HD3	0.45	2.12	1	1
1:A:484:LEU:CD1	1:A:488:LEU:HD12	0.44	2.41	2	1
1:A:457:LEU:O	1:A:461:ASN:N	0.44	2.50	13	1
1:A:464:LEU:HD22	1:A:535:PHE:CG	0.44	2.47	17	1
1:A:568:ARG:HA	1:A:571:LEU:HD12	0.43	1.89	1	2
1:A:459:VAL:HG12	1:A:460:GLN:OE1	0.43	2.12	10	1
1:A:471:LEU:HA	1:A:474:LEU:HD13	0.43	1.89	1	1
1:A:507:TYR:CD2	1:A:516:LEU:HD13	0.43	2.47	11	3
1:A:504:LEU:HD21	1:A:520:SER:HB2	0.43	1.91	7	1
1:A:468:VAL:HG21	1:A:485:PHE:CE2	0.43	2.48	13	1
1:A:457:LEU:HD22	1:A:525:ILE:HD13	0.43	1.90	3	1
1:A:504:LEU:HD21	1:A:517:GLU:CA	0.43	2.43	10	1
1:A:482:LEU:C	1:A:482:LEU:CD1	0.43	2.87	13	1
1:A:512:ASN:N	1:A:512:ASN:OD1	0.43	2.50	13	1
1:A:479:LEU:HD21	1:A:546:LEU:HD11	0.43	1.91	7	1
1:A:471:LEU:HD12	1:A:474:LEU:HD12	0.43	1.82	13	1
1:A:453:ILE:HG23	1:A:457:LEU:CD1	0.42	2.44	5	1
1:A:563:LEU:HD12	1:A:567:GLU:CB	0.42	2.44	13	1
1:A:558:GLU:HB2	1:A:563:LEU:HD12	0.42	1.91	19	1
1:A:558:GLU:HB2	1:A:563:LEU:HD11	0.42	1.91	2	1
1:A:558:GLU:HB2	1:A:563:LEU:HD21	0.42	1.89	13	1
1:A:457:LEU:HD22	1:A:525:ILE:CD1	0.42	2.45	9	1
1:A:464:LEU:HD13	1:A:535:PHE:CG	0.42	2.50	13	1
1:A:495:GLN:HB3	1:A:498:LEU:HD13	0.42	1.92	9	1
1:A:457:LEU:HD13	1:A:531:ALA:O	0.42	2.14	13	1
1:A:457:LEU:CD1	1:A:531:ALA:HB1	0.42	2.45	3	1
1:A:455:ILE:HG23	1:A:488:LEU:HD13	0.42	1.90	9	1
1:A:459:VAL:HA	1:A:503:LEU:HD22	0.41	1.90	11	1
1:A:554:LEU:HD11	1:A:571:LEU:CD1	0.41	2.45	14	1
1:A:527:ASP:CG	1:A:528:LYS:H	0.41	2.18	8	1
1:A:454:LEU:HD23	1:A:535:PHE:CE1	0.41	2.50	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:565:ASN:O	1:A:569:LEU:HD23	0.41	2.16	17	1
1:A:469:PRO:HD2	1:A:539:LEU:HD11	0.41	1.93	19	1
1:A:519:LEU:HD22	1:A:522:TRP:CE3	0.41	2.51	11	1
1:A:453:ILE:HG21	1:A:538:SER:HB2	0.40	1.93	3	1
1:A:468:VAL:CG2	1:A:469:PRO:HD2	0.40	2.42	13	1
1:A:521:MET:O	1:A:522:TRP:C	0.40	2.59	13	1
1:A:468:VAL:HG11	1:A:489:VAL:CG1	0.40	2.42	13	1
1:A:492:CYS:SG	1:A:498:LEU:CD2	0.40	3.09	13	1
1:A:495:GLN:HE22	1:A:506:HIS:CD2	0.40	2.35	20	1
1:A:515:THR:HG22	1:A:519:LEU:HD11	0.40	1.93	10	1
1:A:460:GLN:O	1:A:500:THR:OG1	0.40	2.40	13	1
1:A:556:ALA:O	1:A:560:THR:HG22	0.40	2.17	19	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/148 (86%)	117±2 (91±1%)	9±2 (7±2%)	2±1 (1±1%)	14	62
All	All	2560/2960 (86%)	2341 (91%)	189 (7%)	30 (1%)	14	62

All 12 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	475	ASP	8
1	A	526	ALA	5
1	A	451	MET	3
1	A	563	LEU	3
1	A	525	ILE	2
1	A	495	GLN	2
1	A	476	GLU	2
1	A	480	PRO	1
1	A	474	LEU	1
1	A	562	GLY	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	561	HIS	1
1	A	472	GLU	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	115/131 (88%)	92±5 (80±5%)	23±5 (20±5%)	3	31
All	All	2300/2620 (88%)	1831 (80%)	469 (20%)	3	31

All 74 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	572	TRP	20
1	A	493	LEU	19
1	A	523	ASP	16
1	A	542	MET	16
1	A	521	MET	15
1	A	533	GLN	13
1	A	573	THR	13
1	A	484	LEU	12
1	A	553	GLU	12
1	A	494	SER	11
1	A	558	GLU	11
1	A	561	HIS	10
1	A	564	SER	10
1	A	574	LEU	10
1	A	468	VAL	10
1	A	499	THR	10
1	A	565	ASN	10
1	A	473	ASN	9
1	A	563	LEU	9
1	A	568	ARG	9
1	A	488	LEU	8
1	A	577	GLU	8
1	A	486	ARG	8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	525	ILE	8
1	A	528	LYS	8
1	A	539	LEU	8
1	A	554	LEU	8
1	A	451	MET	7
1	A	505	GLU	7
1	A	559	ARG	7
1	A	566	GLU	7
1	A	560	THR	7
1	A	518	LYS	6
1	A	517	GLU	6
1	A	472	GLU	6
1	A	576	GLN	6
1	A	461	ASN	5
1	A	458	LEU	5
1	A	482	LEU	5
1	A	557	ARG	5
1	A	511	ASN	5
1	A	578	LEU	4
1	A	457	LEU	4
1	A	570	GLU	4
1	A	512	ASN	4
1	A	452	ARG	4
1	A	550	ARG	4
1	A	495	GLN	3
1	A	551	GLN	3
1	A	474	LEU	3
1	A	548	GLU	3
1	A	478	LYS	3
1	A	508	ARG	3
1	A	471	LEU	3
1	A	479	LEU	3
1	A	547	LEU	3
1	A	487	GLU	3
1	A	567	GLU	3
1	A	552	GLU	3
1	A	522	TRP	2
1	A	467	LEU	2
1	A	502	GLN	2
1	A	540	ASN	2
1	A	453	ILE	2
1	A	532	GLU	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	529	ASN	2
1	A	571	LEU	2
1	A	454	LEU	2
1	A	519	LEU	1
1	A	569	LEU	1
1	A	549	LEU	1
1	A	463	GLU	1
1	A	545	SER	1
1	A	555	ILE	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 86% for the well-defined parts and 84% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	915
Number of shifts mapped to atoms	842
Number of unparsed shifts	0
Number of shifts with mapping errors	73
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 73 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	434	ALA	CA	51.2	0.2	1
1	A	434	ALA	HA	4.0	0.02	1
1	A	434	ALA	CB	19.3	0.2	1
1	A	434	ALA	C	173.4	0.2	1
1	A	435	ALA	N	123.4	0.2	1
1	A	435	ALA	H	8.55	0.02	1
1	A	435	ALA	CA	52.5	0.2	1
1	A	435	ALA	HA	4.24	0.02	1
1	A	435	ALA	CB	18.8	0.2	1
1	A	435	ALA	C	177.5	0.2	1
1	A	436	GLU	N	120.8	0.2	1
1	A	436	GLU	H	8.52	0.02	1
1	A	436	GLU	CA	56.5	0.2	1
1	A	436	GLU	HA	4.22	0.02	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	436	GLU	CB	30.1	0.2	1
1	A	436	GLU	C	176.5	0.2	1
1	A	437	SER	N	116.9	0.2	1
1	A	437	SER	H	8.35	0.02	1
1	A	437	SER	CA	58.4	0.2	1
1	A	437	SER	HA	4.35	0.02	1
1	A	437	SER	CB	63.8	0.2	1
1	A	437	SER	C	174.9	0.2	1
1	A	438	GLY	N	110.9	0.2	1
1	A	438	GLY	H	8.39	0.02	1
1	A	438	GLY	CA	45.2	0.2	1
1	A	438	GLY	HA2	3.9	0.02	1
1	A	438	GLY	HA3	3.9	0.02	1
1	A	438	GLY	C	173.9	0.2	1
1	A	439	VAL	N	118.9	0.2	1
1	A	439	VAL	H	7.86	0.02	1
1	A	439	VAL	CA	62.0	0.2	1
1	A	439	VAL	HA	4.08	0.02	1
1	A	439	VAL	CB	32.9	0.2	1
1	A	439	VAL	C	176.1	0.2	1
1	A	440	SER	N	119.9	0.2	1
1	A	440	SER	H	8.33	0.02	1
1	A	440	SER	CA	58.1	0.2	1
1	A	440	SER	HA	4.36	0.02	1
1	A	440	SER	CB	63.7	0.2	1
1	A	440	SER	C	173.8	0.2	1
1	A	441	ARG	N	124.1	0.2	1
1	A	441	ARG	H	8.24	0.02	1
1	A	441	ARG	CA	53.7	0.2	1
1	A	441	ARG	HA	4.55	0.02	1
1	A	441	ARG	C	174.1	0.2	1
1	A	442	PRO	CA	62.8	0.2	1
1	A	442	PRO	HA	4.35	0.02	1
1	A	442	PRO	CB	32.1	0.2	1
1	A	442	PRO	C	176.5	0.2	1
1	A	443	VAL	N	121.9	0.2	1
1	A	443	VAL	H	8.22	0.02	1
1	A	443	VAL	CA	59.9	0.2	1
1	A	443	VAL	HA	4.25	0.02	1
1	A	443	VAL	C	174.6	0.2	1
1	A	444	PRO	CA	63.1	0.2	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	444	PRO	HA	4.27	0.02	1
1	A	444	PRO	CB	32.2	0.2	1
1	A	444	PRO	C	176.6	0.2	1
1	A	445	GLN	N	120.9	0.2	1
1	A	445	GLN	H	8.38	0.02	1
1	A	445	GLN	CA	55.6	0.2	1
1	A	445	GLN	HA	4.19	0.02	1
1	A	445	GLN	CB	29.7	0.2	1
1	A	445	GLN	NE2	112.7	0.2	1
1	A	445	GLN	HE21	7.48	0.02	2
1	A	445	GLN	HE22	6.84	0.02	2
1	A	445	GLN	C	176.0	0.2	1
1	A	446	LEU	N	123.6	0.2	1
1	A	446	LEU	H	8.18	0.02	1
1	A	446	LEU	CA	54.9	0.2	1
1	A	446	LEU	HA	4.2	0.02	1
1	A	446	LEU	CB	42.3	0.2	1
1	A	446	LEU	C	177.0	0.2	1

7.1.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	147	-0.62 ± 0.12	Should be checked
$^{13}\text{C}_\beta$	132	0.12 ± 0.08	None needed (< 0.5 ppm)
$^{13}\text{C}'$	146	-0.39 ± 0.10	None needed (< 0.5 ppm)
^{15}N	140	0.12 ± 0.27	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments ⓘ

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 45%, i.e. 801 atoms were assigned a chemical shift out of a possible 1795. 0 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	633/637 (99%)	257/258 (100%)	253/256 (99%)	123/123 (100%)
Sidechain	164/1074 (15%)	32/697 (5%)	116/337 (34%)	16/40 (40%)
Aromatic	4/84 (5%)	2/43 (5%)	0/36 (0%)	2/5 (40%)
Overall	801/1795 (45%)	291/998 (29%)	369/629 (59%)	141/168 (84%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 44%, i.e. 842 atoms were assigned a chemical shift out of a possible 1903. 0 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	668/672 (99%)	271/272 (100%)	267/270 (99%)	130/130 (100%)
Sidechain	170/1147 (15%)	32/743 (4%)	122/358 (34%)	16/46 (35%)
Aromatic	4/84 (5%)	2/43 (5%)	0/36 (0%)	2/5 (40%)
Overall	842/1903 (44%)	305/1058 (29%)	389/664 (59%)	148/181 (82%)


7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_2*

7.2.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1420
Number of shifts mapped to atoms	1400
Number of unparsed shifts	0
Number of shifts with mapping errors	20
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 20 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
2	A	435	ALA	N	123.6	.	1
2	A	435	ALA	H	8.66	.	1
2	A	436	GLU	N	120.9	.	1
2	A	436	GLU	H	8.59	.	1
2	A	437	SER	N	116.9	.	1
2	A	437	SER	H	8.42	.	1
2	A	438	GLY	N	111.0	.	1
2	A	438	GLY	H	8.47	.	1
2	A	439	VAL	N	118.9	.	1
2	A	439	VAL	H	7.93	.	1
2	A	440	SER	N	119.9	.	1
2	A	440	SER	H	8.4	.	1
2	A	441	ARG	N	124.2	.	1
2	A	441	ARG	H	8.3	.	1
2	A	443	VAL	N	122.0	.	1
2	A	443	VAL	H	8.27	.	1
2	A	445	GLN	N	120.8	.	1
2	A	445	GLN	H	8.44	.	1
2	A	446	LEU	N	123.6	.	1
2	A	446	LEU	H	8.24	.	1

7.2.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	111	-0.65 ± 0.12	Should be checked
$^{13}\text{C}_\beta$	113	0.21 ± 0.06	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	140	0.12 ± 0.28	None needed (< 0.5 ppm)

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 76%, i.e. 1366 atoms were assigned a chemical shift out of a possible 1795. 0 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	490/637 (77%)	258/258 (100%)	109/256 (43%)	123/123 (100%)
Sidechain	843/1074 (78%)	623/697 (89%)	219/337 (65%)	1/40 (2%)
Aromatic	33/84 (39%)	33/43 (77%)	0/36 (0%)	0/5 (0%)
Overall	1366/1795 (76%)	914/998 (92%)	328/629 (52%)	124/168 (74%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 73%, i.e. 1396 atoms were assigned a chemical shift out of a possible 1903. 0 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	508/672 (76%)	267/272 (98%)	111/270 (41%)	130/130 (100%)
Sidechain	855/1147 (75%)	633/743 (85%)	221/358 (62%)	1/46 (2%)
Aromatic	33/84 (39%)	33/43 (77%)	0/36 (0%)	0/5 (0%)
Overall	1396/1903 (73%)	933/1058 (88%)	332/664 (50%)	131/181 (72%)

7.2.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.


List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
2	A	510	THR	HG1	5.99	0.08 – 2.19	23.0
2	A	499	THR	HG1	5.62	0.08 – 2.19	21.2

7.2.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from

the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



8 NMR restraints analysis

8.1 Conformationally restricting restraints

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	1604
Intra-residue ($ i-j =0$)	288
Sequential ($ i-j =1$)	364
Medium range ($ i-j >1$ and $ i-j <5$)	481
Long range ($ i-j \geq 5$)	471
Inter-chain	0
Hydrogen bond restraints	0
Disulfide bond restraints	0
Total dihedral-angle restraints	0
Number of unmapped restraints	0
Number of restraints per residue	10.8
Number of long range restraints per residue ¹	3.2

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	0.6	0.16
0.2-0.5 (Medium)	0.1	0.35
>0.5 (Large)	None	None

8.2.2 Average number of dihedral-angle violations per model [i](#)

Dihedral-angle violations less than 1° are not included in the calculation. There are no dihedral-angle violations

9 Distance violation analysis ⓘ


9.1 Summary of distance violations ⓘ

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restrains type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
Intra-residue (i-j =0)	288	18.0	3	1.0	0.2	0	0.0	0.0
Backbone-Backbone	20	1.2	1	5.0	0.1	0	0.0	0.0
Backbone-Sidechain	253	15.8	1	0.4	0.1	0	0.0	0.0
Sidechain-Sidechain	15	0.9	1	6.7	0.1	0	0.0	0.0
Sequential (i-j =1)	364	22.7	6	1.6	0.4	0	0.0	0.0
Backbone-Backbone	157	9.8	3	1.9	0.2	0	0.0	0.0
Backbone-Sidechain	190	11.8	3	1.6	0.2	0	0.0	0.0
Sidechain-Sidechain	17	1.1	0	0.0	0.0	0	0.0	0.0
Medium range (i-j >1 & i-j <5)	481	30.0	1	0.2	0.1	0	0.0	0.0
Backbone-Backbone	155	9.7	1	0.6	0.1	0	0.0	0.0
Backbone-Sidechain	179	11.2	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	147	9.2	0	0.0	0.0	0	0.0	0.0
Long range (i-j ≥5)	471	29.4	3	0.6	0.2	0	0.0	0.0
Backbone-Backbone	2	0.1	1	50.0	0.1	0	0.0	0.0
Backbone-Sidechain	164	10.2	2	1.2	0.1	0	0.0	0.0
Sidechain-Sidechain	305	19.0	0	0.0	0.0	0	0.0	0.0
Inter-chain	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	1604	100.0	13	0.8	0.8	0	0.0	0.0
Backbone-Backbone	334	20.8	6	1.8	0.4	0	0.0	0.0
Backbone-Sidechain	786	49.0	6	0.8	0.4	0	0.0	0.0
Sidechain-Sidechain	484	30.2	1	0.2	0.1	0	0.0	0.0

¹ percentage calculated with respect to the total number of distance restraints, ² percentage calculated with respect to the number of restraints in a particular restraint category, ³ violated in at least one model, ⁴ violated in all the models

9.1.1 Bar chart : Distribution of distance restraints and violations [i](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model [i](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
1	0	1	0	0	0	1	0.1	0.1	0.0	0.1
2	0	0	0	0	0	0	0.0	0.0	0.0	0.0
3	0	0	0	1	0	1	0.11	0.11	0.0	0.11
4	0	1	0	0	0	1	0.1	0.1	0.0	0.1
5	1	0	0	1	0	2	0.15	0.16	0.01	0.15
6	0	0	0	0	0	0	0.0	0.0	0.0	0.0
7	0	1	0	0	0	1	0.1	0.1	0.0	0.1
8	0	0	0	0	0	0	0.0	0.0	0.0	0.0
9	0	1	0	0	0	1	0.13	0.13	0.0	0.13
10	1	0	0	0	0	1	0.1	0.1	0.0	0.1

Continued on next page...


Continued from previous page...

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
11	0	0	0	0	0	0	0.0	0.0	0.0	0.0
12	0	0	0	0	0	0	0.0	0.0	0.0	0.0
13	1	2	1	1	0	5	0.13	0.16	0.02	0.13
14	0	0	0	0	0	0	0.0	0.0	0.0	0.0
15	0	0	0	2	0	2	0.22	0.35	0.12	0.22
16	0	0	0	0	0	0	0.0	0.0	0.0	0.0
17	1	2	0	1	0	4	0.11	0.13	0.01	0.11
18	0	0	0	0	0	0	0.0	0.0	0.0	0.0
19	0	0	0	0	0	0	0.0	0.0	0.0	0.0
20	0	0	0	1	0	1	0.29	0.29	0.0	0.29

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model ⓘ



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

9.3 Distance violation statistics for the ensemble


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 1591(IR:285, SQ:358, MR:480, LR:468, IC:0) restraints are not violated in the ensemble.

Number of violated restraints						Fraction of the ensemble	
IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Count ⁶	%
2	5	1	1	0	9	1	5.0
1	0	0	1	0	2	2	10.0
0	1	0	0	0	1	3	15.0
0	0	0	1	0	1	4	20.0
0	0	0	0	0	0	5	25.0
0	0	0	0	0	0	6	30.0
0	0	0	0	0	0	7	35.0
0	0	0	0	0	0	8	40.0
0	0	0	0	0	0	9	45.0
0	0	0	0	0	0	10	50.0
0	0	0	0	0	0	11	55.0
0	0	0	0	0	0	12	60.0
0	0	0	0	0	0	13	65.0
0	0	0	0	0	0	14	70.0
0	0	0	0	0	0	15	75.0
0	0	0	0	0	0	16	80.0
0	0	0	0	0	0	17	85.0
0	0	0	0	0	0	18	90.0
0	0	0	0	0	0	19	95.0
0	0	0	0	0	0	20	100.0

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶ Number of models with violations


9.3.1 Bar graph : Distance violation statistics for the ensemble [i](#)



9.4 Most violated distance restraints in the ensemble [i](#)

9.4.1 Histogram : Distribution of mean distance violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



9.4.2 Table: Most violated distance restraints [i](#)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.


Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD11	4	0.23	0.1	0.22
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD12	4	0.23	0.1	0.22
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD13	4	0.23	0.1	0.22
(1,101)	1:456:A:GLY:HA2	1:457:A:LEU:H	3	0.12	0.01	0.12
(1,315)	1:477:A:ASN:H	1:477:A:ASN:HA	2	0.11	0.0	0.11
(1,959)	1:557:A:ARG:HA	1:562:A:GLY:H	2	0.11	0.0	0.11

¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints [i](#)

9.5.1 Histogram : Distribution of distance violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



9.5.2 Table : All distance violations [i](#)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD11	15	0.35
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD12	15	0.35
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD13	15	0.35
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD11	20	0.29
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD12	20	0.29
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD13	20	0.29
(1,308)	1:476:A:GLU:HB3	1:477:A:ASN:H	13	0.16
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD11	5	0.16
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD12	5	0.16
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD13	5	0.16
(1,41)	1:453:A:ILE:HB	1:453:A:ILE:HG12	5	0.14
(1,965)	1:558:A:GLU:HA	1:562:A:GLY:H	13	0.13
(1,964)	1:558:A:GLU:H	1:563:A:LEU:HG	13	0.13
(1,293)	1:475:A:ASP:HA	1:476:A:GLU:H	17	0.13
(1,101)	1:456:A:GLY:HA2	1:457:A:LEU:H	9	0.13
(1,101)	1:456:A:GLY:HA2	1:457:A:LEU:H	13	0.12

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,959)	1:557:A:ARG:HA	1:562:A:GLY:H	3	0.11
(1,315)	1:477:A:ASN:H	1:477:A:ASN:HA	13	0.11
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD11	17	0.11
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD12	17	0.11
(1,105)	1:456:A:GLY:HA2	1:525:A:ILE:HD13	17	0.11
(1,994)	1:564:A:SER:H	1:564:A:SER:HG	10	0.1
(1,974)	1:560:A:THR:HB	1:561:A:HIS:H	7	0.1
(1,969)	1:559:A:ARG:H	1:560:A:THR:H	4	0.1
(1,959)	1:557:A:ARG:HA	1:562:A:GLY:H	15	0.1
(1,628)	1:519:A:LEU:HG	1:520:A:SER:H	1	0.1
(1,315)	1:477:A:ASN:H	1:477:A:ASN:HA	17	0.1
(1,101)	1:456:A:GLY:HA2	1:457:A:LEU:H	17	0.1

10 Dihedral-angle violation analysis ⓘ

No dihedral-angle restraints found