



# Full wwPDB NMR Structure Validation Report ⓘ

May 7, 2024 – 03:53 pm BST

PDB ID : 2J8P  
Title : NMR structure of C-terminal domain of human CstF-64  
Authors : Qu, X.; Perez-Canadillas, J.M.; Agrawal, S.; De Baecke, J.; Cheng, H.; Varani, G.; Moore, C.  
Deposited on : 2006-10-27

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

There are no overall percentile quality scores available for this entry.

The sequence quality summary graphics cannot be shown.

## 2 Ensemble composition and analysis i

This entry contains 30 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:530-A:572 (43)	0.87	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 20, 23, 27, 29, 30
2	4, 13, 22, 24, 26, 28
3	14, 19, 21, 25

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 782 atoms, of which 400 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called CLEAVAGE STIMULATION FACTOR 64 KDA SUBUNIT.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	49	782	240	400	67	72	3	0

SEQUENCE-PLOTS INFOmissingINFO

## 4 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 35 calculated structures, 30 were deposited, based on the following criterion: *STRUCTURES HAVING NO DISTANCE RESTRAINT VIOLATION LARGER THAN 0.2 Å OR NO VIOLATION OF DIHEDRAL ANGLE CONSTRAINTS LARGER THAN 5 DEGREES*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	refinement	
ANSIG	structure solution	
TALOS	structure solution	
CYANA	structure solution	

No chemical shift data was provided.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 5.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section will have to be empty.

#### 5.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section will have to be empty.

#### 5.3.3 RNA [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 5.5 Carbohydrates [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 5.6 Ligand geometry [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 5.7 Other polymers [i](#)

MolProbity failed to run properly - this section will have to be empty.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Chemical shift validation

No chemical shift data were provided