



Full wwPDB EM Validation Report ⓘ

Mar 12, 2025 – 03:47 AM EDT

PDB ID : 7UPH
EMDB ID : EMD-26666
Title : Structure of a ribosome with tethered subunits
Authors : Kim, D.S.; Watkins, A.; Bidstrup, E.; Lee, J.; Topkar, V.V.; Kofman, C.;
Schwarz, K.J.; Liu, Y.; Pintilie, G.; Roney, E.; Das, R.; Jewett, M.C.
Deposited on : 2022-04-15
Resolution : 4.18 Å(reported)
Based on initial model : 4YBB

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41.4


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	100	<div> <div>16%</div> <div>99%</div> <div>.</div> </div>
2	B	88	<div> <div>48%</div> <div>98%</div> <div>.</div> </div>
3	C	82	<div> <div>23%</div> <div>95%</div> <div>5%</div> </div>
4	D	80	<div> <div>44%</div> <div>95%</div> <div>5%</div> </div>
5	E	55	<div> <div>40%</div> <div>98%</div> <div>.</div> </div>
6	F	79	<div> <div>76%</div> <div>99%</div> <div>.</div> </div>
7	G	85	<div> <div>67%</div> <div>100%</div> </div>
8	H	56	<div> <div>75%</div> <div>96%</div> <div>.</div> </div>

















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	4438	
10	J	118	
11	K	271	
12	L	209	
13	M	201	
14	N	177	
15	O	176	
16	R	142	
17	S	122	
18	T	144	
19	U	136	
20	V	120	
21	W	224	
22	X	206	
23	Y	205	
24	Z	150	
25	a	100	
26	b	151	
27	c	129	
28	d	127	
29	e	98	
30	f	117	
31	g	123	
32	h	114	
33	i	56	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	j	50	 6% 98%
35	k	46	 96%
36	l	64	 100%
37	m	38	 100%
38	n	116	 98%
39	o	114	 7% 96%
40	p	117	 100%
41	q	103	 100%
42	r	110	 99%
43	s	93	 99%
44	t	102	 98%
45	u	94	 97%
46	v	75	 100%
47	w	77	 99%
48	x	62	 97%
49	y	58	 95% 5%

2 Entry composition

There are 49 unique types of molecules in this entry. The entry contains 141080 atoms, of which 625 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 2 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 3 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 4 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 5 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	55	Total	C	N	O	0	0
			456	288	86	82		

- Molecule 6 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 7 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 8 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	56	Total	C	N	O	S	0	0
			465	290	96	78	1		

- Molecule 9 is a RNA chain called Tethered rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
9	I	4438	Total	C	H	N	O	P	0	0
			95909	42519	625	17511	30816	4438		

- Molecule 10 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	118	Total	C	N	O	P	0	0
			2529	1126	464	821	118		

- Molecule 11 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 12 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 13 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 14 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 15 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 16 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	R	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 17 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	S	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 18 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	T	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 19 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	U	136	Total	C	N	O	S	0	0
			1075	686	205	178	6		

- Molecule 20 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	V	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 21 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	W	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 22 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	X	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 23 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Y	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 24 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Z	150	Total	C	N	O	S	0	0
			1105	687	211	201	6		

- Molecule 25 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	a	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 26 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	b	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 27 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	c	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 28 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	d	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 29 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	e	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 30 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	f	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 31 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	g	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 32 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	h	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 33 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	i	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 34 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	j	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 35 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	k	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 36 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	l	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 37 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	m	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	n	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	o	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	p	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	102	Total	C	N	O	S	0	0
			780	492	146	142			

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	u	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	v	75	Total	C	N	O	S	0	0
			569	353	113	102	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.


Mol	Chain	Residues	Atoms					AltConf	Trace
47	w	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 48 is a protein called 50S ribosomal protein L29.



Mol	Chain	Residues	Atoms					AltConf	Trace
48	x	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 49 is a protein called 50S ribosomal protein L30.


Mol	Chain	Residues	Atoms					AltConf	Trace
49	y	58	Total	C	N	O	S	0	0
			449	281	87	79	2		





- Molecule 6: 30S ribosomal protein S19




- Molecule 7: 30S ribosomal protein S20



- Molecule 8: 30S ribosomal protein S21




- Molecule 9: Tethered rRNA




C2044	G1925	A1854	A1778	A1652	G1568	A1475	C1217	A1100	U1006	G843	A886	A495
U2045	A1928	U1855	A1779	C1663	C1569	C1476	U1223	G1123	U1007	A844	A886	G496
A2047	A1929	C1856	U1780	C1664	C1570	C1477	U1224	G1123	U1008	G845	G690	C510
G2048	A1930	U1858	G1787	U1666	A1574	A1478	C1225	G1133	U1009	A863	U700	U511
C2050	C1945	G1859	U1788	U1667	G1575	A1479	A1226	U1134	A1014	A872	A701	U515
G2051	U1951	U1860	G1789	A1667	C1576	A1482	C1227	C1136	A1015	G873	G702	G523
G2059	U1951	G1861	U1792	A1672	U1577	A1486	C1229	G1137	A1020	C882	U706	G526
C2060	C1955	G1863	A1793	A1676	G1580	U1487	A1237	C1138	G1025	G901	C707	U530
G2061	C1956	U1865	A1794	G1677	G1581	G1488	A1238	C1139	C1026	A913	C718	A531
A2063	C1962	C1867	U1796	A1680	U1582	A1489	U1239	C1140	U1028	C933	C719	A532
U2066	G1963	A1868	G1797	A1691	A1583	C1492	G1240	G1141	C1027	A934	G721	A546
G2070	U1964	U1869	A1798	C1692	A1584	U1493	G1241	A1144	U1029	C933	U722	G567
U2071	G1965	C1870	U1800	A1696	U1585	U1494	C1242	A1145	C1030	A957	G723	U561
A2072	A1966	G1871	G1801	U1699	G1586	U1499	A1255	A1150	G1031	G953	C735	A562
G1967	G1967	A1870	C1802	U1700	U1587	U1500	G1256	G1152	G1032	U954	C738	C563
G1968	G1968	U1873	G1803	U1701	G1588	G1501	G1257	G1153	G1033	U955	U739	G574
U2073	U1970	A1874	U1804	U1702	U1589	U1502	C1258	G1154	A1034	U956	G740	C575
A2075	G1875	G1875	C1805	U1703	U1590	U1503	G1259	G1155	A1035	A958	G754	G587
U2076	A1971	C1878	G1808	A1704	C1596	U1504	A1260	A1156	C1036	U959	G757	A571
G2077	A1972	C1878	A1809	A1704	C1597	U1510	U1263	C1157	C1037	U959	A758	A572
G2078	A1979	G1881	A1810	G1715	C1597	C1511	U1263	C1158	U1038	U964	C762	A573
U2080	G1981	G1886	A1811	A1716	G1598	U1512	C1266	G1159	G1040	G965	G765	G574
G2083	U1887	U1887	C1816	G1721	U1599	G1513	G1267	C1160	U1039	G966	A765	C575
C2084	C1884	C1884	G1817	A1721	A1601	A1514	A1274	A1166	A1041	A967	A776	G587
G2085	U1895	U1895	C1818	A1722	G1602	U1515	G1277	G1183	G1042	A968	C777	A595
A2086	U1896	U1896	G1819	A1723	A1603	U1518	A1278	U1188	A1043	C971	A776	G596
C2087	U1899	U1899	A1820	U1724	A1604	U1525	A1279	C1191	C1044	A974	C778	G614
A2102	G1900	G1900	C1822	C1725	U1613	U1529	U1285	G1192	G1045	G975	C782	C619
G2103	A1901	A1901	A1823	G1729	U1614	U1538	A1286	U1193	U1055	A976	A789	U631
C2104	A1902	A1902	G1826	G1730	A1618	U1538	A1288	C1194	C1060	C979	U792	G632
G2105	U1903	U1903	U1829	A1731	A1619	U1542	U1286	A1195	U1051	U980	A793	A639
A2008	A1904	A1904	A1830	G1732	G1620	A1544	A1286	A1196	C1052	U981	U819	U640
C2009	U1905	U1905	G1837	A1733	G1621	G1545	G1304	A1200	A1053	A982	U803	A641
G2010	G1906	G1906	U1838	G1733	G1622	G1546	C1301	C1201	U1059	C983	A814	G649
U2021	U1907	U1907	C1833	G1747	G1628	G1551	G1293	C1202	G1060	U985	A815	G653
U2025	G1908	G1908	C1834	G1748	C1629	U1558	G1298	A1203	U1061	G986	C816	A664
A2026	U1909	U1909	C1835	C1749	C1630	G1559	A1298	G1206	C1062	G987	G820	G667
C2027	C1910	C1910	U1836	G1750	G1631	U1560	C1304	C1207	U1063	U990	U827	G673
G2128	G1911	G1911	C1837	A1762	G1632	G1561	G1304	C1208	U1064	U991	G828	A674
C2134	C1913	C1913	G1838	A1762	G1633	U1562	C1304	G1209	C1065	G992	U841	A675
G2135	A1914	A1914	U1841	A1765	G1635	A1563	G1304	U1210	U1077	C997	U842	U676
C2136	U1915	U1915	C1841	G1766	G1636	U1563	C1304	C1211	G1078	C998	C840	
A2029	G1916	G1916	A1845	C1767	U1637	U1563	C1304	C1212	U1079	A999	U841	
G2030	C1917	C1917	U1846	C1768	U1638	U1563	C1304	C1213	A1080	G1000	U841	
C2031	U1918	U1918	A1847	C1769	U1639	U1563	C1304	C1214	U1094	G1001	U841	
A2032	C1918	C1918	U1848	C1770	G1640	U1563	C1304	C1215	C1093	G1001	U841	
G2033	U1919	U1919	A1849	A1770	G1641	U1563	C1304	C1216	C1093	G1001	U841	
U2139	C1920	C1920	U1849	G1771	A1642	U1563	C1304	C1216	C1093	G1001	U841	
C2140	G1921	G1921	G1850	A1772	A1642	U1563	C1304	C1216	C1093	G1001	U841	
U2145	A2041	A2041	C1851	U1776	C1647	U1567	C1304	C1216	C1093	G1001	U841	
U2146	C2042	C2042	A1852	U1776	C1647	U1567	C1304	C1216	C1093	G1001	U841	
G2147	G2043	G2043	C1853	G1777	C1647	U1567	C1304	C1216	C1093	G1001	U841	


U3306	G3218	A3124	C3035	U2954	G2874	A2763	U2667	G2516	A2427	G2356	A2264	G2148
G3307	U3223	G3125	A3038	C2955	G2875	C2764	U2668	U2517	U2428	G2357	C2265	G2151
C3310	G3224	A3128	A3038	C2955	G2876	G2765	U2669	G2518	A2435	G2358	U2266	U2152
U3312	G3225	A3041	C3041	A2963	A2877	A2766	U2670	G2519	G2435	G2359	G2270	U2153
A3313	G3226	C3140	A3042	A2964	A2878	U2767	C2672	G2520	C2438	G2360	G2271	A2154
U3314	G3227	U3141	A3043	G2967	A2879	G2768	G2673	A2521	A2439	G2361	G2272	A2155
A3315	U3230	U3142	C3044	A2980	G2880	A2769	U2674	A2522	C2440	G2362	G2273	G2156
	U3231	G3143		A2881	G2882	A2770	U2675	A2523		A2363	G2274	
A3323	G3232	A3146	U3048	U2885	G2885	C2772	G2676	G2524	G2447	G2364	G2275	A2170
C3326	A3233	G3147	C3050	A2886	U2886	A2778	G2680	G2525	U2448	C2365	G2276	A2176
C3327	U3236	A3148	C3051	U2887	G2887	A2779	G2681	G2526	U2449	C2366	G2277	A2177
U3328	U3237			U2888	G2888	A2780	G2685	G2527		C2367	G2278	
G3329	C3242	A3158	U3055	U2978	G2889	A2781	G2686	G2528	A2453	G2368	U2279	A2178
C3330	C3243	A3159	U3056	U2979	A2890	A2782	G2687	G2529	A2454	C2369	G2280	A2179
C3331	G3244	G3160	U3057	U2980	G2891	C2789	G2688	G2530	A2455	U2370	G2281	A2176
C3332	C3245	G3161	U3058	U2981	G2892	C2790	G2689	G2531		U2371	G2282	A2177
G3333	U3246	A3162	C3059	C2982	G2893	C2791	A2699	G2532		G2372	G2283	
	C3247	A3163	A3060	U2986	U2894	G2792	G2700	G2533		G2373	G2284	
C3338	A3248	G3164	G3061	G2985	U2895	G2793	C2701	G2534	A2466	G2374	G2285	
G3340	A3249	U3165	C3062	G2986	G2796	A2795	G2702	G2535	A2467	G2375	G2286	
A3341	G3250	G3168	A3063	G2987	A2796	G2796	U2703	G2536	A2468	G2376	G2287	
	A3251		G3067	C2988	G2901	A2797	G2704	G2537	A2469	G2377	G2288	
G3344	U3252	A3171		U2988	G2902	U2806	G2705	G2538	G2470	G2378	G2289	
U3350	A3253		C3071	A2989	G2903	U2807	G2706	G2539	G2471	G2379	G2290	
	A3254	U3174	U3072	A2990	G2904	U2808	A2707	G2540	A2472	G2380	G2291	
G3353	A3256	G3175	C3073	U2991	G2905	C2809	G2708	G2541	A2473	G2381	G2292	
U3354	C3257	C3176	C3074	C2992	G2906	A2810	G2709	G2542	A2474	G2382	G2293	
C3355	C3258	U3177	A3077	G2993	G2907	A2811	G2710	G2543		G2383	G2294	
G3356	U3263	G3178	U3078	G2994	G2908	U2812	G2711			G2384	G2295	
G3357	G3264	C3179	C3079	U2997	G2909	U2813	G2712			G2385	G2296	
U3358	A3267	C3180	A3080		G2910	G2814	G2713			G2386	G2297	
A3359	A3268	G3181	G3081	A3002	G2911	U2815	G2714			G2387	G2298	
A3360	A3269	U3182	A3082	A3003	G2912	G2816	G2715			A2389	G2299	
	U3270	U3187	A3087	G3005	G2913	G2817	G2716			C2391	G2300	
C3362	U3271	C3188	A3090	C3006	G2914	U2818	G2717			C2392	G2301	
G3363	U3272	G3189	A3091	U3007	A2927	G2819	G2718			G2393	G2302	
C3364	U3273	C3190	A3092	G3008	A2928	G2820	G2719			G2394	G2303	
A3365	U3274	A3191	A3093	G3009	G2929	G2821	A2735			U2400	G2304	
	A3283	G3193	U3096	G3010	G2930	U2822	G2742			G2401	G2305	
				G3011		C2823	G2743			C2402	G2306	
G3367		C3196	C3099	C3012	U2936	G2824	U2744			A2403	G2307	
C3368	G3286	A3199	C3100	G3013		C2825	G2745			A2404	G2308	
G3369	C3287	C3200	C3101		G2939	U2826	G2746			C2405	G2309	
A3370		G3201	A3102	A3016	G2942	A2827	G2747			G2406	G2310	
A3371	G3291	C3202	A3103	G3017	G2943	U2828	A2748			U2407	G2311	
	U3292	U3203	A3104	G3018	G2944	G2829	G2749			G2408	G2312	
G3293	G3293	G3204	A3019	A3019	G2945	U2830	G2750			G2409	G2313	
C3294	C3294		A3020	A3020	C2946	C2831	G2751			G2410	G2314	
U3380	A3295	U3208	A3111	A3021	A2947	G2832	U2752			G2411	G2315	
C3381	A3296	G3209	A3112	U3028	A2948	U2833	U2753			A2412	G2316	
G3382	A3297	U3210	G3116	G3029	G2949	A2834	U2754			U2413	G2317	
A3383				C3030	G2950	C2835	G2755			A2414	G2318	
	A3302	U3214	G3121	G3031	U2951	U2836	G2756			G2417	G2319	
C3388	A3303	G3215	G3122	G3032	U2952	U2837	U2760			U2510	G2320	
	A3304	A3216	U3123		G2953	A2838	U2761			U2511	G2321	
G3391	G3305	G3217				U2839	A2762			U2512	G2322	
						C2840				U2513	G2323	
						C2841				U2514	G2324	
						C2842				U2515	G2325	
						C2843				U2516	G2326	
						C2844				U2517	G2327	
						C2845				U2518	G2328	
						C2846				U2519	G2329	
						C2847				U2520	G2330	
						C2848				U2521	G2331	
						C2849				U2522	G2332	
						C2850				U2523	G2333	
						C2851				U2524	G2334	
						C2852				U2525	G2335	
						C2853				U2526	G2336	
						C2854				U2527	G2337	
						C2855				U2528	G2338	
						C2856				U2529	G2339	
						C2857				U2530	G2340	
						C2858				U2531	G2341	
						C2859				U2532	G2342	
						C2860				U2533	G2343	
						C2861				U2534	G2344	
						C2862				U2535	G2345	
						C2863				U2536	G2346	
						C2864				U2537	G2347	
						C2865				U2538	G2348	
						C2866				U2539	G2349	
						C2867				U2540	G2350	
						C2868				U2541	G2351	
						C2869				U2542	G2352	
						C2870				U2543	G2353	
						C2871				U2544	G2354	
						C2872				U2545	G2355	
						C2873				U2546	G2356	
						C2874				U2547	G2357	
						C2875				U2548	G2358	
						C2876				U2549	G2359	
						C2877				U2550	G2360	
						C2878				U2551	G2361	
						C2879				U2552	G2362	
						C2880				U2553	G2363	
						C2881				U2554	G2364	
						C2882				U2555	G2365	
						C2883				U2556	G2366	
						C2884				U2557	G2367	
						C2885				U2558	G2368	
						C2886				U2559	G2369	
						C2887				U2560	G2370	
						C2888				U2561	G2371	
						C2889				U2562	G2372	
						C2890				U2563	G2373	
						C2891				U2564	G2374	
						C2892				U2565	G2375	
						C2893				U2566	G2376	
						C2894				U2567	G2377	
						C2895				U2568	G2378	
						C2896				U2569	G2379	
						C2897				U2570	G2380	
						C2898				U2571	G2381	
						C2899				U2572	G2382	
						C2900				U2573	G2383	
						C2901				U2574	G2384	
						C2902				U2575	G2385	
						C2903				U2576	G2386	
						C2904				U2577	G2387	
						C2905				U2578	G2388	
						C2906				U2579	G2389	
						C2907				U2580	G2390	
						C2908				U2581	G2391	
						C2909				U2582	G2392	
						C2910				U2583	G2393	
						C2911				U2584	G2394	
						C2912				U2585	G2395	
						C2913				U2586	G2396	
						C2914				U2587	G2397	
						C2915				U2588	G2398	
						C2916				U2589	G2399	
						C2917				U2590	G2400	
						C2918				U2591	G2401	
						C2919				U2592	G2402	
						C2920				U2593	G2403	
						C2921				U2594	G2404	
						C2922				U2595	G2405	
						C2923				U2596	G2406	



• Molecule 10: 5S rRNA

Chain J: 47% 47% 6%






- Molecule 11: 50S ribosomal protein L2



- Molecule 12: 50S ribosomal protein L3




- Molecule 13: 50S ribosomal protein L4



- Molecule 14: 50S ribosomal protein L5



- Molecule 15: 50S ribosomal protein L6



- Molecule 16: 50S ribosomal protein L13




- Molecule 17: 50S ribosomal protein L14




- Molecule 18: 50S ribosomal protein L15




- Molecule 19: 50S ribosomal protein L16



- Molecule 20: 50S ribosomal protein L17




- Molecule 21: 30S ribosomal protein S2





- Molecule 22: 30S ribosomal protein S3







• Molecule 23: 30S ribosomal protein S4




• Molecule 24: 30S ribosomal protein S5




• Molecule 25: 30S ribosomal protein S6




• Molecule 26: 30S ribosomal protein S7







- Molecule 27: 30S ribosomal protein S8




- Molecule 28: 30S ribosomal protein S9



- Molecule 29: 30S ribosomal protein S10




- Molecule 30: 30S ribosomal protein S11




- Molecule 31: 30S ribosomal protein S12






- Molecule 32: 30S ribosomal protein S13




- Molecule 33: 50S ribosomal protein L32



- Molecule 34: 50S ribosomal protein L33



- Molecule 35: 50S ribosomal protein L34




- Molecule 36: 50S ribosomal protein L35




There are no outlier residues recorded for this chain.

- Molecule 37: 50S ribosomal protein L36




- Molecule 38: 50S ribosomal protein L18





- Molecule 39: 50S ribosomal protein L19



- Molecule 40: 50S ribosomal protein L20




There are no outlier residues recorded for this chain.

- Molecule 41: 50S ribosomal protein L21



There are no outlier residues recorded for this chain.


- Molecule 42: 50S ribosomal protein L22



- Molecule 43: 50S ribosomal protein L23




- Molecule 44: 50S ribosomal protein L24



- Molecule 45: 50S ribosomal protein L25





- Molecule 46: 50S ribosomal protein L27

Chain v: 100%



- Molecule 47: 50S ribosomal protein L28

Chain w: 99%




- Molecule 48: 50S ribosomal protein L29

Chain x: 97%



- Molecule 49: 50S ribosomal protein L30

Chain y: 95%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	34852	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS TALOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.073	Depositor
Minimum map value	-0.210	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.058	Depositor
Recommended contour level	0.1	Depositor
Map size (\AA)	430.0, 430.0, 430.0	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.86, 0.86, 0.86	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, 5MC, OMC, PSU, 2MG, UR3, 4OC, OMG, 6MZ, 2MA, MA6, 4D4, 3TD, D2T, OMU, G7M, 1MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/817	0.57	0/1088
2	B	0.27	0/722	0.61	0/964
3	C	0.55	2/659 (0.3%)	0.72	1/884 (0.1%)
4	D	0.30	0/658	0.62	0/881
5	E	0.27	0/463	0.63	0/621
6	F	0.26	0/653	0.51	0/877
7	G	0.28	0/671	0.52	0/888
8	H	0.25	0/472	0.63	1/627 (0.2%)
9	I	0.74	19/105898 (0.0%)	1.14	477/165194 (0.3%)
10	J	0.67	0/2828	1.35	25/4410 (0.6%)
11	K	0.68	5/2122 (0.2%)	0.96	7/2852 (0.2%)
12	L	0.53	1/1586 (0.1%)	0.80	3/2134 (0.1%)
13	M	0.38	0/1571	0.66	1/2113 (0.0%)
14	N	0.42	0/1435	0.68	0/1926
15	O	0.38	0/1343	0.69	0/1816
16	R	0.53	1/1152 (0.1%)	0.78	2/1551 (0.1%)
17	S	0.54	0/947	0.84	1/1268 (0.1%)
18	T	0.46	0/1062	0.88	3/1413 (0.2%)
19	U	0.48	1/1081 (0.1%)	0.77	4/1443 (0.3%)
20	V	0.43	0/973	0.79	0/1301
21	W	0.25	0/1784	0.47	0/2403
22	X	0.25	0/1652	0.51	0/2225
23	Y	0.26	0/1665	0.53	0/2227
24	Z	0.35	0/1118	0.64	1/1504 (0.1%)
25	a	0.28	0/835	0.56	0/1128
26	b	0.24	0/1196	0.53	0/1602
27	c	0.26	0/989	0.51	0/1326
28	d	0.25	0/1034	0.57	0/1375
29	e	0.26	0/797	0.57	0/1077
30	f	0.28	0/893	0.60	0/1205
31	g	0.29	0/960	0.59	0/1286

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	h	0.25	0/893	0.57	0/1193
33	i	0.36	0/450	0.66	0/599
34	j	0.28	0/416	0.63	0/554
35	k	0.39	0/380	0.75	0/498
36	l	0.38	0/513	0.69	0/676
37	m	0.33	0/303	0.72	0/397
38	n	0.35	0/902	0.68	0/1209
39	o	0.45	0/929	0.75	0/1242
40	p	0.45	0/960	0.71	0/1278
41	q	0.42	0/829	0.68	0/1107
42	r	0.38	0/864	0.63	0/1156
43	s	0.46	0/745	0.70	0/994
44	t	0.40	0/788	0.72	0/1051
45	u	0.35	0/766	0.69	2/1025 (0.2%)
46	v	0.42	0/576	0.72	0/762
47	w	0.43	0/635	0.72	1/848 (0.1%)
48	x	0.51	0/502	0.79	1/667 (0.1%)
49	y	0.35	0/453	0.73	0/605
All	All	0.66	29/151940 (0.0%)	1.05	530/227470 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
4	D	0	2
11	K	0	5
12	L	0	3
16	R	0	1
20	V	0	1
39	o	0	1
44	t	0	1
All	All	0	15

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	226	G	N3-C4	65.85	1.81	1.35
9	I	226	G	C2-N3	58.43	1.79	1.32
9	I	226	G	C6-N1	49.84	1.74	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	226	G	N1-C2	44.95	1.73	1.37
9	I	226	G	C5-C4	36.98	1.64	1.38
9	I	226	G	C5-C6	28.52	1.70	1.42
11	K	26	GLY	C-N	11.10	1.59	1.34
11	K	101	ARG	CZ-NH1	-10.04	1.20	1.33
3	C	62	GLY	C-N	9.32	1.55	1.34
3	C	63	GLN	N-CA	8.01	1.62	1.46
9	I	1770	A	N9-C4	-6.86	1.33	1.37
9	I	4277	U	C2-O2	-6.69	1.16	1.22
9	I	3163	A	C6-N1	-6.43	1.31	1.35
16	R	136	GLN	C-O	6.31	1.35	1.23
19	U	47	GLU	CD-OE1	5.95	1.32	1.25
11	K	101	ARG	NE-CZ	-5.92	1.25	1.33
9	I	2953	G	N9-C4	-5.87	1.33	1.38
11	K	101	ARG	CA-CB	5.82	1.66	1.53
11	K	65	ASP	CB-CG	-5.81	1.39	1.51
12	L	118	PHE	CE1-CZ	5.78	1.48	1.37
9	I	3003	A	N9-C4	-5.31	1.34	1.37
9	I	2645	A	N9-C4	-5.27	1.34	1.37
9	I	4277	U	N1-C2	-5.22	1.33	1.38
9	I	2331	G	N9-C4	-5.20	1.33	1.38
9	I	4064	G	N3-C4	-5.17	1.31	1.35
9	I	4212	G	N3-C4	-5.15	1.31	1.35
9	I	2331	G	N3-C4	-5.14	1.31	1.35
9	I	4064	G	N9-C4	-5.08	1.33	1.38
9	I	3372	G	N9-C4	-5.03	1.33	1.38

All (530) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	226	G	C2-N3-C4	28.85	126.33	111.90
9	I	226	G	N1-C2-N3	-26.39	108.06	123.90
9	I	226	G	N3-C4-C5	-22.26	117.47	128.60
9	I	3163	A	N9-C4-C5	-22.14	96.94	105.80
9	I	226	G	N3-C4-N9	20.28	138.17	126.00
9	I	3163	A	C8-N9-C4	18.45	113.18	105.80
9	I	226	G	N3-C2-N2	17.83	132.38	119.90
9	I	226	G	C5-C6-N1	15.34	119.17	111.50
9	I	226	G	C4-C5-N7	-14.91	104.83	110.80
18	T	115	GLU	OE1-CD-OE2	13.19	139.13	123.30
11	K	65	ASP	CB-CG-OD1	12.94	129.94	118.30
9	I	3163	A	C4-C5-N7	12.90	117.15	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	469	C	C6-N1-C2	-12.50	115.30	120.30
9	I	3163	A	N7-C8-N9	-11.87	107.87	113.80
9	I	3056	U	C5-C6-N1	-11.47	116.97	122.70
9	I	3595	A	O5'-P-OP1	-11.37	95.47	105.70
11	K	65	ASP	CB-CG-OD2	-11.25	108.17	118.30
3	C	62	GLY	C-N-CA	11.06	149.36	121.70
9	I	3788	G	N9-C4-C5	-10.34	101.26	105.40
9	I	3163	A	N3-C4-N9	10.34	135.67	127.40
9	I	226	G	N7-C8-N9	10.10	118.15	113.10
9	I	4064	G	N3-C2-N2	-9.78	113.06	119.90
9	I	4250	U	C5-C4-O4	-9.76	120.05	125.90
9	I	1906	G	N3-C4-N9	-9.51	120.29	126.00
9	I	4250	U	N3-C4-O4	9.32	125.92	119.40
9	I	2953	G	N3-C4-N9	-9.21	120.48	126.00
9	I	3788	G	C4-C5-N7	9.19	114.48	110.80
9	I	3781	A	N1-C6-N6	-9.19	113.09	118.60
9	I	3055	C	C6-N1-C2	9.17	123.97	120.30
9	I	4130	C	C6-N1-C2	9.08	123.93	120.30
9	I	3163	A	C5-C6-N1	9.08	122.24	117.70
9	I	3833	C	N1-C2-O2	9.08	124.35	118.90
9	I	2010	C	N3-C2-O2	-8.89	115.67	121.90
9	I	3056	U	C2-N3-C4	-8.86	121.68	127.00
9	I	3006	C	C2-N1-C1'	-8.77	109.15	118.80
9	I	3050	C	C6-N1-C2	-8.77	116.79	120.30
9	I	2610	G	C5-C6-O6	-8.66	123.40	128.60
18	T	115	GLU	CG-CD-OE1	-8.65	101.00	118.30
9	I	3788	G	C6-C5-N7	-8.62	125.23	130.40
9	I	3055	C	C5-C6-N1	-8.59	116.71	121.00
9	I	4019	G	C4-N9-C1'	-8.58	115.34	126.50
9	I	2331	G	N3-C4-N9	-8.57	120.86	126.00
9	I	2531	G	N3-C4-N9	-8.57	120.86	126.00
9	I	3787	G	N9-C1'-C2'	-8.52	102.62	112.00
9	I	4278	U	C2-N3-C4	-8.39	121.97	127.00
9	I	2331	G	N3-C2-N2	-8.36	114.05	119.90
9	I	3391	G	C4-N9-C1'	-8.33	115.67	126.50
9	I	4278	U	N3-C2-O2	-8.28	116.40	122.20
9	I	4064	G	N3-C4-N9	-8.25	121.05	126.00
9	I	272	U	P-O3'-C3'	8.14	129.47	119.70
9	I	4121	G	N3-C4-N9	-8.09	121.14	126.00
9	I	4121	G	C4-N9-C1'	-8.05	116.03	126.50
9	I	3981	G	N3-C4-N9	8.04	130.82	126.00
9	I	3809	G	C8-N9-C4	8.02	109.61	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	2953	G	N3-C4-C5	8.00	132.60	128.60
9	I	1770	A	C8-N9-C4	7.94	108.97	105.80
9	I	2145	C	C6-N1-C2	7.86	123.44	120.30
9	I	4178	U	C2-N1-C1'	-7.83	108.31	117.70
9	I	3787	G	N9-C4-C5	-7.81	102.28	105.40
9	I	4277	U	N1-C2-N3	7.81	119.58	114.90
11	K	101	ARG	NE-CZ-NH2	-7.80	116.40	120.30
9	I	3791	A	N1-C6-N6	7.80	123.28	118.60
9	I	3006	C	C6-N1-C1'	7.78	130.13	120.80
9	I	3819	G	N3-C4-N9	-7.77	121.34	126.00
9	I	2010	C	N1-C2-O2	7.75	123.55	118.90
9	I	3160	G	C4-N9-C1'	-7.70	116.50	126.50
9	I	1836	C	C2-N1-C1'	-7.64	110.40	118.80
9	I	1787	G	C5-C6-O6	-7.56	124.06	128.60
9	I	4121	G	C8-N9-C1'	7.55	136.81	127.00
9	I	1465	G	N7-C8-N9	7.54	116.87	113.10
9	I	2950	G	C4-N9-C1'	-7.47	116.79	126.50
9	I	3160	G	N3-C2-N2	-7.46	114.68	119.90
9	I	3787	G	C8-N9-C4	7.38	109.35	106.40
9	I	1916	U	C2-N3-C4	-7.36	122.58	127.00
9	I	3160	G	C6-C5-N7	7.35	134.81	130.40
9	I	1836	C	N1-C2-O2	-7.32	114.51	118.90
9	I	1910	G	N1-C6-O6	-7.31	115.51	119.90
9	I	3372	G	N3-C4-N9	-7.30	121.62	126.00
9	I	469	C	C2-N1-C1'	7.15	126.67	118.80
9	I	980	U	C2-N3-C4	-7.12	122.72	127.00
9	I	177	C	N3-C2-O2	-7.10	116.93	121.90
9	I	2362	G	C6-C5-N7	-7.10	126.14	130.40
9	I	3160	G	N3-C4-N9	-7.08	121.75	126.00
9	I	2362	G	N3-C4-N9	7.08	130.25	126.00
9	I	2331	G	C8-N9-C1'	7.04	136.15	127.00
9	I	3597	C	N1-C2-O2	-7.03	114.68	118.90
9	I	3160	G	C8-N9-C1'	6.99	136.09	127.00
9	I	2331	G	N9-C4-C5	6.99	108.19	105.40
9	I	2362	G	N9-C4-C5	-6.97	102.61	105.40
9	I	271	C	N1-C1'-C2'	-6.97	104.33	112.00
9	I	2407	U	C5-C4-O4	-6.97	121.72	125.90
9	I	2651	G	N3-C4-N9	6.96	130.17	126.00
9	I	2939	G	C8-N9-C4	6.94	109.17	106.40
9	I	3981	G	N9-C4-C5	-6.93	102.63	105.40
13	M	127	GLU	C-N-CA	6.93	139.03	121.70
9	I	3372	G	N3-C4-C5	6.92	132.06	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	4019	G	C8-N9-C1'	6.92	136.00	127.00
9	I	4128	A	N9-C4-C5	-6.91	103.04	105.80
11	K	100	ARG	CG-CD-NE	-6.88	97.35	111.80
10	J	17	G	N7-C8-N9	6.88	116.54	113.10
9	I	2918	G	N3-C4-N9	-6.86	121.88	126.00
9	I	2609	G	N9-C4-C5	-6.86	102.66	105.40
9	I	3163	A	C4-C5-C6	-6.85	113.57	117.00
9	I	3787	G	N3-C2-N2	6.85	124.70	119.90
9	I	3056	U	C4-C5-C6	6.84	123.81	119.70
9	I	2609	G	C4-C5-N7	6.83	113.53	110.80
9	I	1906	G	C8-N9-C1'	6.83	135.88	127.00
9	I	2970	U	C5-C4-O4	-6.81	121.81	125.90
9	I	2526	A	O4'-C1'-N9	6.81	113.65	108.20
9	I	4174	U	C2-N1-C1'	-6.80	109.54	117.70
9	I	470	U	C5-C6-N1	-6.80	119.30	122.70
9	I	4121	G	N3-C2-N2	-6.80	115.14	119.90
9	I	4278	U	C5-C6-N1	-6.74	119.33	122.70
16	R	32	LEU	CB-CG-CD2	-6.73	99.56	111.00
9	I	3367	G	N3-C2-N2	6.72	124.61	119.90
10	J	99	G	O5'-P-OP2	-6.70	99.67	105.70
9	I	3832	C	N3-C4-C5	6.70	124.58	121.90
9	I	2609	G	C5-C6-O6	-6.69	124.59	128.60
19	U	47	GLU	CG-CD-OE2	6.68	131.65	118.30
9	I	469	C	N3-C2-O2	-6.65	117.25	121.90
9	I	3809	G	N9-C4-C5	-6.65	102.74	105.40
9	I	2525	G	N3-C4-N9	6.64	129.98	126.00
9	I	3164	C	C4-C5-C6	6.63	120.71	117.40
9	I	1945	C	N3-C2-O2	-6.62	117.27	121.90
10	J	22	G	C4-C5-N7	6.60	113.44	110.80
9	I	226	G	N1-C6-O6	-6.59	115.94	119.90
9	I	1906	G	N9-C4-C5	6.59	108.04	105.40
9	I	3959	C	C2-N1-C1'	-6.57	111.57	118.80
9	I	3372	G	C4-N9-C1'	-6.56	117.97	126.50
9	I	3832	C	C6-N1-C2	6.56	122.92	120.30
10	J	26	C	C5-C6-N1	6.56	124.28	121.00
9	I	3899	G	N3-C4-N9	6.56	129.93	126.00
9	I	980	U	C5-C6-N1	-6.55	119.42	122.70
9	I	2331	G	C4-N9-C1'	-6.55	117.99	126.50
9	I	2895	G	N1-C6-O6	-6.54	115.97	119.90
9	I	1215	A	N9-C1'-C2'	-6.54	104.81	112.00
9	I	3163	A	C5-C6-N6	-6.54	118.47	123.70
9	I	3250	G	N3-C4-C5	6.53	131.87	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	63	G	N9-C4-C5	-6.53	102.79	105.40
9	I	3791	A	N9-C4-C5	-6.51	103.19	105.80
9	I	4239	C	N1-C2-O2	-6.50	115.00	118.90
9	I	2994	G	N7-C8-N9	6.48	116.34	113.10
9	I	4326	U	C6-N1-C2	6.48	124.89	121.00
9	I	2356	G	C4-N9-C1'	-6.48	118.08	126.50
9	I	3791	A	O4'-C1'-N9	-6.48	103.02	108.20
9	I	2140	C	C6-N1-C2	-6.47	117.71	120.30
9	I	2531	G	C8-N9-C1'	6.47	135.41	127.00
9	I	1787	G	N3-C4-N9	6.44	129.86	126.00
9	I	1797	G	C4-N9-C1'	-6.44	118.13	126.50
9	I	2918	G	C4-N9-C1'	-6.44	118.13	126.50
9	I	1910	G	C5-C6-O6	6.43	132.46	128.60
9	I	3218	G	N3-C2-N2	-6.43	115.40	119.90
9	I	4278	U	N1-C2-N3	6.40	118.74	114.90
9	I	2407	U	C6-N1-C1'	-6.39	112.26	121.20
9	I	2362	G	C8-N9-C1'	-6.37	118.72	127.00
9	I	3311	G	O4'-C1'-N9	6.36	113.28	108.20
9	I	1868	A	N9-C1'-C2'	-6.35	105.01	112.00
9	I	3755	C	C6-N1-C2	-6.35	117.76	120.30
9	I	1836	C	C6-N1-C1'	6.35	128.42	120.80
9	I	2402	C	C6-N1-C1'	6.34	128.41	120.80
9	I	3959	C	C5-C6-N1	-6.33	117.83	121.00
10	J	22	G	N9-C4-C5	-6.32	102.87	105.40
9	I	226	G	C5-C6-O6	-6.32	124.81	128.60
9	I	2134	C	C2-N1-C1'	-6.30	111.86	118.80
9	I	4174	U	P-O3'-C3'	6.30	127.27	119.70
11	K	100	ARG	NE-CZ-NH1	6.29	123.45	120.30
9	I	3690	C	C2-N3-C4	6.29	123.04	119.90
9	I	3981	G	C8-N9-C1'	-6.29	118.83	127.00
9	I	3788	G	N3-C4-N9	6.27	129.76	126.00
9	I	3597	C	C2-N1-C1'	-6.27	111.90	118.80
9	I	3528	U	C6-N1-C1'	-6.26	112.43	121.20
9	I	1836	C	N3-C4-N4	-6.25	113.62	118.00
9	I	3044	C	N3-C2-O2	-6.23	117.54	121.90
9	I	2839	C	C2-N1-C1'	-6.22	111.95	118.80
9	I	3788	G	N1-C6-O6	6.22	123.63	119.90
8	H	8	ASN	C-N-CA	-6.22	106.15	121.70
9	I	2531	G	C4-N9-C1'	-6.22	118.41	126.50
9	I	3528	U	C2-N1-C1'	6.22	125.16	117.70
9	I	2882	G	N3-C4-N9	6.21	129.72	126.00
9	I	3383	A	C8-N9-C4	-6.19	103.33	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	4329	A	C4-N9-C1'	-6.18	115.17	126.30
9	I	1586	G	C8-N9-C1'	-6.18	118.96	127.00
9	I	2488	C	N1-C2-O2	6.17	122.60	118.90
9	I	3391	G	C8-N9-C1'	6.17	135.03	127.00
9	I	3797	G	N3-C4-N9	-6.16	122.30	126.00
9	I	3899	G	C8-N9-C1'	-6.15	119.01	127.00
10	J	15	G	O5'-P-OP1	-6.14	100.17	105.70
9	I	1906	G	C4-N9-C1'	-6.14	118.51	126.50
9	I	3981	G	C6-C5-N7	-6.14	126.72	130.40
10	J	106	G	N7-C8-N9	6.14	116.17	113.10
9	I	3881	U	C5-C6-N1	6.13	125.77	122.70
9	I	2610	G	C4-C5-N7	6.13	113.25	110.80
9	I	2945	C	C6-N1-C2	-6.13	117.85	120.30
9	I	2420	G	C4-N9-C1'	-6.12	118.54	126.50
9	I	3071	C	N3-C2-O2	-6.12	117.61	121.90
9	I	2953	G	C4-N9-C1'	-6.12	118.54	126.50
9	I	3006	C	N3-C4-N4	-6.12	113.72	118.00
12	L	194	PRO	CA-N-CD	-6.12	102.94	111.50
9	I	3922	G	N3-C4-C5	-6.11	125.54	128.60
9	I	1906	G	N3-C4-C5	6.11	131.66	128.60
9	I	3372	G	C8-N9-C1'	6.11	134.94	127.00
9	I	2365	C	C6-N1-C1'	6.10	128.12	120.80
9	I	3391	G	C8-N9-C4	6.09	108.84	106.40
9	I	3121	G	C4-N9-C1'	6.08	134.41	126.50
9	I	1586	G	C4-N9-C1'	6.08	134.41	126.50
9	I	2918	G	C8-N9-C1'	6.08	134.91	127.00
9	I	3164	C	C5-C6-N1	-6.07	117.97	121.00
9	I	4178	U	C5-C6-N1	-6.07	119.67	122.70
9	I	3781	A	C5-C6-N6	6.06	128.55	123.70
9	I	3794	C	N3-C4-N4	-6.04	113.77	118.00
9	I	3894	G	N9-C1'-C2'	-6.04	105.35	112.00
9	I	2531	G	C6-C5-N7	6.03	134.02	130.40
9	I	4138	G	N3-C2-N2	-6.03	115.68	119.90
9	I	4242	A	N9-C1'-C2'	-6.02	105.37	112.00
9	I	4225	G	C5-C6-O6	6.01	132.21	128.60
9	I	3865	G	N9-C1'-C2'	-6.01	105.39	112.00
9	I	2365	C	C2-N1-C1'	-6.00	112.20	118.80
9	I	4324	C	O4'-C1'-N1	6.00	113.00	108.20
9	I	2531	G	N9-C4-C5	5.99	107.80	105.40
9	I	3995	C	C2-N1-C1'	-5.99	112.21	118.80
9	I	3787	G	C4-C5-N7	5.99	113.19	110.80
10	J	112	C	C6-N1-C1'	5.99	127.98	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3004	G	C4-N9-C1'	-5.98	118.72	126.50
9	I	469	C	N1-C2-N3	5.98	123.39	119.20
9	I	2839	C	C6-N1-C1'	5.98	127.98	120.80
9	I	2259	G	N3-C4-N9	5.98	129.59	126.00
9	I	3837	U	N1-C2-O2	-5.97	118.62	122.80
9	I	4145	C	C6-N1-C2	5.96	122.69	120.30
9	I	1833	G	C4-N9-C1'	5.96	134.25	126.50
9	I	4130	C	C5-C6-N1	-5.96	118.02	121.00
12	L	116	LYS	C-N-CA	-5.96	109.78	122.30
9	I	3466	G	N3-C2-N2	-5.96	115.73	119.90
9	I	3121	G	C8-N9-C1'	-5.94	119.28	127.00
9	I	3819	G	C4-N9-C1'	-5.94	118.78	126.50
9	I	4329	A	C8-N9-C1'	5.94	138.39	127.70
9	I	2609	G	C8-N9-C4	5.93	108.77	106.40
9	I	1919	U	O4'-C1'-N1	5.92	112.93	108.20
9	I	1647	C	N1-C2-O2	5.91	122.44	118.90
9	I	1925	G	N9-C4-C5	-5.90	103.04	105.40
9	I	3116	G	N3-C4-N9	5.90	129.54	126.00
9	I	4324	C	C2-N3-C4	-5.90	116.95	119.90
9	I	2874	G	N3-C4-N9	5.89	129.54	126.00
9	I	2943	G	C4-N9-C1'	-5.88	118.85	126.50
9	I	3824	G	C8-N9-C4	-5.88	104.05	106.40
9	I	1797	G	N3-C4-N9	-5.86	122.48	126.00
9	I	3791	A	N9-C1'-C2'	-5.86	105.56	112.00
9	I	3123	U	N1-C2-N3	5.86	118.42	114.90
9	I	1916	U	C5-C6-N1	-5.85	119.77	122.70
9	I	3779	C	C2-N3-C4	-5.85	116.97	119.90
9	I	3819	G	N9-C4-C5	5.85	107.74	105.40
9	I	3864	G	N1-C6-O6	-5.85	116.39	119.90
9	I	1796	U	C2-N1-C1'	-5.84	110.69	117.70
9	I	3244	G	C8-N9-C4	5.83	108.73	106.40
9	I	4019	G	O4'-C1'-N9	5.82	112.85	108.20
9	I	4239	C	C2-N3-C4	-5.82	116.99	119.90
9	I	4178	U	C6-N1-C1'	5.81	129.34	121.20
9	I	2204	G	C4-N9-C1'	5.81	134.05	126.50
9	I	3597	C	C6-N1-C1'	5.81	127.77	120.80
9	I	3056	U	N1-C2-N3	5.81	118.38	114.90
9	I	3824	G	N3-C4-N9	-5.81	122.52	126.00
9	I	3819	G	C8-N9-C1'	5.80	134.54	127.00
9	I	3837	U	C2-N1-C1'	-5.80	110.73	117.70
9	I	1545	G	C4-N9-C1'	-5.79	118.97	126.50
9	I	2950	G	C8-N9-C1'	5.79	134.53	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	4202	G	C8-N9-C4	-5.78	104.09	106.40
9	I	1596	C	N3-C4-N4	-5.78	113.96	118.00
9	I	2369	G	C4-N9-C1'	5.77	134.01	126.50
9	I	1597	C	N3-C2-O2	-5.75	117.87	121.90
9	I	177	C	N1-C2-O2	5.75	122.35	118.90
9	I	3818	U	N3-C2-O2	-5.75	118.18	122.20
9	I	4202	G	N7-C8-N9	5.75	115.97	113.10
12	L	124	ARG	CA-CB-CG	-5.75	100.76	113.40
9	I	2362	G	C4-N9-C1'	5.74	133.97	126.50
9	I	2402	C	N1-C2-O2	-5.74	115.45	118.90
9	I	1906	G	C6-C5-N7	5.74	133.84	130.40
9	I	3010	G	C8-N9-C4	5.74	108.70	106.40
9	I	3848	C	C2-N1-C1'	5.74	125.11	118.80
11	K	101	ARG	N-CA-CB	-5.74	100.27	110.60
9	I	2942	G	N3-C4-C5	5.72	131.46	128.60
9	I	3061	G	N1-C6-O6	-5.72	116.47	119.90
9	I	3383	A	N7-C8-N9	5.71	116.66	113.80
48	x	5	LEU	CA-CB-CG	5.71	128.43	115.30
9	I	1803	G	C8-N9-C4	5.70	108.68	106.40
9	I	3794	C	C5-C4-N4	5.70	124.19	120.20
9	I	3056	U	N1-C2-O2	-5.70	118.81	122.80
9	I	1567	U	C5-C4-O4	-5.68	122.49	125.90
9	I	2983	C	C2-N1-C1'	-5.68	112.56	118.80
9	I	3391	G	N7-C8-N9	-5.67	110.26	113.10
9	I	4277	U	C6-N1-C2	-5.67	117.60	121.00
9	I	4064	G	N9-C4-C5	5.67	107.67	105.40
10	J	5	G	N9-C4-C5	-5.66	103.14	105.40
9	I	226	G	C6-C5-N7	5.66	133.80	130.40
9	I	4336	G	C8-N9-C4	5.66	108.66	106.40
9	I	1835	C	C6-N1-C2	5.66	122.56	120.30
9	I	3004	G	N3-C4-N9	-5.66	122.61	126.00
9	I	1468	A	N1-C6-N6	-5.65	115.21	118.60
9	I	1586	G	N3-C4-N9	5.65	129.39	126.00
9	I	3200	C	N1-C2-O2	5.64	122.28	118.90
9	I	1463	G	C8-N9-C4	5.63	108.65	106.40
9	I	4212	G	N9-C4-C5	5.63	107.65	105.40
10	J	26	C	C6-N1-C2	-5.63	118.05	120.30
10	J	63	G	C4-C5-N7	5.62	113.05	110.80
9	I	4278	U	C5-C4-O4	-5.62	122.53	125.90
9	I	1906	G	N3-C2-N2	-5.61	115.97	119.90
9	I	1465	G	C8-N9-C4	-5.61	104.16	106.40
9	I	2610	G	N1-C6-O6	5.61	123.26	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3018	G	O4'-C1'-N9	5.61	112.69	108.20
9	I	3894	G	N3-C4-C5	5.61	131.40	128.60
9	I	1770	A	N3-C4-C5	5.61	130.72	126.80
10	J	17	G	C5-N7-C8	-5.60	101.50	104.30
9	I	3292	U	N1-C2-N3	5.60	118.26	114.90
9	I	4326	U	N3-C4-C5	5.60	117.96	114.60
9	I	271	C	C3'-C2'-C1'	-5.59	97.03	101.50
9	I	3959	C	C2-N3-C4	-5.59	117.11	119.90
9	I	3981	G	C4-N9-C1'	5.58	133.76	126.50
9	I	3180	C	C2-N1-C1'	-5.58	112.66	118.80
9	I	3755	C	N3-C2-O2	-5.58	118.00	121.90
9	I	4364	C	N1-C2-O2	5.58	122.25	118.90
9	I	2832	G	C4-N9-C1'	-5.58	119.25	126.50
9	I	1841	C	N1-C2-O2	-5.57	115.56	118.90
9	I	3121	G	N3-C4-N9	5.56	129.34	126.00
9	I	3692	A	O4'-C1'-N9	5.56	112.65	108.20
9	I	1833	G	C8-N9-C1'	-5.56	119.77	127.00
10	J	44	A	O4'-C1'-N9	5.55	112.64	108.20
9	I	1894	C	C4-C5-C6	5.55	120.17	117.40
9	I	2420	G	C8-N9-C4	5.55	108.62	106.40
9	I	1964	U	O4'-C1'-N1	-5.54	103.76	108.20
9	I	1690	A	C5-C6-N6	-5.54	119.27	123.70
9	I	1916	U	C2-N1-C1'	-5.54	111.05	117.70
9	I	3004	G	C8-N9-C1'	5.54	134.20	127.00
9	I	4121	G	N3-C4-C5	5.54	131.37	128.60
10	J	22	G	C6-C5-N7	-5.54	127.08	130.40
9	I	1797	G	N3-C4-C5	5.53	131.37	128.60
9	I	1494	U	C2-N1-C1'	-5.52	111.07	117.70
9	I	2897	A	C8-N9-C4	5.52	108.01	105.80
9	I	4188	G	C4-N9-C1'	-5.52	119.32	126.50
9	I	1494	U	C5-C6-N1	-5.52	119.94	122.70
9	I	1388	C	C4-C5-C6	5.51	120.15	117.40
9	I	3824	G	N9-C4-C5	5.51	107.60	105.40
9	I	3004	G	N3-C2-N2	-5.50	116.05	119.90
9	I	3244	G	C4-N9-C1'	-5.50	119.35	126.50
9	I	3354	G	N3-C4-N9	-5.50	122.70	126.00
9	I	1512	U	O4'-C1'-N1	5.49	112.59	108.20
9	I	3894	G	N3-C4-N9	-5.49	122.71	126.00
9	I	2531	G	N3-C4-C5	5.48	131.34	128.60
9	I	468	C	C4-C5-C6	-5.47	114.66	117.40
9	I	1789	G	N1-C6-O6	-5.47	116.62	119.90
9	I	2651	G	C8-N9-C1'	-5.47	119.89	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3899	G	C4-N9-C1'	5.47	133.61	126.50
9	I	3861	G	C8-N9-C4	5.46	108.58	106.40
9	I	3922	G	N3-C4-N9	5.46	129.28	126.00
9	I	3292	U	C5-C4-O4	5.46	129.17	125.90
9	I	1647	C	N3-C2-O2	-5.45	118.08	121.90
9	I	3055	C	C4-C5-C6	5.44	120.12	117.40
9	I	2526	A	C4-N9-C1'	-5.44	116.52	126.30
9	I	2918	G	N3-C4-C5	5.43	131.32	128.60
9	I	3123	U	C2-N3-C4	-5.43	123.74	127.00
9	I	3123	U	C5-C6-N1	-5.43	119.98	122.70
9	I	2134	C	C6-N1-C1'	5.43	127.31	120.80
9	I	2953	G	C2-N3-C4	-5.42	109.19	111.90
9	I	4324	C	N1-C2-N3	5.42	122.99	119.20
9	I	2202	U	C5-C6-N1	-5.41	120.00	122.70
9	I	3200	C	N3-C2-O2	-5.41	118.12	121.90
9	I	1835	C	C5-C6-N1	-5.40	118.30	121.00
9	I	2942	G	C4-N9-C1'	-5.39	119.49	126.50
9	I	2080	U	C5-C6-N1	-5.39	120.01	122.70
19	U	47	GLU	CG-CD-OE1	-5.39	107.53	118.30
9	I	2942	G	N3-C4-N9	-5.38	122.77	126.00
9	I	2974	C	N1-C2-O2	-5.38	115.67	118.90
9	I	1796	U	C5-C6-N1	-5.38	120.01	122.70
9	I	2369	G	C8-N9-C1'	-5.38	120.01	127.00
9	I	3292	U	C5-C6-N1	-5.38	120.01	122.70
9	I	2839	C	O4'-C1'-N1	5.38	112.50	108.20
19	U	68	PHE	N-CA-C	-5.38	96.49	111.00
9	I	4347	G	C6-C5-N7	-5.37	127.18	130.40
9	I	2402	C	C2-N1-C1'	-5.36	112.90	118.80
9	I	4064	G	N3-C4-C5	5.36	131.28	128.60
9	I	2651	G	C4-N9-C1'	5.36	133.47	126.50
9	I	1808	G	C4-N9-C1'	-5.36	119.53	126.50
9	I	3116	G	C6-C5-N7	-5.36	127.19	130.40
10	J	57	A	N1-C6-N6	5.36	121.81	118.60
9	I	1768	C	C2-N1-C1'	-5.35	112.91	118.80
9	I	3833	C	C6-N1-C1'	-5.35	114.39	120.80
9	I	1545	G	C8-N9-C1'	5.34	133.95	127.00
9	I	4087	U	C5-C6-N1	-5.34	120.03	122.70
9	I	3590	C	C6-N1-C2	5.34	122.44	120.30
9	I	2362	G	C4-C5-N7	5.34	112.94	110.80
9	I	1601	A	C4-C5-C6	-5.34	114.33	117.00
9	I	3160	G	N1-C6-O6	-5.34	116.70	119.90
9	I	4121	G	C6-C5-N7	5.34	133.60	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3832	C	N3-C4-N4	-5.33	114.27	118.00
9	I	4347	G	C4-N9-C1'	5.33	133.43	126.50
9	I	3018	G	C8-N9-C1'	5.33	133.93	127.00
9	I	3367	G	N1-C2-N2	-5.33	111.41	116.20
9	I	3202	C	C2-N3-C4	5.32	122.56	119.90
9	I	4168	G	O4'-C1'-N9	5.32	112.46	108.20
9	I	1797	G	C8-N9-C1'	5.32	133.92	127.00
9	I	2945	C	N3-C4-C5	-5.32	119.77	121.90
9	I	1836	C	C2-N3-C4	-5.32	117.24	119.90
9	I	2356	G	C8-N9-C1'	5.31	133.91	127.00
9	I	3202	C	N1-C2-O2	5.31	122.09	118.90
9	I	4188	G	N3-C4-N9	-5.31	122.82	126.00
10	J	100	A	C8-N9-C4	5.31	107.92	105.80
9	I	2953	G	C8-N9-C1'	5.30	133.89	127.00
9	I	4337	G	C4-N9-C1'	-5.30	119.61	126.50
17	S	8	LEU	CB-CG-CD2	-5.30	101.99	111.00
9	I	4175	C	O5'-P-OP1	5.29	117.05	110.70
47	w	28	PHE	C-N-CA	-5.29	108.46	121.70
9	I	3292	U	C2-N1-C1'	-5.29	111.35	117.70
9	I	3848	C	C6-N1-C1'	-5.29	114.45	120.80
9	I	3006	C	C5-C4-N4	5.29	123.90	120.20
9	I	4326	U	C5-C4-O4	-5.28	122.73	125.90
9	I	1787	G	C6-C5-N7	-5.28	127.23	130.40
9	I	2313	U	C5-C6-N1	-5.28	120.06	122.70
9	I	1865	U	N1-C1'-C2'	-5.28	106.19	112.00
10	J	57	A	C5-C6-N6	-5.28	119.48	123.70
9	I	2370	U	C2-N1-C1'	-5.28	111.37	117.70
9	I	3990	C	N3-C2-O2	-5.27	118.21	121.90
9	I	2531	G	C5-C6-O6	5.27	131.76	128.60
9	I	1621	G	N3-C4-N9	5.27	129.16	126.00
9	I	2943	G	C8-N9-C1'	5.27	133.85	127.00
9	I	4140	C	C6-N1-C2	-5.27	118.19	120.30
9	I	468	C	N1-C2-N3	-5.26	115.52	119.20
10	J	17	G	C4-C5-N7	5.26	112.91	110.80
16	R	32	LEU	CA-CB-CG	-5.26	103.21	115.30
9	I	1826	G	N3-C4-N9	-5.25	122.85	126.00
9	I	4225	G	N1-C6-O6	-5.25	116.75	119.90
9	I	4214	U	O4'-C1'-N1	5.25	112.40	108.20
9	I	3326	C	C2-N1-C1'	-5.25	113.03	118.80
9	I	2525	G	N3-C4-C5	-5.24	125.98	128.60
9	I	3478	G	N1-C6-O6	-5.24	116.75	119.90
9	I	3478	G	C5-C6-O6	5.24	131.75	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3777	C	C6-N1-C1'	5.24	127.08	120.80
9	I	1925	G	C4-C5-N7	5.24	112.89	110.80
9	I	2953	G	C6-C5-N7	5.24	133.54	130.40
9	I	3981	G	C4-C5-N7	5.23	112.89	110.80
9	I	3819	G	C6-C5-N7	5.23	133.54	130.40
9	I	2887	A	O4'-C1'-N9	5.22	112.38	108.20
9	I	4130	C	C2-N1-C1'	-5.22	113.06	118.80
9	I	2407	U	C2-N1-C1'	5.21	123.95	117.70
9	I	3862	C	C6-N1-C2	5.21	122.38	120.30
9	I	1909	G	C8-N9-C4	-5.21	104.32	106.40
9	I	3810	G	C5-C6-O6	5.21	131.72	128.60
9	I	1476	C	C5-C6-N1	5.20	123.60	121.00
45	u	86	LEU	CA-CB-CG	-5.19	103.36	115.30
9	I	3969	C	C6-N1-C2	-5.19	118.22	120.30
9	I	1864	C	O4'-C1'-N1	-5.19	104.05	108.20
9	I	4337	G	N1-C6-O6	-5.18	116.79	119.90
10	J	36	C	C6-N1-C2	5.18	122.37	120.30
9	I	4013	U	C2-N1-C1'	-5.17	111.49	117.70
9	I	2533	A	C6-N1-C2	5.17	121.70	118.60
9	I	3797	G	C8-N9-C1'	5.17	133.72	127.00
9	I	4174	U	C5-C6-N1	-5.17	120.11	122.70
10	J	22	G	N1-C6-O6	5.17	123.00	119.90
9	I	3756	U	C5-C4-O4	-5.17	122.80	125.90
10	J	105	G	C6-N1-C2	-5.17	122.00	125.10
9	I	3230	U	N1-C2-O2	-5.17	119.19	122.80
9	I	4018	G	O4'-C1'-N9	5.16	112.33	108.20
9	I	3861	G	N9-C1'-C2'	-5.16	106.32	112.00
9	I	3876	G	C4-N9-C1'	5.16	133.21	126.50
9	I	2045	U	N3-C2-O2	-5.15	118.59	122.20
9	I	4121	G	N9-C4-C5	5.15	107.46	105.40
9	I	2105	G	O4'-C1'-N9	5.15	112.32	108.20
9	I	2983	C	N1-C2-O2	-5.15	115.81	118.90
9	I	2651	G	N3-C4-C5	-5.15	126.03	128.60
9	I	3199	A	C8-N9-C4	5.15	107.86	105.80
9	I	4188	G	C8-N9-C1'	5.14	133.69	127.00
9	I	3181	G	C8-N9-C4	5.14	108.46	106.40
9	I	2365	C	N1-C2-O2	-5.14	115.82	118.90
9	I	3160	G	C4-C5-N7	-5.14	108.75	110.80
11	K	32	LEU	CB-CG-CD2	5.14	119.73	111.00
9	I	2926	G	N1-C6-O6	5.13	122.98	119.90
9	I	3391	G	N9-C1'-C2'	-5.13	106.35	112.00
24	Z	39	PHE	CB-CG-CD1	5.13	124.39	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	2610	G	N9-C4-C5	-5.13	103.35	105.40
9	I	3820	C	O4'-C1'-N1	5.13	112.30	108.20
19	U	33	LEU	CA-CB-CG	5.13	127.09	115.30
9	I	3960	C	C6-N1-C2	5.12	122.35	120.30
9	I	4140	C	N3-C2-O2	-5.12	118.31	121.90
9	I	3753	U	C5-C6-N1	-5.12	120.14	122.70
9	I	1878	C	N1-C2-O2	-5.12	115.83	118.90
10	J	17	G	C6-C5-N7	-5.12	127.33	130.40
9	I	3797	G	C4-N9-C1'	-5.11	119.86	126.50
9	I	3328	U	N3-C4-O4	-5.11	115.82	119.40
9	I	1518	U	C5-C6-N1	-5.11	120.15	122.70
9	I	4347	G	C8-N9-C1'	-5.11	120.36	127.00
9	I	3788	G	C8-N9-C1'	-5.11	120.36	127.00
10	J	5	G	C4-C5-N7	5.11	112.84	110.80
9	I	3270	G	C8-N9-C1'	-5.10	120.36	127.00
9	I	2994	G	C5-N7-C8	-5.10	101.75	104.30
9	I	2138	G	N3-C2-N2	-5.09	116.33	119.90
10	J	15	G	N3-C4-N9	-5.09	122.94	126.00
9	I	3305	G	N1-C6-O6	-5.09	116.85	119.90
9	I	4019	G	N7-C8-N9	-5.09	110.56	113.10
9	I	2986	G	N3-C4-N9	-5.08	122.95	126.00
9	I	2221	A	N9-C4-C5	-5.08	103.77	105.80
9	I	4212	G	C8-N9-C4	-5.08	104.37	106.40
9	I	3160	G	N9-C1'-C2'	-5.08	106.41	112.00
9	I	4130	C	N3-C4-C5	5.08	123.93	121.90
9	I	4283	C	C6-N1-C1'	5.08	126.89	120.80
9	I	2342	U	C5-C6-N1	-5.07	120.17	122.70
9	I	3354	G	C4-N9-C1'	-5.07	119.91	126.50
9	I	3819	G	C4-C5-N7	-5.07	108.77	110.80
9	I	3995	C	C6-N1-C1'	5.07	126.88	120.80
9	I	3305	G	N1-C2-N2	-5.07	111.64	116.20
9	I	3877	G	N3-C4-C5	-5.07	126.07	128.60
9	I	4064	G	N1-C2-N2	5.06	120.76	116.20
9	I	3959	C	C6-N1-C2	5.06	122.33	120.30
9	I	1750	G	C2-N3-C4	-5.06	109.37	111.90
9	I	3484	C	N3-C2-O2	-5.06	118.36	121.90
45	u	20	LEU	CA-CB-CG	-5.05	103.68	115.30
9	I	1465	G	C4-N9-C1'	5.04	133.06	126.50
9	I	3018	G	C4-N9-C1'	-5.04	119.94	126.50
9	I	3312	U	C2-N1-C1'	-5.04	111.65	117.70
9	I	1777	G	N3-C2-N2	-5.04	116.37	119.90
9	I	3160	G	N1-C2-N2	5.04	120.73	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	1866	C	C6-N1-C2	5.04	122.31	120.30
9	I	2204	G	N7-C8-N9	5.03	115.62	113.10
9	I	2882	G	N9-C4-C5	-5.03	103.39	105.40
9	I	3837	U	C6-N1-C1'	5.03	128.25	121.20
9	I	1902	A	O4'-C1'-N9	-5.03	104.18	108.20
9	I	3864	G	C6-C5-N7	5.02	133.41	130.40
18	T	115	GLU	CB-CG-CD	5.02	127.77	114.20
9	I	3244	G	N3-C4-C5	5.02	131.11	128.60
9	I	1925	G	O4'-C1'-N9	-5.01	104.19	108.20
9	I	1909	G	N7-C8-N9	5.01	115.60	113.10
9	I	1621	G	N9-C4-C5	-5.00	103.40	105.40
9	I	2895	G	C5-C6-O6	5.00	131.60	128.60
9	I	385	C	N3-C2-O2	-5.00	118.40	121.90
9	I	3076	C	C2-N1-C1'	-5.00	113.30	118.80

There are no chirality outliers.

All (15) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	60	ARG	Sidechain
4	D	12	ASP	Peptide
4	D	13	LYS	Peptide
11	K	100	ARG	Peptide
11	K	101	ARG	Peptide
11	K	140	VAL	Peptide
11	K	63	ILE	Mainchain
11	K	81	GLU	Peptide
12	L	124	ARG	Sidechain
12	L	151	THR	Peptide
12	L	92	VAL	Peptide
16	R	71	ASP	Peptide
20	V	34	ILE	Peptide
39	o	108	ARG	Sidechain
44	t	85	ARG	Peptide

5.2 Too-close contacts ⓘ

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	98/100 (98%)	90 (92%)	8 (8%)	0	100	100
2	B	86/88 (98%)	78 (91%)	6 (7%)	2 (2%)	5	31
3	C	80/82 (98%)	68 (85%)	10 (12%)	2 (2%)	4	29
4	D	78/80 (98%)	66 (85%)	10 (13%)	2 (3%)	4	29
5	E	53/55 (96%)	47 (89%)	5 (9%)	1 (2%)	6	35
6	F	77/79 (98%)	74 (96%)	2 (3%)	1 (1%)	10	43
7	G	83/85 (98%)	77 (93%)	6 (7%)	0	100	100
8	H	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
11	K	269/271 (99%)	216 (80%)	52 (19%)	1 (0%)	30	67
12	L	207/209 (99%)	171 (83%)	30 (14%)	6 (3%)	3	27
13	M	199/201 (99%)	172 (86%)	25 (13%)	2 (1%)	13	48
14	N	175/177 (99%)	147 (84%)	27 (15%)	1 (1%)	22	59
15	O	174/176 (99%)	133 (76%)	38 (22%)	3 (2%)	7	37
16	R	140/142 (99%)	113 (81%)	24 (17%)	3 (2%)	5	33
17	S	120/122 (98%)	97 (81%)	20 (17%)	3 (2%)	4	29
18	T	142/144 (99%)	118 (83%)	23 (16%)	1 (1%)	19	56
19	U	133/136 (98%)	119 (90%)	14 (10%)	0	100	100
20	V	118/120 (98%)	100 (85%)	18 (15%)	0	100	100
21	W	222/224 (99%)	211 (95%)	10 (4%)	1 (0%)	25	63
22	X	204/206 (99%)	190 (93%)	12 (6%)	2 (1%)	13	48
23	Y	203/205 (99%)	200 (98%)	3 (2%)	0	100	100
24	Z	148/150 (99%)	127 (86%)	19 (13%)	2 (1%)	9	41
25	a	98/100 (98%)	85 (87%)	11 (11%)	2 (2%)	6	34
26	b	149/151 (99%)	143 (96%)	5 (3%)	1 (1%)	19	56
27	c	127/129 (98%)	116 (91%)	10 (8%)	1 (1%)	16	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	d	125/127 (98%)	118 (94%)	6 (5%)	1 (1%)	16	54
29	e	96/98 (98%)	81 (84%)	13 (14%)	2 (2%)	5	33
30	f	115/117 (98%)	94 (82%)	20 (17%)	1 (1%)	14	50
31	g	120/123 (98%)	107 (89%)	13 (11%)	0	100	100
32	h	112/114 (98%)	105 (94%)	6 (5%)	1 (1%)	14	50
33	i	54/56 (96%)	45 (83%)	7 (13%)	2 (4%)	2	23
34	j	48/50 (96%)	41 (85%)	6 (12%)	1 (2%)	5	33
35	k	44/46 (96%)	36 (82%)	7 (16%)	1 (2%)	5	31
36	l	62/64 (97%)	53 (86%)	9 (14%)	0	100	100
37	m	36/38 (95%)	31 (86%)	5 (14%)	0	100	100
38	n	114/116 (98%)	96 (84%)	18 (16%)	0	100	100
39	o	112/114 (98%)	93 (83%)	18 (16%)	1 (1%)	14	50
40	p	115/117 (98%)	97 (84%)	18 (16%)	0	100	100
41	q	101/103 (98%)	79 (78%)	22 (22%)	0	100	100
42	r	108/110 (98%)	94 (87%)	13 (12%)	1 (1%)	14	50
43	s	91/93 (98%)	71 (78%)	19 (21%)	1 (1%)	12	46
44	t	100/102 (98%)	72 (72%)	27 (27%)	1 (1%)	13	48
45	u	92/94 (98%)	80 (87%)	11 (12%)	1 (1%)	12	46
46	v	73/75 (97%)	65 (89%)	8 (11%)	0	100	100
47	w	75/77 (97%)	63 (84%)	12 (16%)	0	100	100
48	x	60/62 (97%)	49 (82%)	10 (17%)	1 (2%)	7	37
49	y	56/58 (97%)	46 (82%)	9 (16%)	1 (2%)	7	36
All	All	5346/5442 (98%)	4625 (86%)	668 (12%)	53 (1%)	16	48

All (53) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	43	ALA
11	K	101	ARG
12	L	104	VAL
15	O	91	VAL
16	R	81	ILE
18	T	111	ILE
22	X	65	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	Z	94	THR
27	c	88	LYS
32	h	3	ILE
33	i	55	ALA
35	k	44	VAL
42	r	62	ASP
43	s	38	ALA
44	t	6	ARG
3	C	79	ASN
4	D	16	LYS
6	F	4	LYS
12	L	150	GLN
12	L	151	THR
17	S	35	VAL
21	W	123	PHE
24	Z	15	THR
25	a	56	LYS
26	b	145	GLU
28	d	22	ASN
29	e	53	VAL
30	f	3	GLN
2	B	45	HIS
14	N	175	PRO
25	a	54	LEU
33	i	54	ILE
39	o	56	SER
2	B	87	ARG
5	E	51	TYR
12	L	194	PRO
16	R	85	LYS
17	S	66	LYS
29	e	32	VAL
45	u	23	ALA
48	x	57	ASN
4	D	77	GLU
12	L	89	GLU
13	M	195	GLN
16	R	39	LYS
17	S	93	GLN
22	X	79	LYS
34	j	48	GLU
49	y	20	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	83	VAL
12	L	152	PRO
15	O	11	PRO
15	O	125	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	83/83 (100%)	83 (100%)	0	100	100
2	B	76/76 (100%)	76 (100%)	0	100	100
3	C	65/65 (100%)	65 (100%)	0	100	100
4	D	74/74 (100%)	74 (100%)	0	100	100
5	E	48/48 (100%)	48 (100%)	0	100	100
6	F	70/70 (100%)	70 (100%)	0	100	100
7	G	65/65 (100%)	65 (100%)	0	100	100
8	H	48/48 (100%)	47 (98%)	1 (2%)	48	66
11	K	216/216 (100%)	213 (99%)	3 (1%)	62	75
12	L	164/164 (100%)	164 (100%)	0	100	100
13	M	165/165 (100%)	163 (99%)	2 (1%)	67	78
14	N	148/148 (100%)	146 (99%)	2 (1%)	62	75
15	O	137/137 (100%)	137 (100%)	0	100	100
16	R	116/116 (100%)	116 (100%)	0	100	100
17	S	103/103 (100%)	101 (98%)	2 (2%)	52	69
18	T	103/103 (100%)	103 (100%)	0	100	100
19	U	108/108 (100%)	105 (97%)	3 (3%)	38	59
20	V	100/100 (100%)	100 (100%)	0	100	100
21	W	186/186 (100%)	185 (100%)	1 (0%)	86	90
22	X	170/170 (100%)	169 (99%)	1 (1%)	84	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	Y	172/172 (100%)	172 (100%)	0	100	100
24	Z	113/113 (100%)	113 (100%)	0	100	100
25	a	87/87 (100%)	86 (99%)	1 (1%)	70	80
26	b	124/124 (100%)	122 (98%)	2 (2%)	58	73
27	c	104/104 (100%)	104 (100%)	0	100	100
28	d	105/105 (100%)	104 (99%)	1 (1%)	73	81
29	e	86/86 (100%)	85 (99%)	1 (1%)	67	78
30	f	90/90 (100%)	90 (100%)	0	100	100
31	g	102/102 (100%)	101 (99%)	1 (1%)	73	81
32	h	92/92 (100%)	92 (100%)	0	100	100
33	i	47/47 (100%)	47 (100%)	0	100	100
34	j	45/45 (100%)	45 (100%)	0	100	100
35	k	38/38 (100%)	37 (97%)	1 (3%)	41	61
36	l	51/51 (100%)	51 (100%)	0	100	100
37	m	34/34 (100%)	34 (100%)	0	100	100
38	n	86/86 (100%)	84 (98%)	2 (2%)	45	64
39	o	99/99 (100%)	97 (98%)	2 (2%)	50	68
40	p	89/89 (100%)	89 (100%)	0	100	100
41	q	84/84 (100%)	84 (100%)	0	100	100
42	r	93/93 (100%)	93 (100%)	0	100	100
43	s	80/80 (100%)	80 (100%)	0	100	100
44	t	83/83 (100%)	83 (100%)	0	100	100
45	u	78/78 (100%)	78 (100%)	0	100	100
46	v	56/57 (98%)	56 (100%)	0	100	100
47	w	67/67 (100%)	67 (100%)	0	100	100
48	x	54/54 (100%)	54 (100%)	0	100	100
49	y	48/48 (100%)	46 (96%)	2 (4%)	25	48
All	All	4452/4453 (100%)	4424 (99%)	28 (1%)	82	88

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	H	44	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	51	ARG
11	K	101	ARG
11	K	202	ARG
13	M	57	LYS
13	M	139	LYS
14	N	79	ARG
14	N	111	ARG
17	S	3	GLN
17	S	49	ARG
19	U	13	HIS
19	U	16	ARG
19	U	59	ARG
21	W	6	MET
22	X	85	LYS
25	a	35	LYS
26	b	2	ARG
26	b	4	ARG
28	d	103	ARG
29	e	12	ARG
31	g	17	LYS
35	k	25	LYS
38	n	2	LYS
38	n	55	LYS
39	o	5	LYS
39	o	37	LYS
49	y	18	LYS
49	y	44	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (65) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
2	B	34	GLN
3	C	26	ASN
6	F	55	HIS
11	K	36	ASN
11	K	69	ASN
11	K	127	ASN
11	K	162	GLN
11	K	231	HIS
11	K	250	GLN
12	L	42	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	173	GLN
13	M	62	GLN
15	O	44	HIS
15	O	63	GLN
15	O	110	HIS
15	O	114	HIS
15	O	115	GLN
15	O	138	GLN
16	R	86	GLN
17	S	3	GLN
17	S	29	HIS
17	S	90	ASN
18	T	99	ASN
19	U	45	GLN
20	V	9	GLN
20	V	16	HIS
20	V	23	ASN
20	V	81	ASN
21	W	39	ASN
21	W	48	ASN
21	W	117	GLN
21	W	174	ASN
22	X	2	GLN
23	Y	115	GLN
23	Y	119	HIS
24	Z	126	ASN
24	Z	139	ASN
25	a	3	HIS
25	a	11	HIS
25	a	68	GLN
27	c	17	GLN
28	d	72	GLN
28	d	78	HIS
28	d	107	GLN
29	e	54	ASN
30	f	26	GLN
31	g	71	HIS
32	h	51	GLN
32	h	90	HIS
33	i	37	HIS
33	i	41	HIS
34	j	43	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	m	35	GLN
39	o	2	ASN
39	o	9	GLN
41	q	66	HIS
42	r	57	ASN
43	s	48	GLN
44	t	68	ASN
45	u	51	GLN
46	v	66	ASN
48	x	26	ASN
48	x	37	GLN
48	x	57	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	J	117/118 (99%)	54 (46%)	2 (1%)
9	I	4428/4438 (99%)	1489 (33%)	119 (2%)
All	All	4545/4556 (99%)	1543 (33%)	121 (2%)

All (1543) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
9	I	3	U
9	I	4	U
9	I	8	G
9	I	27	A
9	I	31	A
9	I	38	G
9	I	46	C
9	I	47	C
9	I	50	A
9	I	51	C
9	I	58	A
9	I	59	A
9	I	60	G
9	I	69	U
9	I	70	A
9	I	73	A
9	I	74	G
9	I	82	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	83	U
9	I	86	C
9	I	87	U
9	I	92	U
9	I	93	G
9	I	94	C
9	I	104	G
9	I	107	G
9	I	109	C
9	I	110	G
9	I	115	A
9	I	127	G
9	I	128	A
9	I	129	A
9	I	130	A
9	I	133	G
9	I	134	C
9	I	137	G
9	I	140	G
9	I	141	G
9	I	153	U
9	I	157	G
9	I	159	A
9	I	163	G
9	I	172	U
9	I	177	C
9	I	180	A
9	I	181	A
9	I	182	C
9	I	188	A
9	I	190	G
9	I	197	G
9	I	205	C
9	I	207	U
9	I	208	U
9	I	209	C
9	I	210	G
9	I	211	G
9	I	225	G
9	I	227	A
9	I	228	U
9	I	229	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	235	A
9	I	239	G
9	I	244	U
9	I	246	G
9	I	249	A
9	I	250	G
9	I	252	A
9	I	253	G
9	I	259	G
9	I	260	U
9	I	265	G
9	I	273	A
9	I	274	G
9	I	275	G
9	I	276	C
9	I	279	C
9	I	281	A
9	I	288	G
9	I	289	C
9	I	292	G
9	I	300	G
9	I	305	A
9	I	307	C
9	I	315	C
9	I	324	A
9	I	327	C
9	I	328	A
9	I	331	G
9	I	338	C
9	I	339	U
9	I	340	C
9	I	346	G
9	I	348	A
9	I	351	C
9	I	353	G
9	I	362	A
9	I	366	U
9	I	367	U
9	I	368	G
9	I	371	C
9	I	376	G
9	I	380	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	389	U
9	I	390	G
9	I	391	C
9	I	396	A
9	I	397	U
9	I	405	G
9	I	410	A
9	I	411	A
9	I	412	G
9	I	420	U
9	I	421	C
9	I	423	G
9	I	425	U
9	I	428	U
9	I	455	A
9	I	456	G
9	I	457	U
9	I	462	U
9	I	466	U
9	I	467	A
9	I	468	C
9	I	477	A
9	I	478	U
9	I	480	G
9	I	483	G
9	I	484	U
9	I	491	C
9	I	493	G
9	I	494	A
9	I	495	A
9	I	496	G
9	I	510	C
9	I	511	U
9	I	523	G
9	I	526	G7M
9	I	530	U
9	I	531	A
9	I	532	A
9	I	546	A
9	I	557	G
9	I	561	U
9	I	563	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	567	G
9	I	571	A
9	I	572	A
9	I	574	G
9	I	575	C
9	I	587	G
9	I	595	A
9	I	596	G
9	I	614	G
9	I	619	C
9	I	632	G
9	I	639	A
9	I	641	A
9	I	649	G
9	I	653	G
9	I	664	A
9	I	667	G
9	I	674	A
9	I	675	A
9	I	686	A
9	I	690	G
9	I	700	U
9	I	702	G
9	I	718	C
9	I	720	G
9	I	722	U
9	I	723	G
9	I	735	C
9	I	738	C
9	I	739	U
9	I	740	G
9	I	754	G
9	I	758	A
9	I	762	G
9	I	765	A
9	I	776	A
9	I	778	C
9	I	782	C
9	I	789	A
9	I	792	U
9	I	793	A
9	I	803	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	814	A
9	I	816	C
9	I	820	G
9	I	827	U
9	I	828	G
9	I	840	C
9	I	841	U
9	I	842	U
9	I	843	G
9	I	844	A
9	I	845	G
9	I	863	A
9	I	872	A
9	I	873	G
9	I	882	C
9	I	901	G
9	I	913	A
9	I	933	C
9	I	934	A
9	I	957	A
9	I	959	U
9	I	968	A
9	I	971	C
9	I	974	A
9	I	975	G
9	I	976	A
9	I	979	C
9	I	980	U
9	I	981	U
9	I	983	C
9	I	986	G
9	I	987	G
9	I	991	U
9	I	992	G
9	I	1007	U
9	I	1008	U
9	I	1014	G
9	I	1016	U
9	I	1020	A
9	I	1025	G
9	I	1027	C
9	I	1029	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1030	C
9	I	1032	G
9	I	1035	A
9	I	1036	C
9	I	1040	G
9	I	1042	G
9	I	1044	C
9	I	1045	A
9	I	1046	G
9	I	1049	G
9	I	1053	C
9	I	1055	U
9	I	1059	U
9	I	1061	U
9	I	1062	C
9	I	1063	G
9	I	1064	U
9	I	1065	C
9	I	1077	U
9	I	1078	G
9	I	1080	A
9	I	1093	G
9	I	1094	U
9	I	1097	C
9	I	1100	A
9	I	1123	G
9	I	1132	G
9	I	1134	U
9	I	1135	C
9	I	1136	C
9	I	1138	G
9	I	1139	C
9	I	1140	C
9	I	1141	G
9	I	1144	A
9	I	1145	A
9	I	1150	A
9	I	1151	A
9	I	1157	C
9	I	1158	U
9	I	1159	G
9	I	1160	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1166	A
9	I	1167	U
9	I	1183	G
9	I	1188	U
9	I	1191	C
9	I	1195	A
9	I	1196	A
9	I	1200	A
9	I	1201	U
9	I	1202	C
9	I	1203	A
9	I	1211	U
9	I	1212	A
9	I	1216	C
9	I	1217	C
9	I	1223	U
9	I	1224	A
9	I	1225	C
9	I	1226	A
9	I	1237	A
9	I	1239	U
9	I	1255	A
9	I	1260	A
9	I	1263	U
9	I	1267	G
9	I	1274	A
9	I	1279	A
9	I	1285	U
9	I	1286	A
9	I	1293	G
9	I	1298	A
9	I	1301	C
9	I	1304	G
9	I	1316	C
9	I	1319	C
9	I	1330	G
9	I	1337	G
9	I	1345	A
9	I	1352	G
9	I	1358	C
9	I	1361	A
9	I	1362	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1363	U
9	I	1367	A
9	I	1373	A
9	I	1374	A
9	I	1377	C
9	I	1378	G
9	I	1398	C
9	I	1399	C
9	I	1404	G
9	I	1406	5MC
9	I	1421	G
9	I	1428	A
9	I	1430	A
9	I	1431	G
9	I	1432	A
9	I	1440	A
9	I	1441	G
9	I	1446	A
9	I	1450	G
9	I	1451	U
9	I	1452	C
9	I	1461	U
9	I	1463	G
9	I	1467	U
9	I	1468	A
9	I	1471	C
9	I	1472	G
9	I	1475	A
9	I	1476	C
9	I	1478	A
9	I	1479	A
9	I	1482	A
9	I	1487	U
9	I	1489	A
9	I	1492	C
9	I	1494	U
9	I	1499	U
9	I	1500	U
9	I	1502	G
9	I	1503	U
9	I	1504	U
9	I	1510	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1512	U
9	I	1514	A
9	I	1515	G
9	I	1525	U
9	I	1529	U
9	I	1534	U
9	I	1535	G
9	I	1538	A
9	I	1541	C
9	I	1543	G
9	I	1544	A
9	I	1546	G
9	I	1551	G
9	I	1558	G
9	I	1559	U
9	I	1560	G
9	I	1562	U
9	I	1563	A
9	I	1569	C
9	I	1571	A
9	I	1574	A
9	I	1575	G
9	I	1577	G
9	I	1580	G
9	I	1581	G
9	I	1583	A
9	I	1584	A
9	I	1585	G
9	I	1587	U
9	I	1588	G
9	I	1591	A
9	I	1593	G
9	I	1596	C
9	I	1598	G
9	I	1600	U
9	I	1601	A
9	I	1603	A
9	I	1613	U
9	I	1614	U
9	I	1618	A
9	I	1620	U
9	I	1621	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1622	G
9	I	1628	C
9	I	1629	C
9	I	1631	A
9	I	1632	G
9	I	1634	G
9	I	1635	U
9	I	1636	G
9	I	1638	U
9	I	1639	U
9	I	1640	C
9	I	1641	G
9	I	1642	A
9	I	1652	A
9	I	1663	C
9	I	1665	A
9	I	1666	U
9	I	1667	A
9	I	1672	A
9	I	1676	A
9	I	1677	G
9	I	1691	A
9	I	1692	C
9	I	1696	A
9	I	1699	A
9	I	1701	C
9	I	1702	U
9	I	1704	A
9	I	1715	G
9	I	1716	A
9	I	1721	A
9	I	1722	A
9	I	1723	A
9	I	1724	U
9	I	1725	C
9	I	1728	C
9	I	1730	G
9	I	1731	A
9	I	1732	G
9	I	1733	A
9	I	1747	G
9	I	1748	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1749	C
9	I	1750	G
9	I	1762	A
9	I	1765	A
9	I	1766	G
9	I	1767	C
9	I	1770	A
9	I	1771	G
9	I	1772	A
9	I	1776	U
9	I	1777	G
9	I	1778	A
9	I	1779	A
9	I	1780	U
9	I	1788	U
9	I	1789	G
9	I	1792	U
9	I	1793	U
9	I	1794	A
9	I	1797	G
9	I	1799	A
9	I	1801	G
9	I	1802	C
9	I	1804	U
9	I	1805	C
9	I	1808	G
9	I	1810	A
9	I	1811	A
9	I	1816	C
9	I	1818	C
9	I	1821	U
9	I	1822	A
9	I	1823	C
9	I	1829	G
9	I	1830	A
9	I	1833	G
9	I	1835	C
9	I	1836	C
9	I	1838	G
9	I	1845	A
9	I	1847	A
9	I	1848	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1850	G
9	I	1852	A
9	I	1853	C
9	I	1854	A
9	I	1855	U
9	I	1856	G
9	I	1858	U
9	I	1860	U
9	I	1861	G
9	I	1862	A
9	I	1863	G
9	I	1864	C
9	I	1866	C
9	I	1867	G
9	I	1868	A
9	I	1870	G
9	I	1871	A
9	I	1872	G
9	I	1873	U
9	I	1874	A
9	I	1875	G
9	I	1881	G
9	I	1886	G
9	I	1887	U
9	I	1894	C
9	I	1895	U
9	I	1896	G
9	I	1899	U
9	I	1901	A
9	I	1902	A
9	I	1903	U
9	I	1904	A
9	I	1905	U
9	I	1906	G
9	I	1907	G
9	I	1908	G
9	I	1910	G
9	I	1911	G
9	I	1912	A
9	I	1914	C
9	I	1915	A
9	I	1916	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1917	C
9	I	1919	U
9	I	1920	C
9	I	1921	C
9	I	1922	A
9	I	1924	G
9	I	1925	G
9	I	1928	A
9	I	1929	A
9	I	1930	A
9	I	1951	U
9	I	1955	C
9	I	1956	C
9	I	1962	C
9	I	1963	G
9	I	1965	G
9	I	1967	G
9	I	1970	A
9	I	1972	A
9	I	1979	A
9	I	1980	A
9	I	1981	G
9	I	1983	A
9	I	1988	G
9	I	1989	G
9	I	1990	C
9	I	1991	G
9	I	2004	A
9	I	2005	A
9	I	2008	A
9	I	2009	C
9	I	2010	C
9	I	2021	U
9	I	2025	U
9	I	2027	C
9	I	2028	A
9	I	2030	G
9	I	2031	C
9	I	2032	A
9	I	2033	G
9	I	2040	C
9	I	2043	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2045	U
9	I	2046	U
9	I	2047	A
9	I	2048	G
9	I	2049	G
9	I	2051	G
9	I	2059	G
9	I	2060	C
9	I	2061	G
9	I	2062	U
9	I	2063	A
9	I	2066	U
9	I	2070	G
9	I	2071	U
9	I	2072	A
9	I	2073	U
9	I	2075	A
9	I	2077	G
9	I	2079	G
9	I	2083	G
9	I	2086	A
9	I	2087	C
9	I	2102	A
9	I	2104	G
9	I	2105	G
9	I	2114	A
9	I	2115	U
9	I	2120	G
9	I	2121	A
9	I	2127	A
9	I	2128	G
9	I	2135	C
9	I	2137	A
9	I	2138	G
9	I	2139	U
9	I	2145	C
9	I	2146	U
9	I	2147	G
9	I	2148	G
9	I	2151	G
9	I	2153	U
9	I	2154	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2155	A
9	I	2156	G
9	I	2170	A
9	I	2176	A
9	I	2177	A
9	I	2186	U
9	I	2193	A
9	I	2194	U
9	I	2197	G
9	I	2199	A
9	I	2200	G
9	I	2202	U
9	I	2204	G
9	I	2205	A
9	I	2215	A
9	I	2221	A
9	I	2222	A
9	I	2226	G
9	I	2229	G
9	I	2230	A
9	I	2232	C
9	I	2233	G
9	I	2235	A
9	I	2236	C
9	I	2245	1MG
9	I	2246	PSU
9	I	2247	5MU
9	I	2248	G
9	I	2250	A
9	I	2252	A
9	I	2253	A
9	I	2257	G
9	I	2258	C
9	I	2259	G
9	I	2260	G
9	I	2264	A
9	I	2266	U
9	I	2270	G
9	I	2275	G
9	I	2276	G
9	I	2278	G
9	I	2279	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2280	G
9	I	2281	A
9	I	2282	A
9	I	2283	A
9	I	2284	G
9	I	2285	G
9	I	2288	A
9	I	2290	U
9	I	2292	A
9	I	2297	G
9	I	2303	U
9	I	2305	G
9	I	2306	C
9	I	2310	U
9	I	2311	U
9	I	2312	C
9	I	2315	C
9	I	2319	A
9	I	2321	A
9	I	2324	U
9	I	2326	U
9	I	2327	U
9	I	2329	A
9	I	2332	U
9	I	2345	A
9	I	2346	U
9	I	2347	U
9	I	2352	U
9	I	2357	G
9	I	2358	G
9	I	2359	G
9	I	2360	U
9	I	2364	G
9	I	2365	C
9	I	2366	A
9	I	2367	C
9	I	2369	G
9	I	2370	U
9	I	2371	U
9	I	2374	G
9	I	2375	G
9	I	2376	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2378	A
9	I	2385	C
9	I	2387	C
9	I	2390	A
9	I	2391	C
9	I	2398	G
9	I	2399	A
9	I	2401	G
9	I	2402	C
9	I	2403	A
9	I	2404	A
9	I	2406	C
9	I	2407	U
9	I	2408	G
9	I	2409	C
9	I	2410	G
9	I	2411	A
9	I	2412	A
9	I	2414	A
9	I	2417	G
9	I	2420	G
9	I	2422	A
9	I	2427	A
9	I	2428	U
9	I	2435	A
9	I	2439	A
9	I	2440	C
9	I	2447	G
9	I	2448	G
9	I	2453	A
9	I	2455	C
9	I	2458	C
9	I	2466	A
9	I	2468	G
9	I	2469	A
9	I	2471	G
9	I	2475	A
9	I	2477	A
9	I	2482	A
9	I	2485	C
9	I	2489	C
9	I	2490	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2491	G
9	I	2493	U
9	I	2494	A
9	I	2499	C
9	I	2500	C
9	I	2502	A
9	I	2503	A
9	I	2506	U
9	I	2507	C
9	I	2509	U
9	I	2511	G
9	I	2513	U
9	I	2514	A
9	I	2516	G
9	I	2517	U
9	I	2519	G
9	I	2520	G
9	I	2521	A
9	I	2522	A
9	I	2523	A
9	I	2524	C
9	I	2527	U
9	I	2533	A
9	I	2537	C
9	I	2539	C
9	I	2540	A
9	I	2541	G
9	I	2543	C
9	I	2547	C
9	I	2551	A
9	I	2557	G
9	I	2563	A
9	I	2564	A
9	I	2565	G
9	I	2576	U
9	I	2578	A
9	I	2579	A
9	I	2581	G
9	I	2582	A
9	I	2584	A
9	I	2591	U
9	I	2605	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2606	G
9	I	2607	U
9	I	2610	G
9	I	2613	U
9	I	2618	G
9	I	2620	A
9	I	2622	G
9	I	2624	U
9	I	2626	U
9	I	2627	A
9	I	2628	A
9	I	2629	C
9	I	2630	G
9	I	2633	G
9	I	2634	C
9	I	2636	A
9	I	2638	A
9	I	2645	A
9	I	2646	C
9	I	2649	A
9	I	2664	C
9	I	2665	G
9	I	2666	C
9	I	2667	U
9	I	2668	U
9	I	2669	A
9	I	2670	U
9	I	2671	G
9	I	2672	C
9	I	2673	G
9	I	2674	U
9	I	2676	G
9	I	2680	G
9	I	2685	G
9	I	2691	G
9	I	2699	A
9	I	2700	G
9	I	2702	C
9	I	2704	G
9	I	2705	C
9	I	2706	G
9	I	2707	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2717	G
9	I	2718	U
9	I	2719	G
9	I	2721	G
9	I	2725	U
9	I	2730	G
9	I	2731	A
9	I	2732	G
9	I	2735	A
9	I	2742	G
9	I	2744	G
9	I	2746	G
9	I	2747	A
9	I	2749	U
9	I	2750	G
9	I	2752	U
9	I	2758	A
9	I	2760	G
9	I	2761	U
9	I	2762	A
9	I	2764	C
9	I	2765	G
9	I	2766	A
9	I	2767	U
9	I	2768	A
9	I	2770	A
9	I	2772	C
9	I	2778	A
9	I	2780	A
9	I	2781	A
9	I	2789	C
9	I	2791	C
9	I	2794	G
9	I	2795	A
9	I	2796	A
9	I	2806	U
9	I	2808	C
9	I	2817	C
9	I	2822	A
9	I	2823	U
9	I	2824	C
9	I	2833	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2835	G
9	I	2836	A
9	I	2839	C
9	I	2841	A
9	I	2843	C
9	I	2846	U
9	I	2848	A
9	I	2855	G
9	I	2857	C
9	I	2858	G
9	I	2859	A
9	I	2864	C
9	I	2872	A
9	I	2873	U
9	I	2874	G
9	I	2875	G
9	I	2877	A
9	I	2878	A
9	I	2879	A
9	I	2881	A
9	I	2885	U
9	I	2887	A
9	I	2889	A
9	I	2890	U
9	I	2894	U
9	I	2895	G
9	I	2897	A
9	I	2901	G
9	I	2910	G
9	I	2911	C
9	I	2913	A
9	I	2914	A
9	I	2915	G
9	I	2916	G
9	I	2917	G
9	I	2918	G
9	I	2919	G
9	I	2921	A
9	I	2922	C
9	I	2927	A
9	I	2929	G
9	I	2930	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2936	U
9	I	2944	G
9	I	2946	G
9	I	2947	A
9	I	2948	C
9	I	2952	U
9	I	2955	C
9	I	2963	A
9	I	2964	A
9	I	2967	G
9	I	2970	U
9	I	2976	G
9	I	2978	U
9	I	2979	U
9	I	2981	U
9	I	2984	A
9	I	2985	G
9	I	2987	C
9	I	2988	A
9	I	2989	A
9	I	2990	A
9	I	2991	U
9	I	2992	C
9	I	2993	C
9	I	2997	A
9	I	3002	A
9	I	3004	G
9	I	3007	U
9	I	3008	G
9	I	3009	A
9	I	3010	G
9	I	3012	C
9	I	3013	G
9	I	3016	A
9	I	3017	U
9	I	3018	G
9	I	3019	A
9	I	3022	A
9	I	3028	U
9	I	3029	A
9	I	3030	C
9	I	3031	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3032	G
9	I	3035	C
9	I	3038	A
9	I	3041	C
9	I	3042	A
9	I	3043	A
9	I	3044	C
9	I	3048	U
9	I	3049	G
9	I	3051	C
9	I	3056	U
9	I	3057	U
9	I	3058	C
9	I	3059	C
9	I	3060	A
9	I	3061	G
9	I	3063	A
9	I	3067	G
9	I	3072	U
9	I	3077	A
9	I	3078	U
9	I	3079	C
9	I	3081	G
9	I	3087	A
9	I	3090	A
9	I	3091	A
9	I	3092	A
9	I	3096	U
9	I	3099	C
9	I	3100	C
9	I	3101	C
9	I	3102	A
9	I	3104	A
9	I	3110	A
9	I	3111	C
9	I	3116	G
9	I	3121	G
9	I	3124	A
9	I	3125	G
9	I	3128	A
9	I	3140	C
9	I	3141	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3142	U
9	I	3143	G
9	I	3146	A
9	I	3147	G
9	I	3148	A
9	I	3158	A
9	I	3161	G
9	I	3162	A
9	I	3164	C
9	I	3165	U
9	I	3168	G
9	I	3171	A
9	I	3174	U
9	I	3176	G
9	I	3178	G
9	I	3179	C
9	I	3180	C
9	I	3181	G
9	I	3182	U
9	I	3187	U
9	I	3189	G
9	I	3190	G
9	I	3193	G
9	I	3198	C
9	I	3199	A
9	I	3201	G
9	I	3204	G
9	I	3208	U
9	I	3209	G
9	I	3210	U
9	I	3214	U
9	I	3216	A
9	I	3218	G
9	I	3223	U
9	I	3224	C
9	I	3225	G
9	I	3226	C
9	I	3227	G
9	I	3232	G
9	I	3233	A
9	I	3236	U
9	I	3242	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3244	G
9	I	3246	C
9	I	3247	G
9	I	3248	A
9	I	3249	A
9	I	3250	G
9	I	3251	A
9	I	3253	A
9	I	3256	A
9	I	3258	C
9	I	3263	U
9	I	3264	G
9	I	3267	A
9	I	3269	U
9	I	3270	G
9	I	3272	U
9	I	3273	U
9	I	3283	A
9	I	3286	G
9	I	3287	C
9	I	3291	G
9	I	3293	G
9	I	3294	C
9	I	3295	A
9	I	3296	A
9	I	3297	A
9	I	3302	A
9	I	3303	A
9	I	3304	A
9	I	3306	U
9	I	3307	G
9	I	3310	C
9	I	3311	G
9	I	3312	U
9	I	3314	U
9	I	3315	A
9	I	3323	A
9	I	3328	U
9	I	3329	2MG
9	I	3330	C
9	I	3331	C
9	I	3332	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3333	G
9	I	3338	C
9	I	3340	G
9	I	3341	A
9	I	3344	G
9	I	3350	U
9	I	3353	U
9	I	3354	G
9	I	3356	G
9	I	3357	G
9	I	3358	U
9	I	3359	U
9	I	3360	A
9	I	3361	G
9	I	3363	G
9	I	3364	C
9	I	3365	A
9	I	3369	G
9	I	3370	A
9	I	3371	A
9	I	3372	G
9	I	3379	A
9	I	3380	U
9	I	3382	G
9	I	3383	A
9	I	3388	C
9	I	3391	G
9	I	3393	A
9	I	3394	A
9	I	3395	A
9	I	3400	G
9	I	3408	C
9	I	3415	G
9	I	3420	U
9	I	3421	A
9	I	3423	G
9	I	3424	G
9	I	3427	G
9	I	3429	G
9	I	3430	A
9	I	3431	A
9	I	3432	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3433	5MU
9	I	3434	U
9	I	3435	C
9	I	3437	U
9	I	3439	G
9	I	3444	G
9	I	3445	U
9	I	3449	U
9	I	3453	G
9	I	3457	U
9	I	3458	G
9	I	3461	C
9	I	3464	A
9	I	3465	U
9	I	3466	G
9	I	3467	G
9	I	3471	A
9	I	3485	U
9	I	3486	G
9	I	3488	C
9	I	3489	U
9	I	3490	C
9	I	3491	C
9	I	3499	A
9	I	3508	A
9	I	3509	A
9	I	3511	U
9	I	3512	G
9	I	3516	U
9	I	3517	C
9	I	3522	U
9	I	3523	G
9	I	3525	A
9	I	3526	G
9	I	3527	A
9	I	3528	U
9	I	3533	U
9	I	3535	U
9	I	3536	A
9	I	3537	C
9	I	3549	C
9	I	3550	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3554	A
9	I	3555	G
9	I	3562	U
9	I	3563	G7M
9	I	3574	A
9	I	3583	C
9	I	3585	C
9	I	3586	U
9	I	3587	G
9	I	3588	A
9	I	3590	C
9	I	3591	A
9	I	3594	G
9	I	3595	A
9	I	3598	C
9	I	3605	U
9	I	3606	G
9	I	3607	U
9	I	3609	G
9	I	3610	G
9	I	3611	A
9	I	3612	U
9	I	3614	G
9	I	3615	G
9	I	3618	G
9	I	3620	A
9	I	3622	G
9	I	3625	U
9	I	3626	U
9	I	3627	G
9	I	3633	U
9	I	3634	G
9	I	3640	C
9	I	3641	A
9	I	3643	U
9	I	3652	A
9	I	3653	G
9	I	3657	A
9	I	3658	C
9	I	3659	C
9	I	3663	A
9	I	3665	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3666	U
9	I	3667	A
9	I	3676	U
9	I	3680	G
9	I	3683	U
9	I	3684	G
9	I	3688	U
9	I	3690	C
9	I	3691	U
9	I	3692	A
9	I	3693	A
9	I	3695	G
9	I	3697	U
9	I	3698	G
9	I	3704	U
9	I	3705	A
9	I	3706	A
9	I	3707	U
9	I	3708	C
9	I	3714	U
9	I	3719	A
9	I	3720	C
9	I	3727	U
9	I	3729	G
9	I	3732	G
9	I	3734	U
9	I	3740	G
9	I	3743	U
9	I	3757	C
9	I	3761	A
9	I	3762	A
9	I	3769	C
9	I	3772	A
9	I	3774	G
9	I	3776	G
9	I	3777	C
9	I	3781	A
9	I	3782	A
9	I	3784	G
9	I	3785	U
9	I	3786	U
9	I	3787	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3788	G
9	I	3789	C
9	I	3790	U
9	I	3791	A
9	I	3792	A
9	I	3793	U
9	I	3794	C
9	I	3796	U
9	I	3799	U
9	I	3802	G
9	I	3803	A
9	I	3805	A
9	I	3809	G
9	I	3811	A
9	I	3812	G
9	I	3813	G
9	I	3816	A
9	I	3819	G
9	I	3820	C
9	I	3821	A
9	I	3822	A
9	I	3825	G
9	I	3826	C
9	I	3827	A
9	I	3828	U
9	I	3829	A
9	I	3831	G
9	I	3833	C
9	I	3837	U
9	I	3839	G
9	I	3840	A
9	I	3841	C
9	I	3849	G
9	I	3851	G
9	I	3852	A
9	I	3856	C
9	I	3857	G
9	I	3858	C
9	I	3859	G
9	I	3861	G
9	I	3862	C
9	I	3863	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3866	U
9	I	3867	G
9	I	3868	C
9	I	3870	A
9	I	3871	A
9	I	3873	G
9	I	3877	G
9	I	3879	C
9	I	3881	U
9	I	3882	A
9	I	3883	G
9	I	3884	U
9	I	3885	G
9	I	3888	C
9	I	3894	G
9	I	3896	U
9	I	3897	C
9	I	3899	G
9	I	3900	A
9	I	3902	U
9	I	3911	C
9	I	3912	A
9	I	3916	C
9	I	3917	U
9	I	3918	C
9	I	3919	A
9	I	3920	A
9	I	3922	G
9	I	3923	G
9	I	3924	A
9	I	3925	U
9	I	3928	A
9	I	3935	U
9	I	3939	2MG
9	I	3941	G
9	I	3942	A
9	I	3960	C
9	I	3961	C
9	I	3962	A
9	I	3963	A
9	I	3966	G
9	I	3967	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	3970	A
9	I	3971	U
9	I	3976	A
9	I	3981	G
9	I	3985	U
9	I	3986	U
9	I	3988	G
9	I	3990	C
9	I	3991	A
9	I	3992	OMC
9	I	3994	U
9	I	3996	G
9	I	3998	PSU
9	I	3999	G
9	I	4003	G
9	I	4005	U
9	I	4007	A
9	I	4012	A
9	I	4013	U
9	I	4017	G
9	I	4021	C
9	I	4024	A
9	I	4027	U
9	I	4041	A
9	I	4044	G
9	I	4046	OMU
9	I	4048	U
9	I	4058	A
9	I	4059	A
9	I	4060	A
9	I	4061	G
9	I	4065	U
9	I	4066	A
9	I	4067	C
9	I	4068	G
9	I	4072	G
9	I	4076	G
9	I	4079	U
9	I	4080	U
9	I	4081	A
9	I	4084	A
9	I	4089	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	4091	G
9	I	4097	G
9	I	4099	PSU
9	I	4103	U
9	I	4106	C
9	I	4107	U
9	I	4120	C
9	I	4123	U
9	I	4124	G
9	I	4132	G
9	I	4135	G
9	I	4138	G
9	I	4140	C
9	I	4143	C
9	I	4145	C
9	I	4149	G
9	I	4150	U
9	I	4153	G
9	I	4154	A
9	I	4155	G
9	I	4162	G
9	I	4163	G
9	I	4165	G
9	I	4168	G
9	I	4175	C
9	I	4176	A
9	I	4177	C
9	I	4178	U
9	I	4179	G
9	I	4183	U
9	I	4184	U
9	I	4185	C
9	I	4186	G
9	I	4187	G
9	I	4190	U
9	I	4191	G
9	I	4192	U
9	I	4193	C
9	I	4194	A
9	I	4195	U
9	I	4197	C
9	I	4198	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	4199	A
9	I	4200	A
9	I	4202	G
9	I	4204	C
9	I	4208	G
9	I	4212	G
9	I	4213	G
9	I	4215	A
9	I	4216	G
9	I	4218	U
9	I	4219	A
9	I	4220	A
9	I	4223	G
9	I	4227	A
9	I	4229	G
9	I	4232	A
9	I	4233	U
9	I	4236	G
9	I	4237	U
9	I	4240	U
9	I	4241	G
9	I	4242	A
9	I	4244	A
9	I	4245	G
9	I	4248	U
9	I	4249	C
9	I	4250	U
9	I	4251	A
9	I	4252	A
9	I	4253	G
9	I	4257	G
9	I	4258	A
9	I	4259	A
9	I	4260	A
9	I	4262	U
9	I	4265	C
9	I	4269	G
9	I	4272	A
9	I	4273	U
9	I	4274	G
9	I	4275	A
9	I	4276	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	4279	C
9	I	4280	U
9	I	4282	C
9	I	4283	C
9	I	4285	G
9	I	4286	A
9	I	4287	C
9	I	4288	C
9	I	4291	U
9	I	4292	U
9	I	4293	A
9	I	4299	C
9	I	4301	U
9	I	4305	G
9	I	4311	U
9	I	4312	U
9	I	4314	A
9	I	4315	A
9	I	4319	G
9	I	4326	U
9	I	4327	U
9	I	4328	G
9	I	4329	A
9	I	4331	A
9	I	4335	C
9	I	4343	U
9	I	4344	A
9	I	4353	C
9	I	4354	U
9	I	4355	U
9	I	4364	C
9	I	4367	U
9	I	4375	U
9	I	4407	A
9	I	4409	G
9	I	4410	U
9	I	4416	U
9	I	4421	G
9	I	4429	G
9	I	4433	G
9	I	4434	G
9	I	4437	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	4438	A
10	J	8	G
10	J	11	C
10	J	12	G
10	J	14	A
10	J	15	G
10	J	16	C
10	J	22	G
10	J	24	U
10	J	27	C
10	J	30	C
10	J	31	U
10	J	32	G
10	J	33	A
10	J	34	C
10	J	36	C
10	J	40	G
10	J	41	C
10	J	43	G
10	J	44	A
10	J	46	C
10	J	48	C
10	J	49	A
10	J	50	G
10	J	51	A
10	J	55	G
10	J	56	A
10	J	61	C
10	J	64	U
10	J	65	A
10	J	66	G
10	J	72	A
10	J	74	G
10	J	75	G
10	J	76	U
10	J	82	G
10	J	86	U
10	J	87	C
10	J	88	U
10	J	89	C
10	J	95	G
10	J	97	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	98	A
10	J	100	A
10	J	104	G
10	J	105	G
10	J	107	A
10	J	108	A
10	J	109	C
10	J	111	G
10	J	112	C
10	J	113	C
10	J	114	A
10	J	116	G
10	J	118	A

All (121) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
9	I	3	U
9	I	132	U
9	I	196	A
9	I	208	U
9	I	227	A
9	I	228	U
9	I	249	A
9	I	252	A
9	I	273	A
9	I	390	G
9	I	410	A
9	I	427	G
9	I	571	A
9	I	673	G
9	I	719	C
9	I	757	C
9	I	819	U
9	I	990	U
9	I	1077	U
9	I	1138	G
9	I	1156	A
9	I	1210	U
9	I	1215	A
9	I	1259	G
9	I	1266	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	1445	A
9	I	1475	A
9	I	1476	C
9	I	1486	G
9	I	1499	U
9	I	1584	A
9	I	1600	U
9	I	1690	A
9	I	1723	A
9	I	1770	A
9	I	1771	G
9	I	1777	G
9	I	1820	A
9	I	1829	G
9	I	1835	C
9	I	1846	A
9	I	1904	A
9	I	1928	A
9	I	1964	U
9	I	1969	G
9	I	1979	A
9	I	2007	A
9	I	2042	C
9	I	2085	G
9	I	2104	G
9	I	2127	A
9	I	2138	G
9	I	2147	G
9	I	2247	5MU
9	I	2280	G
9	I	2284	G
9	I	2357	G
9	I	2363	A
9	I	2403	A
9	I	2438	C
9	I	2484	A
9	I	2505	G
9	I	2578	A
9	I	2590	A
9	I	2718	U
9	I	2734	U
9	I	2743	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	2757	U
9	I	2769	A
9	I	2807	U
9	I	2822	A
9	I	2832	G
9	I	2873	U
9	I	2877	A
9	I	3058	C
9	I	3060	A
9	I	3163	A
9	I	3175	G
9	I	3181	G
9	I	3225	G
9	I	3250	G
9	I	3310	C
9	I	3327	C
9	I	3360	A
9	I	3407	A
9	I	3488	C
9	I	3594	G
9	I	3621	G
9	I	3640	C
9	I	3656	G
9	I	3679	U
9	I	3692	A
9	I	3705	A
9	I	3719	A
9	I	3761	A
9	I	3768	A
9	I	3780	G
9	I	3808	A
9	I	3815	U
9	I	3820	C
9	I	3840	A
9	I	3883	G
9	I	3919	A
9	I	3921	C
9	I	3975	G
9	I	3989	G
9	I	4040	U
9	I	4058	A
9	I	4071	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	4096	A
9	I	4174	U
9	I	4177	C
9	I	4214	U
9	I	4244	A
9	I	4249	C
9	I	4250	U
9	I	4291	U
9	I	4314	A
9	I	4325	G
10	J	71	G
10	J	94	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

35 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	5MC	I	3456	9	19,22,23	3.89	9 (47%)	26,32,35	1.11	1 (3%)
9	5MC	I	966	9	19,22,23	4.12	9 (47%)	26,32,35	1.02	1 (3%)
9	MA6	I	4423	9	19,26,27	1.53	3 (15%)	18,38,41	5.42	4 (22%)
9	OMU	I	4046	9	19,22,23	2.86	6 (31%)	25,31,34	1.83	4 (16%)
9	G7M	I	3563	9	20,26,27	2.62	7 (35%)	16,39,42	1.15	1 (6%)
9	2MA	I	3997	9	18,25,26	3.54	6 (33%)	20,37,40	3.03	4 (20%)
9	PSU	I	3405	9	18,21,22	4.57	8 (44%)	21,30,33	2.12	5 (23%)
9	5MU	I	2247	9	19,22,23	4.64	6 (31%)	27,32,35	3.79	10 (37%)
9	UR3	I	4402	9	19,22,23	2.86	8 (42%)	26,32,35	1.61	4 (15%)
9	1MG	I	2245	9	19,26,27	2.76	6 (31%)	18,39,42	1.67	4 (22%)
9	2MG	I	4420	9	18,26,27	2.67	6 (33%)	16,38,41	1.55	4 (25%)
9	2MG	I	3939	9	18,26,27	2.48	7 (38%)	16,38,41	1.97	5 (31%)
9	PSU	I	515	9	18,21,22	4.58	8 (44%)	21,30,33	2.18	6 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	4D4	U	81	19	9,11,12	2.74	3 (33%)	7,13,15	0.82	0
9	2MG	I	1206	9	18,26,27	2.71	6 (33%)	16,38,41	1.57	4 (25%)
9	OMC	I	3992	9	19,22,23	3.34	8 (42%)	25,31,34	0.81	0
9	2MG	I	965	9	18,26,27	2.73	6 (33%)	16,38,41	1.63	4 (25%)
9	5MC	I	1406	9	19,22,23	3.99	9 (47%)	26,32,35	1.00	1 (3%)
9	3TD	I	3409	9	19,22,23	4.14	6 (31%)	23,32,35	1.74	3 (13%)
9	6MZ	I	3524	9	17,25,26	1.57	2 (11%)	15,36,39	2.52	3 (20%)
9	PSU	I	4074	9	18,21,22	4.37	9 (50%)	21,30,33	2.18	5 (23%)
9	PSU	I	2246	9	18,21,22	4.61	8 (44%)	21,30,33	2.51	6 (28%)
9	PSU	I	3998	9	18,21,22	4.50	9 (50%)	21,30,33	2.19	5 (23%)
9	PSU	I	4099	9	18,21,22	4.39	9 (50%)	21,30,33	2.07	7 (33%)
9	PSU	I	2449	9	18,21,22	4.36	8 (44%)	21,30,33	2.23	5 (23%)
9	6MZ	I	3112	9	17,25,26	1.54	2 (11%)	15,36,39	2.26	4 (26%)
9	OMG	I	3745	9	19,26,27	2.66	8 (42%)	21,38,41	1.43	4 (19%)
9	4OC	I	1401	9	20,23,24	3.16	8 (40%)	25,32,35	0.84	0
9	PSU	I	3411	9	18,21,22	4.61	8 (44%)	21,30,33	1.94	6 (28%)
9	MA6	I	4422	9	19,26,27	1.54	3 (15%)	18,38,41	5.37	4 (22%)
9	PSU	I	3951	9	18,21,22	4.33	8 (44%)	21,30,33	2.54	7 (33%)
9	G7M	I	526	9	20,26,27	2.78	7 (35%)	16,39,42	1.10	1 (6%)
9	5MU	I	3433	9	19,22,23	4.60	6 (31%)	27,32,35	3.84	10 (37%)
31	D2T	g	88	31	8,9,10	2.93	1 (12%)	6,11,13	2.42	2 (33%)
9	2MG	I	3329	9	18,26,27	2.60	6 (33%)	16,38,41	1.67	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	5MC	I	3456	9	-	4/7/25/26	0/2/2/2
9	5MC	I	966	9	-	1/7/25/26	0/2/2/2
9	MA6	I	4423	9	-	1/7/29/30	0/3/3/3
9	OMU	I	4046	9	-	4/9/27/28	0/2/2/2
9	G7M	I	3563	9	-	1/3/25/26	0/3/3/3
9	2MA	I	3997	9	-	2/3/25/26	0/3/3/3
9	PSU	I	3405	9	-	0/7/25/26	0/2/2/2
9	5MU	I	2247	9	-	2/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	UR3	I	4402	9	-	4/7/25/26	0/2/2/2
9	1MG	I	2245	9	-	2/3/25/26	0/3/3/3
9	2MG	I	4420	9	-	1/5/27/28	0/3/3/3
9	2MG	I	3939	9	-	2/5/27/28	0/3/3/3
9	PSU	I	515	9	-	0/7/25/26	0/2/2/2
19	4D4	U	81	19	-	5/11/12/14	-
9	2MG	I	1206	9	-	1/5/27/28	0/3/3/3
9	OMC	I	3992	9	-	4/9/27/28	0/2/2/2
9	2MG	I	965	9	-	2/5/27/28	0/3/3/3
9	5MC	I	1406	9	-	4/7/25/26	0/2/2/2
9	3TD	I	3409	9	-	1/7/25/26	0/2/2/2
9	6MZ	I	3524	9	-	4/5/27/28	0/3/3/3
9	PSU	I	4074	9	-	2/7/25/26	0/2/2/2
9	PSU	I	2246	9	-	3/7/25/26	0/2/2/2
9	PSU	I	3998	9	-	2/7/25/26	0/2/2/2
9	PSU	I	4099	9	-	5/7/25/26	0/2/2/2
9	PSU	I	2449	9	-	2/7/25/26	0/2/2/2
9	6MZ	I	3112	9	-	4/5/27/28	0/3/3/3
9	OMG	I	3745	9	-	0/5/27/28	0/3/3/3
9	4OC	I	1401	9	-	1/9/29/30	0/2/2/2
9	PSU	I	3411	9	-	1/7/25/26	0/2/2/2
9	MA6	I	4422	9	-	4/7/29/30	0/3/3/3
9	PSU	I	3951	9	-	2/7/25/26	0/2/2/2
9	G7M	I	526	9	-	3/3/25/26	0/3/3/3
9	5MU	I	3433	9	-	1/7/25/26	0/2/2/2
31	D2T	g	88	31	-	3/7/12/14	-
9	2MG	I	3329	9	-	1/5/27/28	0/3/3/3

All (229) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	3409	3TD	C6-C5	12.54	1.49	1.35
9	I	3411	PSU	C6-C5	12.31	1.48	1.35
9	I	2246	PSU	C6-C5	12.21	1.48	1.35
9	I	515	PSU	C6-C5	11.97	1.48	1.35
9	I	3405	PSU	C6-C5	11.97	1.48	1.35
9	I	3998	PSU	C6-C5	11.60	1.48	1.35
9	I	4074	PSU	C6-C5	11.43	1.47	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	3951	PSU	C6-C5	11.21	1.47	1.35
9	I	4099	PSU	C6-C5	11.21	1.47	1.35
9	I	2449	PSU	C6-C5	11.18	1.47	1.35
9	I	2247	5MU	C2-N1	10.48	1.54	1.38
9	I	2247	5MU	C6-N1	10.39	1.55	1.38
9	I	3433	5MU	C2-N1	10.21	1.54	1.38
9	I	3433	5MU	C6-N1	10.18	1.55	1.38
9	I	2246	PSU	C2-N1	10.11	1.49	1.36
9	I	3405	PSU	C2-N1	10.05	1.49	1.36
9	I	3411	PSU	C2-N1	9.94	1.49	1.36
9	I	3998	PSU	C2-N1	9.92	1.49	1.36
9	I	515	PSU	C2-N1	9.90	1.49	1.36
9	I	966	5MC	C6-C5	9.87	1.50	1.34
9	I	2449	PSU	C2-N1	9.79	1.49	1.36
9	I	4099	PSU	C2-N1	9.65	1.49	1.36
9	I	3951	PSU	C2-N1	9.54	1.49	1.36
9	I	1406	5MC	C6-C5	9.42	1.49	1.34
9	I	4074	PSU	C2-N1	9.40	1.48	1.36
9	I	3409	3TD	C2-N1	9.38	1.48	1.37
9	I	3433	5MU	C4-C5	9.29	1.59	1.44
9	I	3456	5MC	C6-C5	9.26	1.49	1.34
9	I	2247	5MU	C4-C5	9.13	1.59	1.44
9	I	3997	2MA	C2-N3	8.40	1.48	1.34
9	I	2246	PSU	C2-N3	8.13	1.50	1.37
9	I	515	PSU	C2-N3	8.10	1.50	1.37
9	I	3405	PSU	C2-N3	8.02	1.50	1.37
9	I	3998	PSU	C2-N3	8.01	1.50	1.37
9	I	3411	PSU	C2-N3	7.88	1.50	1.37
9	I	3997	2MA	C4-N3	7.85	1.47	1.35
9	I	966	5MC	C4-N3	7.81	1.46	1.34
31	g	88	D2T	CB-CA	-7.71	1.52	1.54
9	I	4099	PSU	C2-N3	7.67	1.50	1.37
9	I	2449	PSU	C2-N3	7.67	1.50	1.37
9	I	4074	PSU	C2-N3	7.65	1.50	1.37
9	I	4402	UR3	C2-N1	7.63	1.49	1.38
9	I	1406	5MC	C4-N3	7.61	1.46	1.34
9	I	3951	PSU	C2-N3	7.58	1.50	1.37
9	I	3433	5MU	C4-N3	-7.56	1.24	1.38
9	I	2247	5MU	C4-N3	-7.49	1.24	1.38
9	I	3456	5MC	C4-N3	7.45	1.46	1.34
9	I	1401	4OC	C4-N3	7.35	1.45	1.32
9	I	2245	1MG	C2-N3	7.03	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	4046	OMU	C2-N1	6.76	1.49	1.38
9	I	966	5MC	C2-N3	6.73	1.49	1.36
9	I	526	G7M	C2-N2	6.55	1.49	1.34
19	U	81	4D4	CZ-NE	6.50	1.45	1.33
9	I	3992	OMC	C6-C5	6.49	1.50	1.35
9	I	4046	OMU	C2-N3	6.46	1.49	1.38
9	I	3992	OMC	C2-N3	6.45	1.49	1.36
9	I	1406	5MC	C2-N3	6.44	1.49	1.36
9	I	2247	5MU	C6-C5	6.44	1.45	1.34
9	I	3456	5MC	C2-N3	6.44	1.49	1.36
9	I	1406	5MC	C5-C4	6.41	1.49	1.44
9	I	3997	2MA	C2-N1	6.32	1.44	1.34
9	I	1206	2MG	C2-N2	6.31	1.46	1.33
9	I	965	2MG	C2-N2	6.31	1.46	1.33
9	I	3433	5MU	C6-C5	6.30	1.44	1.34
9	I	4420	2MG	C2-N2	6.26	1.46	1.33
9	I	1401	4OC	C2-N3	6.25	1.48	1.36
9	I	966	5MC	C5-C4	6.24	1.48	1.44
9	I	4402	UR3	C6-C5	6.23	1.49	1.35
9	I	3563	G7M	C2-N2	6.22	1.48	1.34
9	I	1401	4OC	C6-C5	6.20	1.49	1.35
9	I	3456	5MC	C5-C4	6.18	1.48	1.44
9	I	3329	2MG	C2-N2	6.16	1.46	1.33
9	I	2245	1MG	C2-N2	6.07	1.44	1.34
9	I	3992	OMC	C4-N3	6.00	1.46	1.34
9	I	3409	3TD	C6-N1	5.98	1.46	1.36
9	I	3992	OMC	C4-N4	5.80	1.48	1.33
9	I	3405	PSU	C6-N1	5.77	1.45	1.36
9	I	3411	PSU	C6-N1	5.75	1.45	1.36
9	I	3939	2MG	C2-N2	5.73	1.45	1.33
9	I	4046	OMU	C6-C5	5.67	1.48	1.35
9	I	3563	G7M	C2-N3	5.66	1.47	1.33
9	I	526	G7M	C2-N3	5.65	1.47	1.33
9	I	966	5MC	C6-N1	5.63	1.47	1.38
9	I	3998	PSU	C6-N1	5.60	1.45	1.36
9	I	3745	OMG	C4-N3	5.59	1.50	1.37
9	I	4099	PSU	C6-N1	5.55	1.45	1.36
9	I	515	PSU	C6-N1	5.48	1.45	1.36
9	I	965	2MG	C2-N1	5.45	1.45	1.36
9	I	4074	PSU	C6-N1	5.37	1.45	1.36
9	I	2246	PSU	C6-N1	5.36	1.45	1.36
9	I	3745	OMG	C2-N3	5.34	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	1206	2MG	C4-N3	5.31	1.50	1.37
9	I	1206	2MG	C2-N1	5.30	1.45	1.36
9	I	3997	2MA	C6-N1	5.26	1.43	1.33
9	I	4420	2MG	C4-N3	5.25	1.49	1.37
9	I	3951	PSU	C6-N1	5.25	1.44	1.36
9	I	3524	6MZ	C6-C5	-5.25	1.36	1.44
9	I	2449	PSU	C6-N1	5.22	1.44	1.36
9	I	1406	5MC	C6-N1	5.22	1.46	1.38
9	I	965	2MG	C4-N3	5.20	1.49	1.37
9	I	526	G7M	C4-N3	5.15	1.49	1.37
9	I	4402	UR3	C2-N3	5.13	1.49	1.39
9	I	3745	OMG	C2-N2	5.12	1.46	1.34
9	I	3112	6MZ	C6-C5	-5.05	1.37	1.44
9	I	3329	2MG	C2-N1	5.03	1.44	1.36
9	I	4420	2MG	C2-N1	5.02	1.44	1.36
9	I	3992	OMC	C2-N1	4.96	1.50	1.40
9	I	3329	2MG	C4-N3	4.94	1.49	1.37
9	I	3563	G7M	C4-N3	4.84	1.48	1.37
9	I	4422	MA6	C6-C5	-4.80	1.37	1.44
9	I	3456	5MC	C6-N1	4.80	1.46	1.38
9	I	3939	2MG	C2-N1	4.70	1.44	1.36
9	I	4423	MA6	C6-C5	-4.70	1.37	1.44
9	I	3409	3TD	C2-N3	4.68	1.48	1.38
9	I	3939	2MG	C4-N3	4.63	1.48	1.37
9	I	2245	1MG	C4-N3	4.55	1.48	1.37
9	I	966	5MC	C2-N1	4.45	1.49	1.40
9	I	1401	4OC	C4-N4	4.42	1.45	1.36
9	I	526	G7M	C6-N1	4.34	1.44	1.37
9	I	966	5MC	C4-N4	4.29	1.45	1.34
9	I	1401	4OC	C2-N1	4.23	1.48	1.40
9	I	1406	5MC	C2-N1	4.22	1.48	1.40
9	I	1406	5MC	C4-N4	4.21	1.44	1.34
9	I	3456	5MC	C4-N4	4.13	1.44	1.34
9	I	515	PSU	C4-N3	4.06	1.46	1.38
9	I	3456	5MC	C2-N1	3.86	1.48	1.40
9	I	3405	PSU	C4-N3	3.79	1.46	1.38
9	I	3998	PSU	C4-N3	3.79	1.46	1.38
9	I	3992	OMC	C6-N1	3.78	1.47	1.38
9	I	965	2MG	C6-N1	3.77	1.43	1.37
9	I	3563	G7M	C6-N1	3.77	1.43	1.37
9	I	4099	PSU	C4-N3	3.74	1.45	1.38
19	U	81	4D4	CZ-NH2	3.73	1.45	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	3411	PSU	C4-N3	3.73	1.45	1.38
9	I	1206	2MG	C6-N1	3.69	1.43	1.37
9	I	4420	2MG	C6-N1	3.68	1.43	1.37
9	I	2245	1MG	C2-N1	3.64	1.43	1.37
9	I	1401	4OC	C5-C4	3.62	1.49	1.41
9	I	2449	PSU	C4-N3	3.62	1.45	1.38
9	I	4074	PSU	C4-N3	3.60	1.45	1.38
9	I	2246	PSU	C4-N3	3.54	1.45	1.38
9	I	3745	OMG	C5-C6	3.48	1.54	1.47
9	I	1206	2MG	C5-C6	3.48	1.54	1.47
9	I	4046	OMU	C4-N3	3.48	1.44	1.38
9	I	3745	OMG	C5-C4	-3.45	1.34	1.43
9	I	965	2MG	C5-C6	3.45	1.54	1.47
9	I	3951	PSU	C4-N3	3.39	1.45	1.38
9	I	4423	MA6	C6-N6	3.36	1.45	1.37
9	I	526	G7M	C5-C6	3.34	1.54	1.45
9	I	4422	MA6	C6-N6	3.31	1.45	1.37
9	I	3745	OMG	C6-N1	3.30	1.42	1.37
9	I	3992	OMC	O2-C2	-3.28	1.17	1.23
9	I	3939	2MG	C6-N1	3.27	1.42	1.37
9	I	3329	2MG	C6-N1	3.24	1.42	1.37
9	I	4420	2MG	C5-C6	3.21	1.53	1.47
9	I	526	G7M	C2-N1	3.15	1.45	1.37
9	I	3939	2MG	C5-C4	-3.15	1.35	1.43
9	I	1401	4OC	C6-N1	3.14	1.45	1.38
9	I	3329	2MG	C5-C6	3.10	1.53	1.47
9	I	3997	2MA	C6-C5	3.07	1.54	1.43
9	I	4402	UR3	C6-N1	3.05	1.45	1.38
9	I	2245	1MG	C5-C4	-3.03	1.35	1.43
9	I	3563	G7M	C5-C6	3.01	1.53	1.45
9	I	3409	3TD	C4-N3	2.97	1.46	1.40
9	I	3329	2MG	C5-C4	-2.92	1.35	1.43
9	I	3951	PSU	O4'-C1'	-2.80	1.40	1.43
9	I	4046	OMU	O2-C2	-2.80	1.18	1.23
9	I	4420	2MG	C5-C4	-2.72	1.36	1.43
9	I	4046	OMU	O4-C4	-2.71	1.19	1.24
9	I	3563	G7M	C2-N1	2.70	1.44	1.37
9	I	3992	OMC	C5-C4	2.70	1.49	1.42
9	I	3997	2MA	C6-N6	-2.69	1.24	1.34
9	I	1401	4OC	O2-C2	-2.61	1.18	1.23
9	I	3939	2MG	C5-C6	2.60	1.52	1.47
9	I	3411	PSU	C1'-C5	2.57	1.56	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	515	PSU	C1'-C5	2.54	1.56	1.50
9	I	965	2MG	C5-C4	-2.53	1.36	1.43
9	I	3456	5MC	O2-C2	-2.50	1.19	1.23
9	I	2246	PSU	O4'-C1'	-2.44	1.40	1.43
9	I	4099	PSU	O4-C4	-2.43	1.19	1.23
9	I	4402	UR3	C4-N3	2.42	1.45	1.40
9	I	3745	OMG	C2-N1	2.41	1.43	1.37
9	I	4074	PSU	O4-C4	-2.38	1.19	1.23
9	I	4074	PSU	O2-C2	-2.37	1.18	1.23
9	I	1206	2MG	C5-C4	-2.37	1.37	1.43
9	I	4099	PSU	C1'-C5	2.36	1.55	1.50
9	I	3951	PSU	O2-C2	-2.34	1.18	1.23
9	I	3951	PSU	O4-C4	-2.34	1.19	1.23
9	I	4099	PSU	O2-C2	-2.33	1.18	1.23
19	U	81	4D4	CZ-NH1	-2.32	1.25	1.34
9	I	3745	OMG	O6-C6	-2.31	1.18	1.23
9	I	3112	6MZ	C2-N3	2.30	1.35	1.32
9	I	4402	UR3	C5-C4	2.30	1.49	1.43
9	I	2449	PSU	O2-C2	-2.30	1.18	1.23
9	I	2449	PSU	O4-C4	-2.30	1.19	1.23
9	I	1406	5MC	CM5-C5	2.29	1.56	1.50
9	I	3405	PSU	O4-C4	-2.29	1.19	1.23
9	I	4422	MA6	C2-N3	2.29	1.35	1.32
9	I	2245	1MG	O6-C6	-2.28	1.17	1.22
9	I	2246	PSU	O2-C2	-2.27	1.18	1.23
9	I	3524	6MZ	C2-N3	2.25	1.35	1.32
9	I	4402	UR3	O4-C4	-2.25	1.18	1.23
9	I	966	5MC	CM5-C5	2.25	1.56	1.50
9	I	3563	G7M	O6-C6	-2.23	1.18	1.23
9	I	3998	PSU	C1'-C5	2.22	1.55	1.50
9	I	3433	5MU	O2-C2	-2.21	1.19	1.23
9	I	3998	PSU	O4'-C1'	-2.21	1.40	1.43
9	I	3998	PSU	O4-C4	-2.19	1.19	1.23
9	I	4423	MA6	C2-N3	2.19	1.35	1.32
9	I	3456	5MC	CM5-C5	2.19	1.56	1.50
9	I	1406	5MC	O2-C2	-2.18	1.19	1.23
9	I	3409	3TD	O4-C4	-2.18	1.18	1.23
9	I	2247	5MU	O2-C2	-2.18	1.19	1.23
9	I	3411	PSU	O4-C4	-2.17	1.19	1.23
9	I	966	5MC	O2-C2	-2.14	1.19	1.23
9	I	515	PSU	O4-C4	-2.13	1.19	1.23
9	I	515	PSU	O2-C2	-2.13	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	4074	PSU	O4'-C1'	-2.12	1.40	1.43
9	I	3405	PSU	C1'-C5	2.12	1.55	1.50
9	I	4402	UR3	O2-C2	-2.11	1.18	1.22
9	I	4074	PSU	C1'-C5	2.11	1.55	1.50
9	I	526	G7M	C8-N7	2.10	1.37	1.33
9	I	3998	PSU	O2-C2	-2.09	1.18	1.23
9	I	4099	PSU	O4'-C1'	-2.08	1.41	1.43
9	I	2246	PSU	C1'-C5	2.07	1.54	1.50
9	I	3939	2MG	O6-C6	-2.06	1.18	1.23
9	I	3405	PSU	O2-C2	-2.03	1.19	1.23
9	I	2449	PSU	C1'-C5	2.02	1.54	1.50
9	I	3411	PSU	O2-C2	-2.01	1.19	1.23

All (138) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	4422	MA6	N1-C6-N6	-18.69	95.25	116.83
9	I	4423	MA6	N1-C6-N6	-18.59	95.36	116.83
9	I	3433	5MU	C5-C4-N3	12.34	126.05	115.32
9	I	2247	5MU	C5-C4-N3	12.12	125.86	115.32
9	I	3997	2MA	C1'-N9-C4	11.76	147.31	126.64
9	I	4423	MA6	C1'-N9-C4	-11.29	106.80	126.64
9	I	3433	5MU	C5-C6-N1	-10.89	111.48	123.31
9	I	4422	MA6	C1'-N9-C4	-10.86	107.56	126.64
9	I	2247	5MU	C5-C6-N1	-10.38	112.04	123.31
9	I	3524	6MZ	N3-C2-N1	-6.49	119.86	128.67
9	I	4423	MA6	N3-C2-N1	-6.35	120.05	128.67
9	I	4422	MA6	N3-C2-N1	-6.22	120.22	128.67
9	I	3112	6MZ	N3-C2-N1	-6.14	120.34	128.67
9	I	3951	PSU	C6-C5-C4	5.86	122.13	118.17
9	I	2246	PSU	N1-C2-N3	5.82	121.31	115.17
9	I	4046	OMU	C4-N3-C2	-5.79	119.42	126.61
9	I	2246	PSU	C6-C5-C4	5.65	121.99	118.17
9	I	2246	PSU	C4-N3-C2	-5.63	118.61	126.37
9	I	3951	PSU	C4-N3-C2	-5.53	118.75	126.37
9	I	3951	PSU	N1-C2-N3	5.52	120.99	115.17
9	I	3524	6MZ	C9-N6-C6	-5.52	117.73	122.85
9	I	3409	3TD	N1-C2-N3	5.41	120.07	116.13
9	I	4402	UR3	C4-N3-C2	-5.39	120.24	124.58
9	I	4099	PSU	C4-N3-C2	-5.36	118.98	126.37
9	I	2247	5MU	C4-N3-C2	-5.21	120.51	127.34
9	I	3433	5MU	C4-N3-C2	-5.18	120.54	127.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	4074	PSU	C4-N3-C2	-5.13	119.30	126.37
9	I	3998	PSU	C4-N3-C2	-5.13	119.31	126.37
9	I	2449	PSU	C4-N3-C2	-5.01	119.47	126.37
9	I	4074	PSU	N1-C2-N3	4.98	120.42	115.17
9	I	2449	PSU	N1-C2-N3	4.97	120.41	115.17
9	I	515	PSU	C4-N3-C2	-4.97	119.53	126.37
9	I	2247	5MU	O4-C4-C5	-4.94	119.26	124.92
9	I	3405	PSU	C4-N3-C2	-4.88	119.65	126.37
9	I	515	PSU	N1-C2-N3	4.88	120.31	115.17
9	I	3998	PSU	N1-C2-N3	4.86	120.29	115.17
9	I	2449	PSU	C6-C5-C4	4.80	121.42	118.17
9	I	3433	5MU	O4-C4-C5	-4.69	119.55	124.92
9	I	2247	5MU	N3-C2-N1	4.62	120.90	114.89
9	I	3997	2MA	C2-N3-C4	4.56	119.14	115.46
9	I	3405	PSU	N1-C2-N3	4.52	119.93	115.17
9	I	4099	PSU	N1-C2-N3	4.49	119.90	115.17
9	I	3939	2MG	N1-C2-N2	4.40	121.06	116.56
9	I	3411	PSU	C4-N3-C2	-4.36	120.37	126.37
9	I	3411	PSU	N1-C2-N3	4.32	119.72	115.17
9	I	3405	PSU	C6-C5-C4	4.26	121.05	118.17
9	I	3433	5MU	C5M-C5-C6	-4.22	117.14	122.85
9	I	3998	PSU	C6-C5-C4	4.20	121.01	118.17
31	g	88	D2T	CB1-SB-CB	4.19	109.90	102.36
9	I	3433	5MU	N3-C2-N1	4.19	120.34	114.89
9	I	2247	5MU	C5M-C5-C6	-4.16	117.23	122.85
9	I	3409	3TD	C4-N3-C2	-4.07	120.30	124.61
9	I	3456	5MC	C5-C6-N1	-4.05	118.92	123.31
9	I	4046	OMU	C5-C4-N3	4.01	120.42	114.80
9	I	2245	1MG	C5-C6-N1	4.01	119.76	113.96
9	I	3112	6MZ	C2-N1-C6	4.01	119.71	116.60
9	I	3563	G7M	C2-N1-C6	-3.97	117.85	125.11
9	I	3433	5MU	C5M-C5-C4	3.92	122.97	118.78
9	I	3524	6MZ	C2-N1-C6	3.76	119.52	116.60
9	I	2247	5MU	C5M-C5-C4	3.74	122.78	118.78
9	I	2245	1MG	N2-C2-N1	3.68	121.75	118.79
9	I	3939	2MG	C5-C6-N1	3.66	121.05	114.07
9	I	515	PSU	C6-C5-C4	3.65	120.64	118.17
9	I	3112	6MZ	C9-N6-C6	-3.65	119.47	122.85
9	I	4074	PSU	C6-C5-C4	3.62	120.62	118.17
9	I	965	2MG	N1-C2-N2	3.57	120.20	116.56
9	I	3411	PSU	C6-N1-C2	-3.54	119.41	122.69
9	I	4402	UR3	C5-C4-N3	3.50	119.65	115.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3329	2MG	C8-N7-C5	3.50	108.51	102.55
9	I	2449	PSU	C6-N1-C2	-3.47	119.47	122.69
9	I	3998	PSU	C6-N1-C2	-3.45	119.49	122.69
9	I	4046	OMU	N3-C2-N1	3.43	119.36	114.89
9	I	3951	PSU	C6-N1-C2	-3.42	119.52	122.69
9	I	965	2MG	C8-N7-C5	3.40	108.34	102.55
9	I	2246	PSU	C6-N1-C2	-3.40	119.53	122.69
9	I	515	PSU	C6-N1-C2	-3.40	119.54	122.69
9	I	4420	2MG	C5-C6-N1	3.35	120.46	114.07
9	I	4420	2MG	C8-N7-C5	3.35	108.25	102.55
9	I	4074	PSU	C6-N1-C2	-3.34	119.59	122.69
9	I	3329	2MG	C5-C6-N1	3.32	120.40	114.07
9	I	1206	2MG	C8-N7-C5	3.31	108.19	102.55
9	I	3745	OMG	C8-N7-C5	3.31	108.19	102.55
9	I	515	PSU	O2-C2-N1	-3.30	119.39	122.79
9	I	3329	2MG	N1-C2-N2	3.28	119.91	116.56
9	I	3745	OMG	C2-N1-C6	-3.28	119.10	125.11
9	I	966	5MC	C5-C6-N1	-3.27	119.76	123.31
31	g	88	D2T	OD2-CG-CB	3.20	120.07	113.15
9	I	1206	2MG	C5-C6-N1	3.15	120.08	114.07
9	I	3405	PSU	C6-N1-C2	-3.15	119.77	122.69
9	I	3745	OMG	C5-C6-N1	3.14	120.06	114.07
9	I	3939	2MG	O6-C6-C5	-3.08	118.21	124.32
9	I	965	2MG	C5-C6-N1	3.07	119.93	114.07
9	I	1406	5MC	C5-C6-N1	-3.07	119.98	123.31
9	I	4422	MA6	C2-N1-C6	3.07	119.84	116.84
9	I	1206	2MG	N1-C2-N2	3.07	119.69	116.56
9	I	3433	5MU	O2-C2-N1	-3.05	118.83	122.80
9	I	3997	2MA	N3-C2-N1	-3.04	120.44	125.77
9	I	4423	MA6	C2-N1-C6	3.04	119.82	116.84
9	I	3433	5MU	O4-C4-N3	-3.04	114.40	120.11
9	I	4074	PSU	O2-C2-N1	-3.03	119.66	122.79
9	I	526	G7M	C2-N1-C6	-3.02	119.59	125.11
9	I	4402	UR3	C6-N1-C2	-2.98	119.36	121.80
9	I	4046	OMU	O4-C4-C5	-2.98	120.02	125.16
9	I	3411	PSU	C6-C5-C4	2.98	120.19	118.17
9	I	2246	PSU	O2-C2-N1	-2.96	119.74	122.79
9	I	3939	2MG	C8-N7-C5	2.93	107.53	102.55
9	I	4099	PSU	C6-C5-C4	2.86	120.11	118.17
9	I	4099	PSU	C6-N1-C2	-2.85	120.05	122.69
9	I	2245	1MG	O6-C6-C5	-2.82	119.55	124.18
9	I	2247	5MU	O4-C4-N3	-2.79	114.88	120.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	3951	PSU	O2-C2-N1	-2.76	119.94	122.79
9	I	2247	5MU	O2-C2-N1	-2.74	119.23	122.80
9	I	4420	2MG	N1-C2-N2	2.73	119.35	116.56
9	I	3409	3TD	C1'-C5-C4	2.61	121.56	117.61
9	I	4099	PSU	O2-C2-N1	-2.48	120.23	122.79
9	I	3998	PSU	O2-C2-N1	-2.48	120.23	122.79
9	I	3939	2MG	CM2-N2-C2	-2.46	118.35	123.65
9	I	3112	6MZ	C6-C5-C4	2.45	120.27	117.68
9	I	3405	PSU	O2-C2-N1	-2.44	120.27	122.79
9	I	4420	2MG	O6-C6-C5	-2.41	119.54	124.32
9	I	515	PSU	O4'-C1'-C2'	2.40	108.47	105.15
9	I	2247	5MU	C6-C5-C4	2.40	120.00	118.02
9	I	3411	PSU	O4'-C1'-C2'	2.35	108.40	105.15
9	I	3329	2MG	O6-C6-C5	-2.28	119.81	124.32
9	I	3433	5MU	C6-C5-C4	2.27	119.89	118.02
9	I	2449	PSU	O2-C2-N1	-2.25	120.46	122.79
9	I	1206	2MG	O6-C6-C5	-2.24	119.89	124.32
9	I	3951	PSU	C5-C6-N1	-2.22	119.06	122.14
9	I	2246	PSU	C5-C6-N1	-2.21	119.07	122.14
9	I	2245	1MG	C8-N7-C5	2.21	106.31	102.55
9	I	3411	PSU	O2-C2-N1	-2.16	120.56	122.79
9	I	965	2MG	O6-C6-C5	-2.14	120.09	124.32
9	I	4402	UR3	C1'-N1-C2	2.12	120.52	117.04
9	I	4099	PSU	O4'-C1'-C2'	2.05	107.99	105.15
9	I	3997	2MA	CM2-C2-N1	2.05	120.19	117.13
9	I	3745	OMG	O6-C6-C5	-2.04	120.27	124.32
9	I	3951	PSU	O4'-C1'-C2'	2.01	107.93	105.15
9	I	4099	PSU	O4-C4-C5	-2.01	119.02	124.01

There are no chirality outliers.

All (79) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	U	81	4D4	O-C-CA-CB
19	U	81	4D4	N-CA-CB-CG
19	U	81	4D4	NE-CD-CG-CB
31	g	88	D2T	CA-CB-SB-CB1
31	g	88	D2T	CG-CB-SB-CB1
9	I	1401	4OC	C1'-C2'-O2'-CM2
9	I	1406	5MC	O4'-C4'-C5'-O5'
9	I	3112	6MZ	C5-C6-N6-C9
9	I	3112	6MZ	N1-C6-N6-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	I	3524	6MZ	N1-C6-N6-C9
9	I	3524	6MZ	O4'-C4'-C5'-O5'
9	I	3524	6MZ	C3'-C4'-C5'-O5'
9	I	3998	PSU	O4'-C4'-C5'-O5'
9	I	4046	OMU	O4'-C4'-C5'-O5'
9	I	4074	PSU	C2'-C1'-C5-C4
9	I	4099	PSU	C2'-C1'-C5-C4
9	I	4099	PSU	C2'-C1'-C5-C6
9	I	2246	PSU	O4'-C4'-C5'-O5'
9	I	2247	5MU	C3'-C4'-C5'-O5'
9	I	3112	6MZ	C3'-C4'-C5'-O5'
9	I	3939	2MG	O4'-C4'-C5'-O5'
9	I	3939	2MG	C3'-C4'-C5'-O5'
9	I	3951	PSU	O4'-C4'-C5'-O5'
9	I	3998	PSU	C3'-C4'-C5'-O5'
9	I	4099	PSU	C3'-C4'-C5'-O5'
9	I	4099	PSU	O4'-C4'-C5'-O5'
9	I	3112	6MZ	O4'-C4'-C5'-O5'
9	I	4402	UR3	C2'-C1'-N1-C6
9	I	1406	5MC	C3'-C4'-C5'-O5'
9	I	2247	5MU	O4'-C4'-C5'-O5'
9	I	3456	5MC	O4'-C4'-C5'-O5'
9	I	4046	OMU	C3'-C4'-C5'-O5'
9	I	4402	UR3	C2'-C1'-N1-C2
9	I	2246	PSU	C3'-C4'-C5'-O5'
9	I	3951	PSU	C3'-C4'-C5'-O5'
9	I	3992	OMC	C2'-C1'-N1-C2
9	I	526	G7M	C3'-C4'-C5'-O5'
9	I	965	2MG	O4'-C4'-C5'-O5'
9	I	2449	PSU	O4'-C4'-C5'-O5'
9	I	3997	2MA	O4'-C4'-C5'-O5'
9	I	965	2MG	C3'-C4'-C5'-O5'
9	I	3456	5MC	C3'-C4'-C5'-O5'
19	U	81	4D4	C-CA-CB-CG
9	I	3992	OMC	C2'-C1'-N1-C6
9	I	4402	UR3	O4'-C1'-N1-C2
9	I	526	G7M	O4'-C4'-C5'-O5'
9	I	4420	2MG	O4'-C4'-C5'-O5'
9	I	4422	MA6	C5-C6-N6-C9
9	I	4402	UR3	O4'-C1'-N1-C6
9	I	2245	1MG	O4'-C4'-C5'-O5'
9	I	3563	G7M	C4'-C5'-O5'-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	I	3992	OMC	C4'-C5'-O5'-P
9	I	3409	3TD	O4'-C1'-C5-C4
9	I	3411	PSU	O4'-C1'-C5-C4
9	I	4074	PSU	O4'-C1'-C5-C4
9	I	526	G7M	C4'-C5'-O5'-P
9	I	4099	PSU	C4'-C5'-O5'-P
9	I	4423	MA6	C4'-C5'-O5'-P
9	I	1206	2MG	O4'-C4'-C5'-O5'
9	I	1406	5MC	C2'-C1'-N1-C2
31	g	88	D2T	SB-CB-CG-OD2
9	I	1406	5MC	C2'-C1'-N1-C6
9	I	966	5MC	C4'-C5'-O5'-P
9	I	2245	1MG	C3'-C4'-C5'-O5'
9	I	3997	2MA	C3'-C4'-C5'-O5'
9	I	2449	PSU	C3'-C4'-C5'-O5'
9	I	4046	OMU	C2'-C1'-N1-C6
9	I	3992	OMC	O4'-C4'-C5'-O5'
9	I	3456	5MC	C2'-C1'-N1-C6
9	I	4046	OMU	C2'-C1'-N1-C2
9	I	2246	PSU	C2'-C1'-C5-C6
9	I	3329	2MG	O4'-C4'-C5'-O5'
9	I	4422	MA6	C3'-C4'-C5'-O5'
9	I	3456	5MC	O4'-C1'-N1-C6
9	I	4422	MA6	O4'-C4'-C5'-O5'
9	I	3524	6MZ	C5-C6-N6-C9
9	I	3433	5MU	C2'-C1'-N1-C2
9	I	4422	MA6	N1-C6-N6-C10
19	U	81	4D4	C-CA-CB-OB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
9	I	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	I	1500:U	O3'	1501:G	P	17.28
1	I	2385:C	O3'	2386:A	P	15.64


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26666. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 259




Y Index: 249




Z Index: 239


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2909 nm³; this corresponds to an approximate mass of 2628 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.239 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.239 \AA^{-1}

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.18	-	-
Author-provided FSC curve	2.93	3.17	2.96
Unmasked-calculated*	5.24	7.85	5.47


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 2.93 differs from the reported value 4.18 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.24 differs from the reported value 4.18 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26666 and PDB model 7UPH. Per-residue inclusion information can be found in section 3 on page 13.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 84% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8770	 0.2400
A	 0.7610	 0.0710
B	 0.4930	 0.1220
C	 0.7030	 0.1010
D	 0.4990	 0.1100
E	 0.5420	 0.1030
F	 0.2240	 0.0820
G	 0.2720	 0.0490
H	 0.2070	 0.0660
I	 0.9290	 0.2690
J	 0.9840	 0.1870
K	 0.9670	 0.2620
L	 0.9720	 0.2320
M	 0.9860	 0.2770
N	 0.9030	 0.1100
O	 0.9240	 0.1440
R	 0.9800	 0.2660
S	 0.9100	 0.1770
T	 0.9770	 0.2820
U	 0.9750	 0.2430
V	 0.9650	 0.2620
W	 0.1530	 0.0940
X	 0.4000	 0.0950
Y	 0.4910	 0.0880
Z	 0.7220	 0.1790
a	 0.3730	 0.1020
b	 0.3680	 0.1200
c	 0.6360	 0.1640
d	 0.7370	 0.0920
e	 0.4960	 0.1210
f	 0.4700	 0.0950
g	 0.7480	 0.2300
h	 0.5410	 0.1190
i	 0.9860	 0.3590
j	 0.8650	 0.1050



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.9920	 0.4020
l	 0.9880	 0.3730
m	 0.9110	 0.1150
n	 0.9290	 0.1460
o	 0.8480	 0.1160
p	 0.9780	 0.2860
q	 0.9770	 0.2520
r	 0.9900	 0.3640
s	 0.9500	 0.2180
t	 0.9600	 0.1780
u	 0.9380	 0.1380
v	 0.9300	 0.1640
w	 0.9770	 0.2910
x	 0.9960	 0.2010
y	 0.9950	 0.2680