



Full wwPDB EM Validation Report ⓘ

Jan 29, 2025 – 10:33 pm GMT

PDB ID : 7ZS5
EMDB ID : EMD-14926
Title : Structure of 60S ribosomal subunit from *S. cerevisiae* with eIF6 and tRNA
Authors : Best, K.M.; Ikeuchi, K.; Kater, L.; Best, D.M.; Musial, J.; Matsuo, Y.; Berninghausen, O.; Becker, T.; Inada, T.; Beckmann, R.
Deposited on : 2022-05-06
Resolution : 3.20 Å (reported)
Based on initial models : 1G62, 6SNT, 6HD7

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	3396	
2	3	121	
3	4	158	
4	A	224	
5	2	76	
6	BA	105	
7	BB	91	
8	BC	252	














Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	BD	386	
10	BE	361	
11	BF	296	
12	BG	176	
13	BH	222	
14	BI	233	
15	BJ	191	
16	BL	169	
17	BM	193	
18	BN	136	
19	BO	203	
20	BP	197	
21	BQ	183	
22	BR	185	
23	BS	160	
24	BT	172	
25	BU	159	
26	BV	100	
27	BW	136	
28	BX	69	
29	BY	121	
30	BZ	127	
31	Ba	135	
32	Bb	148	
33	Bc	58	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Bd	97	 100%
35	Be	109	 100%
36	Bf	127	 100%
37	Bg	106	 100%
38	Bh	112	 5% 99%
39	Bi	119	 100%
40	Bj	99	 99%
41	Bk	87	 100%
42	Bl	77	 99%
43	Bm	50	 98%
44	Bn	52	 100%
45	BK	220	 100%
46	B	23	 22% 100%

2 Entry composition

There are 47 unique types of molecules in this entry. The entry contains 127849 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	3248	Total	C	N	O	P	0	0
			69452	31022	12494	22688	3248		

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	3	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 3 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 4 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	224	Total	C	N	O	S	0	0
			1633	1019	279	328	7		

- Molecule 5 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	2	76	Total	C	N	O	P	0	0
			1619	722	288	533	76		

- Molecule 6 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	BA	105	Total	C	N	O	S	0	0
			847	534	170	138	5		

- Molecule 7 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	BB	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 8 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	BC	252	Total	C	N	O	S	0	0
			1914	1191	388	334	1		

- Molecule 9 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	BD	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 10 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	BE	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 11 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	BF	296	Total	C	N	O	S	0	0
			2375	1501	414	458	2		

- Molecule 12 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	BG	156	Total	C	N	O	S	0	0
			1239	800	222	216	1		

- Molecule 13 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	BH	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 14 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	BI	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 15 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	BJ	191	Total	C	N	O	S	0	0
			1518	963	274	277	4		

- Molecule 16 is a protein called 60S ribosomal protein L11-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	BL	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		

- Molecule 17 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	BM	193	Total	C	N	O		0	0
			1543	962	315	266			

- Molecule 18 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	BN	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 19 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	BO	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 20 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	BP	197	Total	C	N	O	S	0	0
			1555	1003	289	262	1		

- Molecule 21 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	BQ	183	Total	C	N	O	0	0
			1420	882	281	257		

- Molecule 22 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BR	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 23 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	BS	160	Total	C	N	O	0	0
			1286	797	269	220		

- Molecule 24 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BT	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		

- Molecule 25 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BU	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 26 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	BV	100	Total	C	N	O	0	0
			796	516	131	149		

- Molecule 27 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BW	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 28 is a protein called 60S ribosomal protein L24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BX	69	Total	C	N	O	S	0	0
			553	355	108	89	1		

- Molecule 29 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BY	121	Total	C	N	O	S	0	0
			964	620	169	173	2		

- Molecule 30 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BZ	120	Total	C	N	O		0	0
			939	591	179	169			

- Molecule 31 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Ba	135	Total	C	N	O		0	0
			1092	710	202	180			

- Molecule 32 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Bb	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 33 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Bc	58	Total	C	N	O		0	0
			462	289	100	73			

- Molecule 34 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Bd	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 35 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Be	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 36 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Bf	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 37 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Bg	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 38 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Bh	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 39 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Bi	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 40 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Bj	99	Total	C	N	O	S	0	0
			771	481	156	132	2		

- Molecule 41 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Bk	87	Total	C	N	O	S	0	0
			681	414	148	114	5		

- Molecule 42 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	Bl	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 43 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Bm	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 44 is a protein called 60S ribosomal protein L40-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Bn	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 45 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BK	220	Total	C	N	O	S	0	0
			1770	1121	335	307	7		

- Molecule 46 is a protein called Unknown chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	B	23	Total	C	N	O	0	0
			115	69	23	23		


- Molecule 47 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
47	2	1	Total	Mg	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 25S ribosomal RNA



A3048	A3049	U3056	U3057	U3058	G3059	U3078	U3079	G3080	A3086	C3092	A3113	C3117	U3121	A3122	A3130	U3131	A3141	A3142	C3143	G3144	U3151	U3152	C3153	C3154	U3155	U3156	U3157	G3158	A3170	U3171	A3172	G3173	A3174	U3175	G3176	U3179	A3180	C3181	G3182	U3185	A3186	A3187	U3195	U3196	G3197					
U2846	A2847	C2867	G2871	A2872	U2873	G2874	U2888	C2889	G2898	C2899	A2911	G2912	U2923	U2935	A2936	G2937	G2938	A2941	C2942	C2943	G2947	U2954	U2955	C2966	A2971	G2972	U2978	U2979	C2983	C2984	G2987	A3012	A3021	G3022	U3023	G3026	A3027	G3028	A3029	G3030	U3047									
A2679	A2680	U2681	G2689	G2690	A2691	A2694	A2702	A2703	C2707	C2708	C2709	C2710	C2711	U2712	U2713	A2727	G2728	U2729	C2737	U2752	G2753	G2754	C2755	A2758	C2772	C2773	G2777	G2778	A2779	C2797	G2800	A2801	A2802	A2803	C2810	G2814	G2815	G2816	A2817	U2818	U2842	U2843	C2844	A2845						
U2544	A2547	C2548	G2549	U2550	U2551	C2552	G2555	U2558	U2559	C2560	C2568	U2571	C2572	C2582	G2585	A2593	C2600	G2606	G2607	G2618	G2619	G2620	G2621	C2625	A2626	A2635	A2636	U2637	C2638	U2652	C2653	U2654	U2655	A2656	A2657	C2666	G2672	A2673	A2674	A2678										
U	U	C	G	C	C	C	A	U	U	A	A	U	U	A	C	A	C	U2501	A2502	G2503	U2504	U2505	U2506	C2507	A2511	C2512	U2513	U2514	A2515	G2522	A2523	A2524	G2525	C2526	G2530	C2531	U2532	U2533	U2537	U2538	C2539	A2540	U2541	U2542	U2543					
U2336	U2340	C2374	C2375	C2376	C2378	A2386	A2387	U2388	A2397	A2402	G2403	A2404	U2411	G2418	A2419	U2434	G2435	U2436	G2437	A2438	A2439	G2440	A2441	U2442	U2446	A2447	G2448	A2449	G2452	U	G	U	U	A	A	U	A	A	U	G	G	A	C							
C2179	U2186	G2187	A2188	C2197	A2198	U2205	A2208	U2209	G2210	A2243	A2244	C2248	G2249	G2250	A2252	A2256	C2257	U2258	A2259	U2260	U2269	A2270	A2271	G2272	A2280	A2281	U2282	C2287	U2297	U2298	A2299	C2306	G2307	C2308	A2309	U2310	A2313	U2314	G2315	U2318	U2319	U2334	G2335							
G	G	G	C	U	U	U	C	C	C	A	G	C	C	C	U	C	U	U	U	C	C	C	C	U	U2040	U2041	G2042	U2043	U2044	G2045	U2046	A2047	G2048	A2049	C2050	C2054	U2055	U2056	G2057	G2058	U2059	A	G	G	U	U	C	C	U	U
A1913	G1914	C1926	U1931	A1932	G1952	G1953	G1954	U1955	A1956	G1959	A1960	G1961	G1962	G1963	C1964	C1965	U1966	U1967	G1968	G1969	A1972	A1973	A1974	C1975	G1976	C1977	A	G	C	G	C	C	C	C	C1866	A1867	G1878	U1879	U1880	U1885	A1886	A1893	G1902	G1906	C1907	A1908	A1909	C		
C1773	G1774	G1775	G1780	C1793	G1794	U1795	G1796	A1797	A1798	A1813	A1814	U1815	A1816	G1817	U1818	U1819	U1820	U1821	C1822	A1835	U1839	U1840	A1841	A1842	C1843	U1715	U1716	U1717	G1718	G1719	U1724	G1730	U1731	U1739	U1740	A1741	A1749	A1750	G1751	A1752	A1760	C1761	C1762	U1763	U1764	U1765	G1769	C		
G1408	A1418	A1419	C1432	A1433	A1434	U1435	U1436	C1437	A1446	G1447	U1448	U1620	A1621	A1629	U1630	A1643	C1644	U1645	U1688	U1695	A1696	C1696	A1697	A1503	U1512	U1523	C1527	U1554	U1555	C1556	A1557	A1558	A1559	G1560	G1561	C1562	C1563	U1567	U1568	U1569	U1570	U1571	U1572	C1578						



• Molecule 2: 5S ribosomal RNA




• Molecule 3: 5.8S ribosomal RNA



• Molecule 4: Eukaryotic translation initiation factor 6



• Molecule 5: tRNA




• Molecule 6: 60S ribosomal protein L42-A




• Molecule 7: 60S ribosomal protein L43-A




- Molecule 8: 60S ribosomal protein L2-A




- Molecule 9: 60S ribosomal protein L3




- Molecule 10: 60S ribosomal protein L4-A




- Molecule 11: 60S ribosomal protein L5



- Molecule 12: 60S ribosomal protein L6-A




- Molecule 13: 60S ribosomal protein L7-A




- Molecule 14: 60S ribosomal protein L8-A






- Molecule 15: 60S ribosomal protein L9-A

Chain BJ:  100%



- Molecule 16: 60S ribosomal protein L11-B

Chain BL:  98%




- Molecule 17: 60S ribosomal protein L13-A

Chain BM:  98%



- Molecule 18: 60S ribosomal protein L14-A

Chain BN:  99%




- Molecule 19: 60S ribosomal protein L15-A

Chain BO:  100%



- Molecule 20: 60S ribosomal protein L16-A

Chain BP:  99%




- Molecule 21: 60S ribosomal protein L17-A

Chain BQ:  99%




- Molecule 22: 60S ribosomal protein L18-A

Chain BR:  100%




- Molecule 23: 60S ribosomal protein L19-A

Chain BS:  99%



- Molecule 24: 60S ribosomal protein L20-A

Chain BT:  100%




- Molecule 25: 60S ribosomal protein L21-A

Chain BU:  99%



- Molecule 26: 60S ribosomal protein L22-A

Chain BV:  99%



- Molecule 27: 60S ribosomal protein L23-A

Chain BW:  99%



- Molecule 28: 60S ribosomal protein L24-A

Chain BX:  10% 100%




- Molecule 29: 60S ribosomal protein L25

Chain BY:  100%

There are no outlier residues recorded for this chain.


- Molecule 30: 60S ribosomal protein L26-A

Chain BZ:  94% 6%



- Molecule 31: 60S ribosomal protein L27-A

Chain Ba:  99%



- Molecule 32: 60S ribosomal protein L28

Chain Bb:  99%




- Molecule 33: 60S ribosomal protein L29

Chain Bc:  97%




- Molecule 34: 60S ribosomal protein L30

Chain Bd:  100%




- Molecule 35: 60S ribosomal protein L31-A

Chain Be:  100%



- Molecule 36: 60S ribosomal protein L32

Chain Bf:  100%




- Molecule 37: 60S ribosomal protein L33-A

Chain Bg:  100%

There are no outlier residues recorded for this chain.

- Molecule 38: 60S ribosomal protein L34-A

Chain Bh:  99%



- Molecule 39: 60S ribosomal protein L35-A

Chain Bi:  100%



- Molecule 40: 60S ribosomal protein L36-A

Chain Bj:  99%




- Molecule 41: 60S ribosomal protein L37-A

Chain Bk:  100%



- Molecule 42: 60S ribosomal protein L38

Chain Bl:  99%



- Molecule 43: 60S ribosomal protein L39

Chain Bm:  98%




- Molecule 44: 60S ribosomal protein L40-A

Chain Bn:  100%




- Molecule 45: 60S ribosomal protein L10

Chain BK:  100%



- Molecule 46: Unknown chain

Chain B:  22%
Chain B:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	25072	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	43.6	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	3.151	Depositor
Minimum map value	-1.485	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.070	Depositor
Recommended contour level	0.3	Depositor
Map size (Å)	585.19995, 585.19995, 585.19995	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.045, 1.045, 1.045	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.20	0/77733	0.79	25/121186 (0.0%)
2	3	0.18	0/2883	0.77	2/4491 (0.0%)
3	4	0.23	1/3746 (0.0%)	0.77	2/5832 (0.0%)
4	A	0.25	0/1653	0.56	1/2255 (0.0%)
5	2	0.19	0/1808	0.83	1/2816 (0.0%)
6	BA	0.26	0/860	0.55	0/1136
7	BB	0.24	0/701	0.59	0/934
8	BC	0.25	0/1948	0.55	0/2617
9	BD	0.24	0/3146	0.52	0/4228
10	BE	0.24	0/2800	0.52	0/3790
11	BF	0.24	0/2425	0.51	0/3271
12	BG	0.25	0/1260	0.50	0/1694
13	BH	0.25	0/1821	0.51	0/2451
14	BI	0.25	0/1836	0.50	0/2481
15	BJ	0.25	0/1539	0.52	0/2073
16	BL	0.27	0/1374	0.60	0/1842
17	BM	0.25	0/1568	0.57	0/2106
18	BN	0.24	0/1068	0.53	0/1438
19	BO	0.23	0/1757	0.57	0/2354
20	BP	0.25	0/1585	0.50	0/2128
21	BQ	0.25	0/1443	0.58	0/1944
22	BR	0.24	0/1465	0.55	0/1965
23	BS	0.24	0/1303	0.54	0/1740
24	BT	0.25	0/1481	0.54	0/1990
25	BU	0.24	0/1300	0.53	0/1743
26	BV	0.25	0/812	0.50	0/1099
27	BW	0.28	0/1018	0.57	0/1369
28	BX	0.27	0/565	0.58	0/752
29	BY	0.25	0/979	0.52	0/1321
30	BZ	0.24	0/949	0.55	0/1266
31	Ba	0.25	0/1118	0.49	0/1497
32	Bb	0.25	0/1204	0.58	0/1612

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Bc	0.26	0/473	0.56	0/629
34	Bd	0.27	0/751	0.50	0/1008
35	Be	0.24	0/890	0.54	0/1196
36	Bf	0.24	0/1041	0.53	0/1394
37	Bg	0.25	0/868	0.54	0/1168
38	Bh	0.24	0/890	0.55	0/1189
39	Bi	0.24	0/978	0.53	0/1301
40	Bj	0.24	0/778	0.56	0/1034
41	Bk	0.24	0/696	0.57	0/923
42	Bl	0.25	0/618	0.57	0/826
43	Bm	0.30	0/443	0.61	0/588
44	Bn	0.27	0/423	0.63	0/562
45	BK	0.25	0/1807	0.55	0/2425
All	All	0.22	1/137804 (0.0%)	0.71	31/203664 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	4	75	G	N7-C5	-6.73	1.35	1.39

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	213	PRO	CA-N-CD	-7.86	100.49	111.50
5	2	12	C	N3-C2-O2	-7.08	116.94	121.90
1	1	2708	C	N3-C2-O2	-6.72	117.19	121.90
1	1	2446	U	C2-N1-C1'	6.65	125.68	117.70
1	1	2507	C	C2-N1-C1'	6.45	125.89	118.80
1	1	2621	G	N1-C6-O6	-6.33	116.11	119.90
1	1	3217	C	C2-N1-C1'	6.23	125.65	118.80
1	1	3217	C	N1-C2-O2	6.09	122.56	118.90
1	1	2269	U	C3'-C2'-C1'	-6.05	96.66	101.50
2	3	28	C	N3-C2-O2	-6.02	117.69	121.90
1	1	3214	U	C2-N1-C1'	5.92	124.80	117.70
2	3	28	C	N1-C2-O2	5.91	122.45	118.90
1	1	2621	G	C5-C6-O6	5.83	132.10	128.60
1	1	3212	C	N1-C2-O2	5.75	122.35	118.90
1	1	2707	C	C2-N1-C1'	5.70	125.07	118.80
1	1	1579	C	N3-C2-O2	-5.69	117.92	121.90
1	1	2707	C	N1-C2-O2	5.67	122.30	118.90
1	1	2269	U	N1-C1'-C2'	-5.56	105.89	112.00
1	1	3212	C	N3-C2-O2	-5.53	118.03	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1496	C	C2-N1-C1'	5.48	124.83	118.80
1	1	3367	C	N3-C2-O2	-5.45	118.09	121.90
3	4	75	G	C8-N9-C4	-5.36	104.26	106.40
3	4	75	G	N1-C6-O6	-5.35	116.69	119.90
1	1	3047	U	N3-C2-O2	-5.35	118.45	122.20
1	1	2666	C	C2-N1-C1'	5.28	124.61	118.80
1	1	3214	U	N1-C2-O2	5.28	126.50	122.80
1	1	2446	U	C6-N1-C1'	-5.28	113.81	121.20
1	1	2708	C	C6-N1-C2	-5.27	118.19	120.30
1	1	1579	C	N1-C2-O2	5.22	122.03	118.90
1	1	2177	G	P-O3'-C3'	5.07	125.79	119.70
1	1	3214	U	N3-C2-O2	-5.00	118.70	122.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	222/224 (99%)	218 (98%)	4 (2%)	0	100	100
6	BA	103/105 (98%)	101 (98%)	2 (2%)	0	100	100
7	BB	89/91 (98%)	87 (98%)	2 (2%)	0	100	100
8	BC	250/252 (99%)	247 (99%)	3 (1%)	0	100	100
9	BD	384/386 (100%)	375 (98%)	6 (2%)	3 (1%)	16	51
10	BE	359/361 (99%)	343 (96%)	14 (4%)	2 (1%)	22	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	BF	294/296 (99%)	288 (98%)	4 (1%)	2 (1%)	19	54
12	BG	152/176 (86%)	151 (99%)	1 (1%)	0	100	100
13	BH	220/222 (99%)	213 (97%)	5 (2%)	2 (1%)	14	49
14	BI	231/233 (99%)	225 (97%)	4 (2%)	2 (1%)	14	49
15	BJ	189/191 (99%)	186 (98%)	3 (2%)	0	100	100
16	BL	167/169 (99%)	154 (92%)	12 (7%)	1 (1%)	22	57
17	BM	191/193 (99%)	179 (94%)	9 (5%)	3 (2%)	8	37
18	BN	134/136 (98%)	130 (97%)	3 (2%)	1 (1%)	19	54
19	BO	201/203 (99%)	198 (98%)	3 (2%)	0	100	100
20	BP	195/197 (99%)	191 (98%)	4 (2%)	0	100	100
21	BQ	181/183 (99%)	175 (97%)	6 (3%)	0	100	100
22	BR	183/185 (99%)	178 (97%)	5 (3%)	0	100	100
23	BS	158/160 (99%)	155 (98%)	3 (2%)	0	100	100
24	BT	170/172 (99%)	163 (96%)	7 (4%)	0	100	100
25	BU	157/159 (99%)	150 (96%)	6 (4%)	1 (1%)	22	57
26	BV	98/100 (98%)	92 (94%)	5 (5%)	1 (1%)	13	47
27	BW	134/136 (98%)	132 (98%)	2 (2%)	0	100	100
28	BX	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
29	BY	119/121 (98%)	118 (99%)	1 (1%)	0	100	100
30	BZ	116/127 (91%)	113 (97%)	3 (3%)	0	100	100
31	Ba	133/135 (98%)	128 (96%)	4 (3%)	1 (1%)	16	51
32	Bb	146/148 (99%)	140 (96%)	5 (3%)	1 (1%)	19	54
33	Bc	56/58 (97%)	55 (98%)	0	1 (2%)	7	35
34	Bd	95/97 (98%)	95 (100%)	0	0	100	100
35	Be	107/109 (98%)	103 (96%)	4 (4%)	0	100	100
36	Bf	125/127 (98%)	122 (98%)	3 (2%)	0	100	100
37	Bg	104/106 (98%)	101 (97%)	3 (3%)	0	100	100
38	Bh	110/112 (98%)	108 (98%)	1 (1%)	1 (1%)	14	49
39	Bi	117/119 (98%)	114 (97%)	3 (3%)	0	100	100
40	Bj	97/99 (98%)	91 (94%)	5 (5%)	1 (1%)	13	47
41	Bk	85/87 (98%)	85 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	Bl	75/77 (97%)	73 (97%)	2 (3%)	0	100	100
43	Bm	48/50 (96%)	47 (98%)	0	1 (2%)	5	31
44	Bn	50/52 (96%)	50 (100%)	0	0	100	100
45	BK	218/220 (99%)	209 (96%)	9 (4%)	0	100	100
All	All	6330/6443 (98%)	6148 (97%)	158 (2%)	24 (0%)	32	64

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
11	BF	259	LYS
17	BM	28	GLN
17	BM	166	ALA
31	Ba	102	GLU
38	Bh	82	ALA
16	BL	114	ILE
25	BU	124	VAL
14	BI	157	VAL
43	Bm	3	ALA
9	BD	5	LYS
9	BD	187	SER
10	BE	338	LYS
9	BD	317	ILE
10	BE	131	VAL
18	BN	6	ILE
26	BV	11	ILE
33	Bc	21	ILE
11	BF	125	VAL
32	Bb	78	LEU
40	Bj	3	VAL
17	BM	47	ALA
13	BH	178	ILE
13	BH	191	VAL
14	BI	36	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	177/192 (92%)	175 (99%)	2 (1%)	70	86
6	BA	90/90 (100%)	90 (100%)	0	100	100
7	BB	71/71 (100%)	71 (100%)	0	100	100
8	BC	193/194 (100%)	192 (100%)	1 (0%)	86	93
9	BD	320/322 (99%)	319 (100%)	1 (0%)	91	96
10	BE	288/288 (100%)	287 (100%)	1 (0%)	91	96
11	BF	244/244 (100%)	243 (100%)	1 (0%)	89	94
12	BG	134/153 (88%)	134 (100%)	0	100	100
13	BH	186/186 (100%)	185 (100%)	1 (0%)	86	93
14	BI	187/191 (98%)	186 (100%)	1 (0%)	86	93
15	BJ	171/171 (100%)	171 (100%)	0	100	100
16	BL	147/147 (100%)	145 (99%)	2 (1%)	62	82
17	BM	154/154 (100%)	153 (99%)	1 (1%)	84	92
18	BN	107/107 (100%)	107 (100%)	0	100	100
19	BO	175/175 (100%)	174 (99%)	1 (1%)	84	92
20	BP	160/160 (100%)	159 (99%)	1 (1%)	84	92
21	BQ	140/145 (97%)	139 (99%)	1 (1%)	81	92
22	BR	150/150 (100%)	150 (100%)	0	100	100
23	BS	131/131 (100%)	129 (98%)	2 (2%)	60	81
24	BT	156/156 (100%)	156 (100%)	0	100	100
25	BU	136/136 (100%)	136 (100%)	0	100	100
26	BV	87/87 (100%)	87 (100%)	0	100	100
27	BW	104/104 (100%)	103 (99%)	1 (1%)	73	87
28	BX	56/60 (93%)	56 (100%)	0	100	100
29	BY	104/105 (99%)	104 (100%)	0	100	100
30	BZ	103/110 (94%)	103 (100%)	0	100	100
31	Ba	115/115 (100%)	114 (99%)	1 (1%)	75	89
32	Bb	118/118 (100%)	118 (100%)	0	100	100
33	Bc	46/46 (100%)	45 (98%)	1 (2%)	47	73
34	Bd	81/81 (100%)	81 (100%)	0	100	100
35	Be	92/96 (96%)	92 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	Bf	109/109 (100%)	109 (100%)	0	100	100
37	Bg	90/90 (100%)	90 (100%)	0	100	100
38	Bh	95/95 (100%)	95 (100%)	0	100	100
39	Bi	104/104 (100%)	104 (100%)	0	100	100
40	Bj	81/81 (100%)	81 (100%)	0	100	100
41	Bk	70/70 (100%)	70 (100%)	0	100	100
42	Bl	68/68 (100%)	67 (98%)	1 (2%)	60	81
43	Bm	45/45 (100%)	45 (100%)	0	100	100
44	Bn	47/47 (100%)	47 (100%)	0	100	100
45	BK	184/186 (99%)	184 (100%)	0	100	100
All	All	5316/5380 (99%)	5296 (100%)	20 (0%)	88	94

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	68	ARG
4	A	123	ARG
8	BC	147	ARG
9	BD	167	ARG
10	BE	350	LYS
11	BF	279	LYS
13	BH	175	LYS
14	BI	231	LYS
16	BL	13	LYS
16	BL	142	LYS
17	BM	104	ARG
19	BO	195	ASN
20	BP	177	LYS
21	BQ	97	ASN
23	BS	114	LYS
23	BS	130	ASN
27	BW	66	LYS
31	Ba	84	ARG
33	Bc	25	LYS
42	Bl	9	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
8	BC	132	ASN
10	BE	221	ASN
15	BJ	5	GLN
15	BJ	59	ASN
16	BL	62	ASN
17	BM	19	GLN
18	BN	41	GLN
24	BT	46	GLN
27	BW	47	ASN
28	BX	32	GLN
28	BX	33	ASN
44	Bn	119	ASN
45	BK	208	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	3243/3396 (95%)	755 (23%)	79 (2%)
2	3	120/121 (99%)	27 (22%)	3 (2%)
3	4	157/158 (99%)	34 (21%)	3 (1%)
5	2	75/76 (98%)	16 (21%)	0
All	All	3595/3751 (95%)	832 (23%)	85 (2%)

All (832) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	12	A
1	1	13	A
1	1	15	C
1	1	22	G
1	1	26	A
1	1	27	C
1	1	30	G
1	1	40	A
1	1	41	G
1	1	43	A
1	1	44	U
1	1	49	A
1	1	59	G
1	1	60	A
1	1	65	A
1	1	66	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	77	A
1	1	86	G
1	1	87	U
1	1	92	G
1	1	109	A
1	1	111	C
1	1	116	A
1	1	117	U
1	1	118	U
1	1	119	U
1	1	123	A
1	1	134	U
1	1	136	G
1	1	146	U
1	1	147	U
1	1	148	G
1	1	150	A
1	1	155	G
1	1	156	G
1	1	157	A
1	1	166	C
1	1	167	U
1	1	182	U
1	1	187	A
1	1	188	U
1	1	189	G
1	1	190	U
1	1	191	U
1	1	192	C
1	1	200	C
1	1	210	U
1	1	212	G
1	1	213	A
1	1	218	G
1	1	219	A
1	1	220	G
1	1	221	A
1	1	227	G
1	1	234	G
1	1	240	U
1	1	241	G
1	1	245	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	253	A
1	1	269	G
1	1	270	U
1	1	281	G
1	1	283	G
1	1	286	U
1	1	295	A
1	1	297	G
1	1	298	U
1	1	304	G
1	1	305	U
1	1	315	C
1	1	317	A
1	1	323	A
1	1	329	U
1	1	330	G
1	1	342	A
1	1	343	U
1	1	344	A
1	1	350	C
1	1	351	A
1	1	353	G
1	1	354	U
1	1	375	A
1	1	376	G
1	1	395	A
1	1	398	A
1	1	399	A
1	1	401	U
1	1	403	C
1	1	406	G
1	1	421	G
1	1	422	A
1	1	427	C
1	1	438	A
1	1	439	C
1	1	440	A
1	1	441	U
1	1	479	U
1	1	480	C
1	1	481	U
1	1	482	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	488	U
1	1	489	C
1	1	494	G
1	1	517	G
1	1	520	U
1	1	521	A
1	1	535	G
1	1	542	G
1	1	543	C
1	1	544	C
1	1	546	C
1	1	547	G
1	1	548	G
1	1	555	U
1	1	556	U
1	1	558	U
1	1	559	A
1	1	569	A
1	1	578	A
1	1	579	G
1	1	589	A
1	1	592	A
1	1	597	G
1	1	603	A
1	1	608	A
1	1	609	G
1	1	611	A
1	1	617	G
1	1	620	U
1	1	621	A
1	1	622	A
1	1	636	C
1	1	637	C
1	1	641	C
1	1	646	A
1	1	649	A
1	1	660	A
1	1	661	G
1	1	662	U
1	1	677	A
1	1	678	G
1	1	681	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	690	A
1	1	691	A
1	1	705	A
1	1	712	G
1	1	715	A
1	1	716	A
1	1	719	U
1	1	720	A
1	1	742	G
1	1	760	G
1	1	764	U
1	1	765	C
1	1	766	U
1	1	767	U
1	1	768	C
1	1	770	G
1	1	776	U
1	1	777	U
1	1	781	G
1	1	784	A
1	1	787	G
1	1	799	G
1	1	801	A
1	1	806	A
1	1	817	A
1	1	826	G
1	1	830	A
1	1	849	C
1	1	851	C
1	1	859	G
1	1	860	G
1	1	861	C
1	1	871	U
1	1	874	U
1	1	879	U
1	1	881	C
1	1	885	U
1	1	896	A
1	1	897	U
1	1	907	G
1	1	908	G
1	1	914	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	915	A
1	1	916	G
1	1	917	A
1	1	922	U
1	1	925	A
1	1	937	G
1	1	944	C
1	1	959	C
1	1	960	U
1	1	962	A
1	1	963	G
1	1	974	G
1	1	979	U
1	1	982	C
1	1	984	G
1	1	994	G
1	1	1001	G
1	1	1006	A
1	1	1013	G
1	1	1015	U
1	1	1016	C
1	1	1017	C
1	1	1018	G
1	1	1020	G
1	1	1025	A
1	1	1026	A
1	1	1029	G
1	1	1041	U
1	1	1047	A
1	1	1049	C
1	1	1065	A
1	1	1066	G
1	1	1081	U
1	1	1082	U
1	1	1087	G
1	1	1098	A
1	1	1103	A
1	1	1104	G
1	1	1116	G
1	1	1117	G
1	1	1131	G
1	1	1132	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1143	A
1	1	1144	U
1	1	1145	G
1	1	1152	G
1	1	1153	A
1	1	1155	C
1	1	1159	A
1	1	1177	G
1	1	1180	A
1	1	1181	U
1	1	1182	A
1	1	1186	G
1	1	1191	U
1	1	1192	C
1	1	1193	A
1	1	1201	C
1	1	1209	G
1	1	1220	U
1	1	1227	C
1	1	1232	C
1	1	1235	U
1	1	1236	G
1	1	1237	G
1	1	1238	C
1	1	1240	A
1	1	1243	G
1	1	1245	A
1	1	1246	G
1	1	1248	C
1	1	1249	G
1	1	1251	A
1	1	1253	U
1	1	1254	C
1	1	1258	U
1	1	1260	A
1	1	1262	G
1	1	1263	A
1	1	1265	U
1	1	1266	G
1	1	1270	A
1	1	1271	A
1	1	1272	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1274	A
1	1	1277	C
1	1	1282	G
1	1	1286	A
1	1	1287	A
1	1	1303	A
1	1	1306	G
1	1	1307	G
1	1	1308	A
1	1	1313	G
1	1	1315	U
1	1	1316	C
1	1	1317	A
1	1	1323	G
1	1	1325	U
1	1	1330	A
1	1	1331	U
1	1	1348	U
1	1	1349	G
1	1	1351	U
1	1	1352	A
1	1	1354	G
1	1	1356	U
1	1	1380	G
1	1	1386	A
1	1	1387	G
1	1	1391	C
1	1	1392	G
1	1	1399	A
1	1	1400	G
1	1	1408	G
1	1	1418	A
1	1	1419	A
1	1	1432	C
1	1	1434	G
1	1	1435	A
1	1	1437	C
1	1	1446	A
1	1	1447	G
1	1	1448	U
1	1	1456	A
1	1	1467	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1470	U
1	1	1475	A
1	1	1482	A
1	1	1483	G
1	1	1485	G
1	1	1503	A
1	1	1508	C
1	1	1512	U
1	1	1523	U
1	1	1527	C
1	1	1554	U
1	1	1556	C
1	1	1557	A
1	1	1558	A
1	1	1559	A
1	1	1560	G
1	1	1561	G
1	1	1563	C
1	1	1567	U
1	1	1568	U
1	1	1569	U
1	1	1570	U
1	1	1571	A
1	1	1572	U
1	1	1578	C
1	1	1580	A
1	1	1581	C
1	1	1582	C
1	1	1583	A
1	1	1588	A
1	1	1589	A
1	1	1595	U
1	1	1602	A
1	1	1605	A
1	1	1620	U
1	1	1621	A
1	1	1629	U
1	1	1630	U
1	1	1643	A
1	1	1645	U
1	1	1688	U
1	1	1696	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1715	A
1	1	1717	U
1	1	1719	G
1	1	1724	U
1	1	1731	A
1	1	1739	U
1	1	1741	A
1	1	1749	A
1	1	1750	A
1	1	1751	G
1	1	1752	A
1	1	1760	A
1	1	1761	C
1	1	1762	C
1	1	1763	U
1	1	1765	U
1	1	1769	G
1	1	1770	G
1	1	1773	C
1	1	1775	G
1	1	1780	G
1	1	1794	G
1	1	1795	U
1	1	1796	G
1	1	1797	A
1	1	1798	A
1	1	1813	A
1	1	1814	A
1	1	1815	U
1	1	1816	A
1	1	1817	G
1	1	1819	U
1	1	1820	U
1	1	1821	U
1	1	1822	C
1	1	1835	A
1	1	1839	A
1	1	1840	U
1	1	1841	A
1	1	1843	C
1	1	1846	C
1	1	1847	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1848	G
1	1	1849	C
1	1	1850	A
1	1	1851	G
1	1	1858	A
1	1	1866	C
1	1	1867	A
1	1	1878	G
1	1	1879	A
1	1	1880	U
1	1	1885	U
1	1	1886	A
1	1	1893	A
1	1	1902	G
1	1	1906	G
1	1	1907	C
1	1	1909	A
1	1	1914	G
1	1	1926	C
1	1	1931	U
1	1	1932	A
1	1	1952	G
1	1	1953	G
1	1	1954	G
1	1	1960	A
1	1	1961	G
1	1	1962	G
1	1	1963	G
1	1	1964	C
1	1	1969	G
1	1	1972	A
1	1	1973	G
1	1	1976	G
1	1	2044	U
1	1	2047	A
1	1	2048	G
1	1	2050	C
1	1	2081	U
1	1	2082	U
1	1	2087	C
1	1	2093	A
1	1	2101	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2102	U
1	1	2111	G
1	1	2112	U
1	1	2113	A
1	1	2114	C
1	1	2121	G
1	1	2122	G
1	1	2125	A
1	1	2126	A
1	1	2131	A
1	1	2138	A
1	1	2142	A
1	1	2144	A
1	1	2145	A
1	1	2148	U
1	1	2157	G
1	1	2159	U
1	1	2160	G
1	1	2166	A
1	1	2169	G
1	1	2176	U
1	1	2177	G
1	1	2178	A
1	1	2179	C
1	1	2186	U
1	1	2188	A
1	1	2197	C
1	1	2198	A
1	1	2205	U
1	1	2208	A
1	1	2209	U
1	1	2210	G
1	1	2243	A
1	1	2244	A
1	1	2248	C
1	1	2250	G
1	1	2252	A
1	1	2256	A
1	1	2257	C
1	1	2269	U
1	1	2270	A
1	1	2272	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2280	A
1	1	2281	A
1	1	2282	U
1	1	2287	C
1	1	2297	U
1	1	2298	U
1	1	2299	A
1	1	2306	C
1	1	2307	G
1	1	2308	C
1	1	2309	A
1	1	2310	U
1	1	2313	A
1	1	2315	G
1	1	2318	U
1	1	2319	U
1	1	2334	U
1	1	2335	G
1	1	2336	U
1	1	2340	U
1	1	2374	C
1	1	2375	G
1	1	2378	C
1	1	2386	A
1	1	2388	U
1	1	2397	A
1	1	2402	A
1	1	2403	G
1	1	2404	A
1	1	2411	U
1	1	2418	G
1	1	2419	A
1	1	2434	U
1	1	2435	G
1	1	2436	U
1	1	2437	G
1	1	2438	A
1	1	2439	A
1	1	2440	G
1	1	2442	G
1	1	2444	C
1	1	2447	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2449	A
1	1	2452	G
1	1	2493	U
1	1	2494	A
1	1	2495	C
1	1	2497	U
1	1	2501	U
1	1	2503	G
1	1	2505	U
1	1	2506	U
1	1	2507	C
1	1	2511	A
1	1	2514	U
1	1	2515	A
1	1	2522	G
1	1	2523	A
1	1	2524	A
1	1	2526	C
1	1	2530	G
1	1	2531	C
1	1	2533	G
1	1	2537	U
1	1	2538	U
1	1	2539	C
1	1	2540	A
1	1	2541	U
1	1	2542	U
1	1	2544	U
1	1	2547	A
1	1	2548	C
1	1	2550	U
1	1	2552	C
1	1	2555	G
1	1	2558	U
1	1	2560	C
1	1	2568	C
1	1	2571	U
1	1	2572	C
1	1	2582	C
1	1	2585	G
1	1	2593	A
1	1	2600	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2606	G
1	1	2607	G
1	1	2614	G
1	1	2618	G
1	1	2619	G
1	1	2626	A
1	1	2635	A
1	1	2636	A
1	1	2638	C
1	1	2652	U
1	1	2653	C
1	1	2655	U
1	1	2657	A
1	1	2672	G
1	1	2674	A
1	1	2678	A
1	1	2679	A
1	1	2681	U
1	1	2689	A
1	1	2691	A
1	1	2694	A
1	1	2702	A
1	1	2703	A
1	1	2710	C
1	1	2712	U
1	1	2713	U
1	1	2727	A
1	1	2728	G
1	1	2729	U
1	1	2737	C
1	1	2752	U
1	1	2753	G
1	1	2755	C
1	1	2758	A
1	1	2772	C
1	1	2773	C
1	1	2777	G
1	1	2778	G
1	1	2779	A
1	1	2797	C
1	1	2800	G
1	1	2801	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2802	A
1	1	2803	A
1	1	2810	C
1	1	2814	G
1	1	2817	A
1	1	2818	U
1	1	2842	U
1	1	2844	C
1	1	2845	A
1	1	2847	A
1	1	2867	C
1	1	2871	G
1	1	2872	A
1	1	2873	U
1	1	2874	G
1	1	2888	U
1	1	2889	C
1	1	2898	G
1	1	2899	C
1	1	2912	G
1	1	2923	U
1	1	2935	U
1	1	2936	A
1	1	2938	G
1	1	2941	A
1	1	2942	C
1	1	2947	G
1	1	2954	U
1	1	2955	U
1	1	2966	G
1	1	2971	A
1	1	2972	G
1	1	2978	U
1	1	2979	U
1	1	2983	C
1	1	2984	C
1	1	2997	G
1	1	3012	A
1	1	3021	A
1	1	3022	G
1	1	3023	U
1	1	3026	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	3028	G
1	1	3030	G
1	1	3047	U
1	1	3049	A
1	1	3056	U
1	1	3058	U
1	1	3059	G
1	1	3078	U
1	1	3080	G
1	1	3086	A
1	1	3092	C
1	1	3113	A
1	1	3117	C
1	1	3122	A
1	1	3130	A
1	1	3131	U
1	1	3141	A
1	1	3142	A
1	1	3143	C
1	1	3144	G
1	1	3151	U
1	1	3153	U
1	1	3154	C
1	1	3155	U
1	1	3156	U
1	1	3157	U
1	1	3158	G
1	1	3170	A
1	1	3172	A
1	1	3173	G
1	1	3174	A
1	1	3176	G
1	1	3179	U
1	1	3181	C
1	1	3182	G
1	1	3185	U
1	1	3186	A
1	1	3187	A
1	1	3195	U
1	1	3196	U
1	1	3197	G
1	1	3198	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	3206	C
1	1	3207	U
1	1	3208	G
1	1	3209	A
1	1	3210	A
1	1	3213	A
1	1	3216	G
1	1	3217	C
1	1	3218	A
1	1	3219	G
1	1	3220	G
1	1	3226	A
1	1	3227	A
1	1	3228	C
1	1	3229	G
1	1	3231	U
1	1	3244	A
1	1	3245	A
1	1	3246	G
1	1	3247	G
1	1	3259	U
1	1	3260	G
1	1	3268	A
1	1	3269	U
1	1	3270	U
1	1	3273	A
1	1	3274	A
1	1	3276	G
1	1	3278	C
1	1	3279	A
1	1	3288	G
1	1	3289	G
1	1	3290	G
1	1	3293	U
1	1	3294	A
1	1	3295	A
1	1	3304	U
1	1	3305	A
1	1	3307	A
1	1	3316	A
1	1	3317	U
1	1	3318	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	3319	U
1	1	3334	U
1	1	3335	A
1	1	3341	U
1	1	3345	G
1	1	3347	A
1	1	3349	C
1	1	3351	U
1	1	3352	U
1	1	3353	G
1	1	3354	U
1	1	3355	U
1	1	3356	G
1	1	3358	U
1	1	3359	A
1	1	3368	U
1	1	3369	G
1	1	3370	A
1	1	3375	A
1	1	3378	C
1	1	3382	U
1	1	3383	G
1	1	3389	U
1	1	3390	G
1	1	3396	U
2	3	7	G
2	3	11	A
2	3	13	A
2	3	14	U
2	3	22	A
2	3	23	A
2	3	24	A
2	3	33	U
2	3	41	G
2	3	42	A
2	3	50	U
2	3	53	U
2	3	54	U
2	3	55	A
2	3	64	A
2	3	65	G
2	3	73	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	3	76	A
2	3	77	G
2	3	78	U
2	3	87	G
2	3	90	U
2	3	91	G
2	3	93	C
2	3	102	A
2	3	112	G
2	3	121	U
3	4	22	U
3	4	23	U
3	4	24	G
3	4	34	U
3	4	35	C
3	4	39	G
3	4	49	G
3	4	51	G
3	4	59	A
3	4	60	U
3	4	62	C
3	4	63	G
3	4	71	A
3	4	72	A
3	4	80	A
3	4	82	U
3	4	83	C
3	4	85	G
3	4	86	U
3	4	87	G
3	4	90	U
3	4	91	C
3	4	95	G
3	4	104	A
3	4	106	C
3	4	111	A
3	4	112	U
3	4	113	U
3	4	116	G
3	4	125	U
3	4	126	A
3	4	129	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	4	151	C
3	4	152	G
5	2	9	G
5	2	16	U
5	2	17	G
5	2	18	G
5	2	19	U
5	2	21	A
5	2	42	G
5	2	43	A
5	2	48	U
5	2	49	C
5	2	58	A
5	2	59	G
5	2	60	U
5	2	64	G
5	2	73	G
5	2	74	C

All (85) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	12	A
1	1	14	U
1	1	43	A
1	1	86	G
1	1	154	U
1	1	219	A
1	1	239	G
1	1	269	G
1	1	282	G
1	1	285	A
1	1	316	U
1	1	341	G
1	1	353	G
1	1	374	A
1	1	400	G
1	1	426	G
1	1	543	C
1	1	547	G
1	1	602	A
1	1	677	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	689	U
1	1	715	A
1	1	870	G
1	1	906	A
1	1	914	A
1	1	916	G
1	1	981	U
1	1	1064	A
1	1	1144	U
1	1	1253	U
1	1	1307	G
1	1	1433	A
1	1	1447	G
1	1	1557	A
1	1	1580	A
1	1	1695	U
1	1	1730	G
1	1	1760	A
1	1	1793	C
1	1	1795	U
1	1	1815	U
1	1	1816	A
1	1	1913	A
1	1	1959	G
1	1	2086	A
1	1	2101	C
1	1	2111	G
1	1	2158	A
1	1	2177	G
1	1	2178	A
1	1	2403	G
1	1	2434	U
1	1	2436	U
1	1	2439	A
1	1	2513	U
1	1	2525	G
1	1	2537	U
1	1	2538	U
1	1	2541	U
1	1	2549	G
1	1	2625	C
1	1	2656	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2727	A
1	1	2816	G
1	1	2911	A
1	1	3022	G
1	1	3027	A
1	1	3079	U
1	1	3121	U
1	1	3156	U
1	1	3175	U
1	1	3216	G
1	1	3218	A
1	1	3219	G
1	1	3243	A
1	1	3246	G
1	1	3269	U
1	1	3272	C
1	1	3334	U
2	3	76	A
2	3	77	G
2	3	90	U
3	4	22	U
3	4	48	A
3	4	71	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14926. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 280




Y Index: 280




Z Index: 280


6.2.2 Raw map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 300




Y Index: 275




Z Index: 271


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_14926_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1499 nm^3 ; this corresponds to an approximate mass of 1354 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.22	4.08	3.34
Unmasked-calculated*	8.33	17.99	8.90

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.33 differs from the reported value 3.2 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-14926 and PDB model 7ZS5. Per-residue inclusion information can be found in section 3 on page 12.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

























The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9140	 0.4210
1	 0.9390	 0.4160
2	 0.5330	 0.1110
3	 0.9620	 0.4120
4	 0.9780	 0.4490
A	 0.8320	 0.3510
B	 0.7560	 0.3320
BA	 0.8560	 0.4560
BB	 0.9190	 0.4630
BC	 0.9110	 0.4740
BD	 0.9180	 0.4570
BE	 0.9190	 0.4580
BF	 0.8490	 0.3730
BG	 0.8310	 0.3830
BH	 0.8890	 0.4470
BI	 0.8770	 0.3950
BJ	 0.8560	 0.4280
BK	 0.8610	 0.4220
BL	 0.8000	 0.3220
BM	 0.8720	 0.4410
BN	 0.8470	 0.3940
BO	 0.9440	 0.4970
BP	 0.9230	 0.4640
BQ	 0.9170	 0.4450
BR	 0.8930	 0.4620
BS	 0.8820	 0.4380
BT	 0.8730	 0.4500
BU	 0.8740	 0.4400
BV	 0.8820	 0.4000
BW	 0.9140	 0.4720
BX	 0.8550	 0.4210
BY	 0.9400	 0.4720
BZ	 0.8700	 0.4380
Ba	 0.8710	 0.4240
Bb	 0.9110	 0.4600



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Bc	 0.8940	 0.4210
Bd	 0.8540	 0.4150
Be	 0.8810	 0.4630
Bf	 0.8880	 0.4570
Bg	 0.9030	 0.4710
Bh	 0.8720	 0.4410
Bi	 0.9120	 0.4320
Bj	 0.8730	 0.4210
Bk	 0.9450	 0.5100
Bl	 0.7910	 0.4030
Bm	 0.9300	 0.4780
Bn	 0.9130	 0.4600