



Full wwPDB X-ray Structure Validation Report i

Jul 29, 2024 – 02:46 PM EDT

PDB ID : 8TNF
Title : Crystal structure of sulfohexulose-1-phosphate aldolase from Paracoccus onubensis strain Merri
Authors : Lee, M.
Deposited on : 2023-08-01
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see references ①) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain			
1	F	362	3%	80%	11%	• 8%
1	G	362	8%	81%	10%	• 9%
1	H	362	14%	82%	9%	• 9%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 21084 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DUF2090 domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	334	Total 2586	C 1637	N 457	O 483	S 9	0	0	0
1	B	338	Total 2615	C 1654	N 461	O 491	S 9	0	0	0
1	C	332	Total 2573	C 1630	N 455	O 479	S 9	0	0	0
1	D	334	Total 2577	C 1631	N 456	O 482	S 8	0	0	0
1	E	331	Total 2556	C 1618	N 451	O 478	S 9	0	0	0
1	F	332	Total 2573	C 1630	N 455	O 479	S 9	0	0	0
1	G	331	Total 2568	C 1627	N 454	O 478	S 9	0	0	0
1	H	331	Total 2552	C 1618	N 450	O 475	S 9	0	0	0

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	MET	-	expression tag	UNP A0A418T8G4
A	-15	GLY	-	expression tag	UNP A0A418T8G4
A	-14	SER	-	expression tag	UNP A0A418T8G4
A	-13	SER	-	expression tag	UNP A0A418T8G4
A	-12	HIS	-	expression tag	UNP A0A418T8G4
A	-11	HIS	-	expression tag	UNP A0A418T8G4
A	-10	HIS	-	expression tag	UNP A0A418T8G4
A	-9	HIS	-	expression tag	UNP A0A418T8G4
A	-8	HIS	-	expression tag	UNP A0A418T8G4
A	-7	HIS	-	expression tag	UNP A0A418T8G4
A	-6	GLU	-	expression tag	UNP A0A418T8G4
A	-5	ASN	-	expression tag	UNP A0A418T8G4
A	-4	LEU	-	expression tag	UNP A0A418T8G4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	TYR	-	expression tag	UNP A0A418T8G4
A	-2	PHE	-	expression tag	UNP A0A418T8G4
A	-1	GLN	-	expression tag	UNP A0A418T8G4
A	0	GLY	-	expression tag	UNP A0A418T8G4
A	47	GLU	LYS	conflict	UNP A0A418T8G4
A	240	VAL	LEU	conflict	UNP A0A418T8G4
A	297	GLU	ASP	conflict	UNP A0A418T8G4
B	-16	MET	-	expression tag	UNP A0A418T8G4
B	-15	GLY	-	expression tag	UNP A0A418T8G4
B	-14	SER	-	expression tag	UNP A0A418T8G4
B	-13	SER	-	expression tag	UNP A0A418T8G4
B	-12	HIS	-	expression tag	UNP A0A418T8G4
B	-11	HIS	-	expression tag	UNP A0A418T8G4
B	-10	HIS	-	expression tag	UNP A0A418T8G4
B	-9	HIS	-	expression tag	UNP A0A418T8G4
B	-8	HIS	-	expression tag	UNP A0A418T8G4
B	-7	HIS	-	expression tag	UNP A0A418T8G4
B	-6	GLU	-	expression tag	UNP A0A418T8G4
B	-5	ASN	-	expression tag	UNP A0A418T8G4
B	-4	LEU	-	expression tag	UNP A0A418T8G4
B	-3	TYR	-	expression tag	UNP A0A418T8G4
B	-2	PHE	-	expression tag	UNP A0A418T8G4
B	-1	GLN	-	expression tag	UNP A0A418T8G4
B	0	GLY	-	expression tag	UNP A0A418T8G4
B	47	GLU	LYS	conflict	UNP A0A418T8G4
B	240	VAL	LEU	conflict	UNP A0A418T8G4
B	297	GLU	ASP	conflict	UNP A0A418T8G4
C	-16	MET	-	expression tag	UNP A0A418T8G4
C	-15	GLY	-	expression tag	UNP A0A418T8G4
C	-14	SER	-	expression tag	UNP A0A418T8G4
C	-13	SER	-	expression tag	UNP A0A418T8G4
C	-12	HIS	-	expression tag	UNP A0A418T8G4
C	-11	HIS	-	expression tag	UNP A0A418T8G4
C	-10	HIS	-	expression tag	UNP A0A418T8G4
C	-9	HIS	-	expression tag	UNP A0A418T8G4
C	-8	HIS	-	expression tag	UNP A0A418T8G4
C	-7	HIS	-	expression tag	UNP A0A418T8G4
C	-6	GLU	-	expression tag	UNP A0A418T8G4
C	-5	ASN	-	expression tag	UNP A0A418T8G4
C	-4	LEU	-	expression tag	UNP A0A418T8G4
C	-3	TYR	-	expression tag	UNP A0A418T8G4
C	-2	PHE	-	expression tag	UNP A0A418T8G4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLN	-	expression tag	UNP A0A418T8G4
C	0	GLY	-	expression tag	UNP A0A418T8G4
C	47	GLU	LYS	conflict	UNP A0A418T8G4
C	240	VAL	LEU	conflict	UNP A0A418T8G4
C	297	GLU	ASP	conflict	UNP A0A418T8G4
D	-16	MET	-	expression tag	UNP A0A418T8G4
D	-15	GLY	-	expression tag	UNP A0A418T8G4
D	-14	SER	-	expression tag	UNP A0A418T8G4
D	-13	SER	-	expression tag	UNP A0A418T8G4
D	-12	HIS	-	expression tag	UNP A0A418T8G4
D	-11	HIS	-	expression tag	UNP A0A418T8G4
D	-10	HIS	-	expression tag	UNP A0A418T8G4
D	-9	HIS	-	expression tag	UNP A0A418T8G4
D	-8	HIS	-	expression tag	UNP A0A418T8G4
D	-7	HIS	-	expression tag	UNP A0A418T8G4
D	-6	GLU	-	expression tag	UNP A0A418T8G4
D	-5	ASN	-	expression tag	UNP A0A418T8G4
D	-4	LEU	-	expression tag	UNP A0A418T8G4
D	-3	TYR	-	expression tag	UNP A0A418T8G4
D	-2	PHE	-	expression tag	UNP A0A418T8G4
D	-1	GLN	-	expression tag	UNP A0A418T8G4
D	0	GLY	-	expression tag	UNP A0A418T8G4
D	47	GLU	LYS	conflict	UNP A0A418T8G4
D	240	VAL	LEU	conflict	UNP A0A418T8G4
D	297	GLU	ASP	conflict	UNP A0A418T8G4
E	-16	MET	-	expression tag	UNP A0A418T8G4
E	-15	GLY	-	expression tag	UNP A0A418T8G4
E	-14	SER	-	expression tag	UNP A0A418T8G4
E	-13	SER	-	expression tag	UNP A0A418T8G4
E	-12	HIS	-	expression tag	UNP A0A418T8G4
E	-11	HIS	-	expression tag	UNP A0A418T8G4
E	-10	HIS	-	expression tag	UNP A0A418T8G4
E	-9	HIS	-	expression tag	UNP A0A418T8G4
E	-8	HIS	-	expression tag	UNP A0A418T8G4
E	-7	HIS	-	expression tag	UNP A0A418T8G4
E	-6	GLU	-	expression tag	UNP A0A418T8G4
E	-5	ASN	-	expression tag	UNP A0A418T8G4
E	-4	LEU	-	expression tag	UNP A0A418T8G4
E	-3	TYR	-	expression tag	UNP A0A418T8G4
E	-2	PHE	-	expression tag	UNP A0A418T8G4
E	-1	GLN	-	expression tag	UNP A0A418T8G4
E	0	GLY	-	expression tag	UNP A0A418T8G4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	47	GLU	LYS	conflict	UNP A0A418T8G4
E	240	VAL	LEU	conflict	UNP A0A418T8G4
E	297	GLU	ASP	conflict	UNP A0A418T8G4
F	-16	MET	-	expression tag	UNP A0A418T8G4
F	-15	GLY	-	expression tag	UNP A0A418T8G4
F	-14	SER	-	expression tag	UNP A0A418T8G4
F	-13	SER	-	expression tag	UNP A0A418T8G4
F	-12	HIS	-	expression tag	UNP A0A418T8G4
F	-11	HIS	-	expression tag	UNP A0A418T8G4
F	-10	HIS	-	expression tag	UNP A0A418T8G4
F	-9	HIS	-	expression tag	UNP A0A418T8G4
F	-8	HIS	-	expression tag	UNP A0A418T8G4
F	-7	HIS	-	expression tag	UNP A0A418T8G4
F	-6	GLU	-	expression tag	UNP A0A418T8G4
F	-5	ASN	-	expression tag	UNP A0A418T8G4
F	-4	LEU	-	expression tag	UNP A0A418T8G4
F	-3	TYR	-	expression tag	UNP A0A418T8G4
F	-2	PHE	-	expression tag	UNP A0A418T8G4
F	-1	GLN	-	expression tag	UNP A0A418T8G4
F	0	GLY	-	expression tag	UNP A0A418T8G4
F	47	GLU	LYS	conflict	UNP A0A418T8G4
F	240	VAL	LEU	conflict	UNP A0A418T8G4
F	297	GLU	ASP	conflict	UNP A0A418T8G4
G	-16	MET	-	expression tag	UNP A0A418T8G4
G	-15	GLY	-	expression tag	UNP A0A418T8G4
G	-14	SER	-	expression tag	UNP A0A418T8G4
G	-13	SER	-	expression tag	UNP A0A418T8G4
G	-12	HIS	-	expression tag	UNP A0A418T8G4
G	-11	HIS	-	expression tag	UNP A0A418T8G4
G	-10	HIS	-	expression tag	UNP A0A418T8G4
G	-9	HIS	-	expression tag	UNP A0A418T8G4
G	-8	HIS	-	expression tag	UNP A0A418T8G4
G	-7	HIS	-	expression tag	UNP A0A418T8G4
G	-6	GLU	-	expression tag	UNP A0A418T8G4
G	-5	ASN	-	expression tag	UNP A0A418T8G4
G	-4	LEU	-	expression tag	UNP A0A418T8G4
G	-3	TYR	-	expression tag	UNP A0A418T8G4
G	-2	PHE	-	expression tag	UNP A0A418T8G4
G	-1	GLN	-	expression tag	UNP A0A418T8G4
G	0	GLY	-	expression tag	UNP A0A418T8G4
G	47	GLU	LYS	conflict	UNP A0A418T8G4
G	240	VAL	LEU	conflict	UNP A0A418T8G4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	297	GLU	ASP	conflict	UNP A0A418T8G4
H	-16	MET	-	expression tag	UNP A0A418T8G4
H	-15	GLY	-	expression tag	UNP A0A418T8G4
H	-14	SER	-	expression tag	UNP A0A418T8G4
H	-13	SER	-	expression tag	UNP A0A418T8G4
H	-12	HIS	-	expression tag	UNP A0A418T8G4
H	-11	HIS	-	expression tag	UNP A0A418T8G4
H	-10	HIS	-	expression tag	UNP A0A418T8G4
H	-9	HIS	-	expression tag	UNP A0A418T8G4
H	-8	HIS	-	expression tag	UNP A0A418T8G4
H	-7	HIS	-	expression tag	UNP A0A418T8G4
H	-6	GLU	-	expression tag	UNP A0A418T8G4
H	-5	ASN	-	expression tag	UNP A0A418T8G4
H	-4	LEU	-	expression tag	UNP A0A418T8G4
H	-3	TYR	-	expression tag	UNP A0A418T8G4
H	-2	PHE	-	expression tag	UNP A0A418T8G4
H	-1	GLN	-	expression tag	UNP A0A418T8G4
H	0	GLY	-	expression tag	UNP A0A418T8G4
H	47	GLU	LYS	conflict	UNP A0A418T8G4
H	240	VAL	LEU	conflict	UNP A0A418T8G4
H	297	GLU	ASP	conflict	UNP A0A418T8G4


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	59	Total O 59 59	0	0
2	B	57	Total O 57 57	0	0
2	C	77	Total O 77 77	0	0
2	D	86	Total O 86 86	0	0
2	E	56	Total O 56 56	0	0
2	F	65	Total O 65 65	0	0
2	G	45	Total O 45 45	0	0
2	H	39	Total O 39 39	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DUF2090 domain-containing protein



- Molecule 1: DUF2090 domain-containing protein




- Molecule 1: DUF2090 domain-containing protein








- Molecule 1: DUF2090 domain-containing protein




- Molecule 1: DUF2090 domain-containing protein




- ### • Molecule 1: DUE2000 domain-containing protein



- Molecule 1: DUF2090 domain-containing protein





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	78.66Å 82.48Å 144.77Å 96.05° 90.00° 97.42°	Depositor
Resolution (Å)	47.88 – 2.50 47.88 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.7 (47.88-2.50) 97.7 (47.88-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.52 (at 2.51Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R , R_{free}	0.237 , 0.282 0.230 , 0.274	Depositor DCC
R_{free} test set	6050 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	44.9	Xtriage
Anisotropy	0.290	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.4	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	21084	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.37	0/2642	0.56	0/3583
1	B	0.35	0/2671	0.55	0/3623
1	C	0.38	0/2629	0.58	0/3565
1	D	0.41	0/2633	0.60	0/3573
1	E	0.36	0/2611	0.56	0/3542
1	F	0.38	0/2629	0.56	0/3565
1	G	0.33	0/2624	0.53	0/3558
1	H	0.32	0/2608	0.53	0/3539
All	All	0.36	0/21047	0.56	0/28548

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2586	0	2563	20	0
1	B	2615	0	2587	24	0
1	C	2573	0	2554	15	0
1	D	2577	0	2543	27	0
1	E	2556	0	2531	16	0
1	F	2573	0	2554	22	0
1	G	2568	0	2552	18	0
1	H	2552	0	2524	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	59	0	0	0	0
2	B	57	0	0	0	0
2	C	77	0	0	0	0
2	D	86	0	0	0	0
2	E	56	0	0	0	0
2	F	65	0	0	0	0
2	G	45	0	0	0	0
2	H	39	0	0	0	0
All	All	21084	0	20408	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:211:LYS:CE	1:D:279:LEU:HG	2.03	0.89
1:D:211:LYS:HE3	1:D:279:LEU:HG	1.56	0.87
1:A:87:ARG:HG3	1:B:87:ARG:HG2	1.61	0.82
1:G:30:PRO:HB3	1:G:282:ARG:HD3	1.63	0.81
1:A:334:VAL:HG13	1:A:339:ALA:HB3	1.64	0.77
1:A:87:ARG:HG3	1:B:87:ARG:CG	2.18	0.72
1:B:30:PRO:HB3	1:B:282:ARG:HD3	1.73	0.71
1:A:282:ARG:HE	1:A:286:LEU:HD13	1.58	0.69
1:D:211:LYS:HE2	1:D:279:LEU:HG	1.75	0.68
1:H:57:LEU:HD21	1:H:296:ARG:HG3	1.78	0.66
1:D:334:VAL:HG13	1:D:339:ALA:HB3	1.78	0.65
1:E:211:LYS:HE3	1:E:279:LEU:HG	1.78	0.65
1:D:59:VAL:HG13	1:D:69:MET:HE1	1.79	0.64
1:E:31:LEU:HD23	1:E:55:LYS:HE2	1.80	0.64
1:D:57:LEU:HD21	1:D:296:ARG:HG3	1.79	0.63
1:H:134:ARG:HB3	1:H:136:ASP:OD1	1.99	0.61
1:A:211:LYS:HD3	1:A:279:LEU:HD22	1.82	0.61
1:C:282:ARG:HE	1:C:282:ARG:H	1.46	0.61
1:A:292:HIS:ND1	1:A:298:ALA:HB1	2.16	0.61
1:H:55:LYS:HD3	1:H:76:ALA:HB2	1.83	0.61
1:B:211:LYS:HD3	1:B:279:LEU:HD22	1.81	0.60
1:B:164:VAL:HG11	1:B:211:LYS:HE3	1.84	0.60
1:G:334:VAL:HG13	1:G:339:ALA:HB3	1.85	0.59
1:A:304:LYS:HA	1:A:308:MET:HG3	1.83	0.59
1:B:22:MET:HE1	1:B:252:VAL:HG21	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:ARG:CG	1:B:87:ARG:HG2	2.35	0.57
1:C:211:LYS:HD3	1:C:279:LEU:HD22	1.85	0.57
1:H:95:GLU:HG2	1:H:130:LEU:H	1.70	0.56
1:G:24:ALA:HA	1:G:70:LEU:HB3	1.89	0.54
1:A:56:ARG:HA	1:A:80:ALA:HB2	1.90	0.54
1:D:4:ILE:HD11	1:D:331:LEU:HD21	1.89	0.54
1:C:244:CYS:HB3	1:C:249:ILE:O	2.08	0.53
1:C:334:VAL:HG13	1:C:339:ALA:HB3	1.89	0.53
1:F:222:PRO:HG3	1:F:229:GLU:HG2	1.90	0.53
1:F:22:MET:CE	1:F:252:VAL:HG21	2.39	0.53
1:D:25:LEU:HD11	1:D:71:LEU:HD22	1.89	0.53
1:B:208:ASP:O	1:B:250:PRO:HD2	2.10	0.52
1:C:27:GLN:HE21	1:C:282:ARG:NE	2.07	0.52
1:D:25:LEU:HD21	1:D:69:MET:HE3	1.92	0.52
1:G:70:LEU:HD11	1:G:128:LYS:HD2	1.91	0.52
1:C:282:ARG:H	1:C:282:ARG:NE	2.06	0.52
1:G:25:LEU:HD12	1:G:69:MET:HE3	1.92	0.52
1:B:59:VAL:HG13	1:B:69:MET:HE1	1.92	0.52
1:D:31:LEU:HD22	1:D:55:LYS:HE2	1.91	0.52
1:F:4:ILE:HD11	1:F:331:LEU:HD21	1.92	0.51
1:D:39:ARG:HH11	1:D:293:PHE:HE2	1.59	0.50
1:E:116:VAL:HG22	1:E:127:VAL:HG11	1.93	0.50
1:F:253:LEU:H	1:F:278:PHE:HA	1.76	0.50
1:D:59:VAL:HG22	1:D:69:MET:HE3	1.93	0.50
1:C:14:ALA:O	1:D:87:ARG:NH2	2.45	0.50
1:F:57:LEU:HD21	1:F:296:ARG:HG3	1.94	0.50
1:B:29:PRO:O	1:B:33:GLN:HG2	2.12	0.50
1:D:97:HIS:CE1	1:D:98:ARG:NH1	2.80	0.49
1:A:14:ALA:O	1:B:87:ARG:NH2	2.45	0.49
1:E:323:GLN:HG2	1:E:324:PRO:HD2	1.94	0.49
1:E:65:ASP:OD2	1:E:308:MET:SD	2.71	0.49
1:G:13:LEU:HA	1:G:68:SER:HB3	1.94	0.49
1:F:28:ARG:HB2	1:F:29:PRO:HD3	1.94	0.49
1:A:24:ALA:HA	1:A:70:LEU:HB3	1.94	0.49
1:F:211:LYS:HD3	1:F:279:LEU:HD22	1.94	0.49
1:A:134:ARG:HD2	1:A:170:TYR:O	2.13	0.49
1:D:105:GLY:HA3	1:D:141:VAL:HG11	1.95	0.49
1:F:100:GLN:HB3	1:F:107:LYS:HB2	1.93	0.48
1:G:210:TYR:HB3	1:G:212:LEU:HG	1.95	0.48
1:H:209:LEU:HD12	1:H:250:PRO:HG2	1.95	0.48
1:C:71:LEU:HD22	1:C:76:ALA:HB1	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:MET:HE1	1:A:252:VAL:HG21	1.96	0.48
1:A:59:VAL:HG13	1:A:69:MET:HE1	1.95	0.48
1:H:308:MET:O	1:H:312:LYS:HD3	2.14	0.48
1:A:59:VAL:O	1:A:63:ALA:HB2	2.14	0.47
1:G:282:ARG:HB3	1:G:286:LEU:HD22	1.95	0.47
1:G:151:THR:O	1:G:155:GLU:HG2	2.15	0.47
1:H:199:GLU:HA	1:H:202:LYS:HE3	1.96	0.47
1:E:59:VAL:HG13	1:E:69:MET:HE1	1.96	0.47
1:B:22:MET:CE	1:B:252:VAL:HG21	2.45	0.47
1:B:69:MET:HE2	1:B:84:LEU:HD13	1.96	0.47
1:F:13:LEU:HA	1:F:68:SER:HB3	1.97	0.46
1:D:39:ARG:NH1	1:D:293:PHE:CE2	2.83	0.46
1:B:13:LEU:HA	1:B:68:SER:HB3	1.98	0.46
1:D:295:ASP:HB3	1:D:298:ALA:HB3	1.96	0.46
1:H:211:LYS:HE2	1:H:279:LEU:HD13	1.98	0.46
1:F:26:ASP:HB2	1:F:72:ASP:HB3	1.98	0.46
1:C:282:ARG:HE	1:C:282:ARG:N	2.12	0.46
1:E:100:GLN:HB3	1:E:107:LYS:HB2	1.98	0.46
1:G:100:GLN:HB2	1:G:107:LYS:HB2	1.97	0.45
1:H:100:GLN:HB3	1:H:107:LYS:HB2	1.99	0.45
1:A:164:VAL:HG22	1:A:209:LEU:HB3	1.97	0.45
1:B:35:LEU:HD13	1:B:50:ASP:HB3	1.98	0.45
1:C:130:LEU:HA	1:C:166:GLU:HB3	1.98	0.45
1:B:285:TRP:HB3	1:B:303:LEU:HD21	1.99	0.45
1:G:218:ALA:HB1	1:G:262:GLN:HB3	1.98	0.45
1:H:59:VAL:HA	1:H:69:MET:HE1	1.99	0.45
1:H:210:TYR:HB3	1:H:212:LEU:HG	1.98	0.45
1:A:69:MET:HE2	1:A:84:LEU:HD13	1.98	0.45
1:F:56:ARG:HA	1:F:80:ALA:HB2	1.98	0.45
1:G:14:ALA:HB2	1:G:20:PHE:CE1	2.51	0.45
1:D:58:LEU:HD23	1:D:303:LEU:HD11	1.98	0.45
1:D:231:ARG:HD2	1:F:239:GLU:HB2	1.98	0.45
1:E:81:ILE:HD11	1:F:8:ARG:HD2	1.99	0.45
1:G:62:LEU:HD22	1:G:311:LEU:HD22	1.99	0.45
1:B:24:ALA:HA	1:B:70:LEU:HB3	1.99	0.44
1:F:244:CYS:HB3	1:F:249:ILE:O	2.18	0.44
1:H:197:VAL:HG22	1:H:212:LEU:HD22	1.98	0.44
1:H:120:ARG:HG2	1:H:159:HIS:HB3	2.00	0.44
1:F:8:ARG:HH21	1:F:12:ARG:NH2	2.15	0.44
1:E:12:ARG:HG3	1:F:86:ALA:HB1	1.99	0.44
1:A:244:CYS:HB3	1:A:249:ILE:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:26:ASP:HB2	1:C:72:ASP:HB3	1.99	0.44
1:H:73:PRO:HA	1:H:77:MET:CG	2.48	0.44
1:B:13:LEU:HD11	1:B:126:ALA:HB2	2.00	0.44
1:G:211:LYS:HE2	1:G:279:LEU:HD13	2.00	0.44
1:E:151:THR:O	1:E:155:GLU:HG2	2.18	0.43
1:E:166:GLU:HB2	1:E:211:LYS:HD3	2.00	0.43
1:H:276:GLN:HG2	1:H:325:TRP:HB2	2.00	0.43
1:C:22:MET:HG2	1:C:68:SER:OG	2.18	0.43
1:A:54:ALA:O	1:A:58:LEU:HG	2.19	0.43
1:B:211:LYS:HB3	1:B:254:LEU:HD21	2.00	0.43
1:D:26:ASP:HB2	1:D:72:ASP:HB3	2.00	0.43
1:D:54:ALA:O	1:D:58:LEU:HG	2.19	0.43
1:C:164:VAL:HG11	1:C:211:LYS:HE3	2.00	0.43
1:E:105:GLY:HA3	1:E:141:VAL:HG11	2.01	0.43
1:G:198:ARG:HA	1:G:243:ILE:HG21	2.01	0.42
1:E:208:ASP:O	1:E:250:PRO:HD2	2.19	0.42
1:E:22:MET:HE2	1:E:252:VAL:HG11	2.00	0.42
1:D:222:PRO:HG3	1:D:229:GLU:HG2	2.01	0.42
1:B:56:ARG:HA	1:B:80:ALA:HB2	2.02	0.42
1:F:70:LEU:HD11	1:F:128:LYS:HD2	2.02	0.42
1:D:13:LEU:HA	1:D:68:SER:HB2	2.01	0.42
1:A:60:GLU:HG3	1:A:83:VAL:HG21	2.00	0.42
1:B:293:PHE:CG	1:B:294:PRO:HA	2.55	0.42
1:B:26:ASP:HB2	1:B:72:ASP:HB3	2.01	0.42
1:B:192:LEU:O	1:B:196:SER:OG	2.33	0.42
1:G:57:LEU:HD13	1:G:296:ARG:HG3	2.01	0.42
1:B:293:PHE:CD1	1:B:294:PRO:HA	2.55	0.41
1:F:22:MET:HG2	1:F:68:SER:OG	2.20	0.41
1:G:56:ARG:HA	1:G:80:ALA:HB2	2.02	0.41
1:D:81:ILE:HD12	1:D:81:ILE:HA	1.98	0.41
1:D:285:TRP:HB3	1:D:303:LEU:HD21	2.02	0.41
1:F:216:LEU:HD21	1:F:236:GLN:HG3	2.02	0.41
1:D:56:ARG:HA	1:D:80:ALA:HB2	2.02	0.41
1:G:22:MET:CE	1:G:252:VAL:HG21	2.50	0.41
1:C:192:LEU:O	1:C:196:SER:OG	2.34	0.41
1:F:57:LEU:HD13	1:F:299:VAL:HG11	2.02	0.41
1:E:120:ARG:HG3	1:E:159:HIS:HB3	2.01	0.41
1:D:209:LEU:HD12	1:D:250:PRO:HG2	2.03	0.41
1:F:336:ARG:HG3	1:F:339:ALA:HB2	2.02	0.40
1:H:56:ARG:HA	1:H:80:ALA:HB2	2.02	0.40
1:C:105:GLY:HA3	1:C:141:VAL:HG11	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:58:LEU:HD23	1:E:303:LEU:HD11	2.04	0.40
1:F:208:ASP:O	1:F:250:PRO:HD2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	330/362 (91%)	322 (98%)	7 (2%)	1 (0%)	41 61
1	B	334/362 (92%)	325 (97%)	8 (2%)	1 (0%)	41 61
1	C	328/362 (91%)	318 (97%)	9 (3%)	1 (0%)	41 61
1	D	330/362 (91%)	321 (97%)	8 (2%)	1 (0%)	41 61
1	E	327/362 (90%)	321 (98%)	5 (2%)	1 (0%)	41 61
1	F	328/362 (91%)	317 (97%)	10 (3%)	1 (0%)	41 61
1	G	327/362 (90%)	321 (98%)	5 (2%)	1 (0%)	41 61
1	H	327/362 (90%)	316 (97%)	10 (3%)	1 (0%)	41 61
All	All	2631/2896 (91%)	2561 (97%)	62 (2%)	8 (0%)	41 61

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	28	ARG
1	A	28	ARG
1	E	28	ARG
1	H	28	ARG
1	B	28	ARG
1	C	28	ARG
1	D	28	ARG
1	F	28	ARG

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	264/291 (91%)	261 (99%)	3 (1%)	73 89
1	B	267/291 (92%)	264 (99%)	3 (1%)	73 89
1	C	262/291 (90%)	257 (98%)	5 (2%)	57 80
1	D	261/291 (90%)	255 (98%)	6 (2%)	50 76
1	E	260/291 (89%)	250 (96%)	10 (4%)	33 58
1	F	262/291 (90%)	257 (98%)	5 (2%)	57 80
1	G	262/291 (90%)	256 (98%)	6 (2%)	50 76
1	H	259/291 (89%)	254 (98%)	5 (2%)	57 80
All	All	2097/2328 (90%)	2054 (98%)	43 (2%)	53 78

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	THR
1	A	210	TYR
1	A	242	SER
1	B	87	ARG
1	B	210	TYR
1	B	231	ARG
1	C	151	THR
1	C	210	TYR
1	C	282	ARG
1	C	316	ARG
1	C	331	LEU
1	D	25	LEU
1	D	65	ASP
1	D	209	LEU
1	D	210	TYR
1	D	226	ASP
1	D	335	ASP
1	E	25	LEU
1	E	47	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	120	ARG
1	E	210	TYR
1	E	224	MET
1	E	226	ASP
1	E	230	SER
1	E	254	LEU
1	E	279	LEU
1	E	326	LYS
1	F	57	LEU
1	F	102	THR
1	F	151	THR
1	F	210	TYR
1	F	230	SER
1	G	120	ARG
1	G	151	THR
1	G	209	LEU
1	G	210	TYR
1	G	283	THR
1	G	323	GLN
1	H	95	GLU
1	H	120	ARG
1	H	151	THR
1	H	210	TYR
1	H	254	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	HIS
1	B	159	HIS
1	C	113	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/362 (92%)	0.43	20 (5%) 21 22	29, 49, 72, 84	0
1	B	338/362 (93%)	0.46	23 (6%) 17 17	31, 50, 76, 84	0
1	C	332/362 (91%)	0.28	7 (2%) 63 66	30, 44, 64, 80	0
1	D	334/362 (92%)	0.36	17 (5%) 28 29	28, 42, 67, 80	0
1	E	331/362 (91%)	0.67	33 (9%) 7 6	33, 50, 84, 94	0
1	F	332/362 (91%)	0.34	11 (3%) 46 50	34, 48, 68, 81	0
1	G	331/362 (91%)	0.64	28 (8%) 10 10	36, 55, 80, 91	0
1	H	331/362 (91%)	0.92	52 (15%) 2 1	38, 62, 86, 100	0
All	All	2663/2896 (91%)	0.51	191 (7%) 15 16	28, 50, 79, 100	0

All (191) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	228	ALA	5.7
1	E	298	ALA	5.5
1	H	309	LYS	5.0
1	H	245	ALA	4.9
1	H	257	GLY	4.9
1	B	299	VAL	4.8
1	E	46	VAL	4.6
1	H	233	ALA	4.5
1	H	142	LEU	4.5
1	H	224	MET	4.4
1	G	226	ASP	4.4
1	H	263	PHE	4.4
1	G	228	ALA	4.3
1	H	223	PRO	4.3
1	H	219	ALA	4.3
1	G	224	MET	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	303	LEU	4.1
1	H	231	ARG	4.1
1	H	218	ALA	4.1
1	E	37	LYS	3.9
1	G	299	VAL	3.9
1	D	174	ASP	3.9
1	H	267	LEU	3.9
1	G	45	GLN	3.9
1	G	306	ASP	3.8
1	E	332	GLU	3.8
1	C	187	ASP	3.8
1	A	188	LYS	3.7
1	H	335	ASP	3.7
1	B	330	ARG	3.7
1	E	188	LYS	3.6
1	H	269	TYR	3.6
1	H	194	ILE	3.6
1	G	269	TYR	3.6
1	G	286	LEU	3.6
1	A	228	ALA	3.6
1	A	187	ASP	3.6
1	H	232	ALA	3.6
1	H	46	VAL	3.6
1	G	242	SER	3.5
1	F	187	ASP	3.5
1	B	185	SER	3.5
1	H	35	LEU	3.5
1	E	31	LEU	3.5
1	A	191	ASP	3.5
1	G	235	ALA	3.5
1	E	142	LEU	3.4
1	A	229	GLU	3.4
1	H	253	LEU	3.4
1	H	192	LEU	3.4
1	A	245	ALA	3.4
1	B	303	LEU	3.3
1	E	308	MET	3.3
1	B	333	GLN	3.3
1	G	187	ASP	3.3
1	D	330	ARG	3.3
1	D	31	LEU	3.3
1	E	269	TYR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	306	ASP	3.2
1	G	303	LEU	3.2
1	H	266	VAL	3.2
1	G	330	ARG	3.2
1	E	257	GLY	3.2
1	E	293	PHE	3.2
1	B	308	MET	3.2
1	F	188	LYS	3.1
1	E	33	GLN	3.1
1	A	235	ALA	3.1
1	D	185	SER	3.1
1	H	330	ARG	3.0
1	B	45	GLN	3.0
1	E	172	PHE	3.0
1	H	235	ALA	3.0
1	E	302	ALA	2.9
1	D	33	GLN	2.9
1	H	308	MET	2.9
1	H	310	ILE	2.9
1	H	237	PHE	2.9
1	G	308	MET	2.9
1	A	232	ALA	2.8
1	H	226	ASP	2.8
1	F	308	MET	2.8
1	F	331	LEU	2.8
1	G	331	LEU	2.8
1	B	226	ASP	2.8
1	H	191	ASP	2.8
1	H	45	GLN	2.8
1	F	330	ARG	2.7
1	H	221	LEU	2.7
1	D	173	PRO	2.7
1	H	268	SER	2.7
1	H	305	GLY	2.7
1	B	187	ASP	2.7
1	G	292	HIS	2.7
1	A	219	ALA	2.7
1	F	226	ASP	2.7
1	H	236	GLN	2.7
1	D	172	PHE	2.6
1	H	270	SER	2.6
1	C	330	ARG	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	300	LEU	2.6
1	B	35	LEU	2.6
1	C	308	MET	2.6
1	B	191	ASP	2.6
1	C	335	ASP	2.6
1	D	226	ASP	2.6
1	G	191	ASP	2.5
1	D	269	TYR	2.5
1	A	222	PRO	2.5
1	B	183	VAL	2.5
1	G	333	GLN	2.5
1	C	219	ALA	2.5
1	A	226	ASP	2.5
1	E	226	ASP	2.5
1	E	64	HIS	2.5
1	D	184	GLU	2.5
1	D	301	THR	2.5
1	C	298	ALA	2.5
1	E	246	ASP	2.5
1	F	332	GLU	2.5
1	C	64	HIS	2.4
1	B	224	MET	2.4
1	G	227	SER	2.4
1	H	306	ASP	2.4
1	E	9	GLY	2.4
1	E	141	VAL	2.4
1	E	279	LEU	2.4
1	H	299	VAL	2.3
1	B	292	HIS	2.3
1	B	181	ASP	2.3
1	D	242	SER	2.3
1	B	309	LYS	2.3
1	D	64	HIS	2.3
1	E	292	HIS	2.3
1	B	46	VAL	2.3
1	E	288	ALA	2.3
1	F	338	GLY	2.3
1	B	188	LYS	2.3
1	B	304	LYS	2.3
1	G	46	VAL	2.3
1	D	228	ALA	2.3
1	H	240	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	286	LEU	2.3
1	G	267	LEU	2.3
1	E	5	GLY	2.2
1	G	281	GLY	2.2
1	E	173	PRO	2.2
1	E	187	ASP	2.2
1	A	312	LYS	2.2
1	H	345	ALA	2.2
1	E	191	ASP	2.2
1	A	330	ARG	2.2
1	A	239	GLU	2.2
1	A	174	ASP	2.2
1	E	294	PRO	2.2
1	A	269	TYR	2.2
1	B	184	GLU	2.2
1	H	229	GLU	2.2
1	H	80	ALA	2.2
1	E	295	ASP	2.1
1	F	9	GLY	2.1
1	H	255	SER	2.1
1	G	268	SER	2.1
1	H	40	GLY	2.1
1	B	298	ALA	2.1
1	H	302	ALA	2.1
1	E	225	ASP	2.1
1	F	335	ASP	2.1
1	A	5	GLY	2.1
1	F	269	TYR	2.1
1	E	35	LEU	2.1
1	G	62	LEU	2.1
1	E	32	LEU	2.1
1	H	227	SER	2.1
1	G	321	LYS	2.1
1	H	222	PRO	2.1
1	H	234	ALA	2.1
1	H	238	ALA	2.1
1	D	323	GLN	2.1
1	A	218	ALA	2.0
1	D	50	ASP	2.0
1	H	225	ASP	2.0
1	G	92	VAL	2.0
1	H	334	VAL	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	267	LEU	2.0
1	G	192	LEU	2.0
1	H	66	ALA	2.0
1	A	64	HIS	2.0
1	E	330	ARG	2.0
1	B	300	LEU	2.0
1	G	188	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.